

Araxis Merge File Comparison Report

Produced by **Araxis Merge** on **2021-05-26 15:06:51 W. Europe Summer Time**. See www.araxis.com for information about Merge. This report uses XHTML and CSS2, and is best viewed with a modern standards-compliant browser. For optimum results when printing this report, use landscape orientation and enable printing of background images and colours in your browser.

1. Files compared

#	Location	File	Last Modified
1	C:\Source\AB Guide	AtlaBase.CommonExportFormat_2.4.2.xsd	Wed Sep 2 15:12:34 2020 UTC
2	C:\Source\AB Guide	AtlaBase.CommonExportFormat_2.5.3.xsd	Tue May 11 08:02:44 2021 UTC

2. Comparison summary

Description	Between Files 1 and 2	
	Text Blocks	Lines
Unchanged	19	2626
Changed	4	14
Inserted	13	131
Removed	1	8

3. Comparison options

Whitespace	All differences in whitespace within lines are ignored
Character case	Differences in character case are significant
Line endings	Differences in line endings (CR and LF characters) are ignored
CR/LF characters	Not shown in the comparison detail
Active line-pairing rules	

4. Active regular expressions

No regular expressions were active.

5. Comparison detail

1	<xs:schema	1	<xs:schema
2	targetNamespace="http://www.atlabase.com/schemas/CommonExportFormat_2.4.2"	2	targetNamespace="http://www.atlabase.com/schemas/CommonExportFormat_2.5.3"
3	xmlns:xs="http://www.w3.org/2001/XMLSchema"	3	xmlns:xs="http://www.w3.org/2001/XMLSchema"
4	xmlns:cef="http://www.atlabase.com/schemas/CommonExportFormat_2.4.2"	4	xmlns:cef="http://www.atlabase.com/schemas/CommonExportFormat_2.5.3"
5	elementFormDefault="qualified">	5	elementFormDefault="qualified">
6		6	
7	<!-- Document root -->	7	<!-- Document root -->
8	<xs:element name="AtlaBase.CommonExportFormat">	8	<xs:element name="AtlaBase.CommonExportFormat">
9	<xs:complexType>	9	<xs:complexType>
10	<xs:choice minOccurs="1" maxOccurs="unbounded">	10	<xs:choice minOccurs="1" maxOccurs="unbounded">
11	<xs:element name="Brand" type="cef:tBrand"/>	11	<xs:element name="Brand" type="cef:tBrand"/>
12	<xs:element name="Filter" type="cef:tFilter"/>	12	<xs:element name="Filter" type="cef:tFilter"/>
13	<xs:element name="Gobo" type="cef:tGobo"/>	13	<xs:element name="Gobo" type="cef:tGobo"/>
14	<xs:element name="Fixture" type="cef:tFixture"/>	14	<xs:element name="Fixture" type="cef:tFixture"/>
15	<xs:element name="MediaServer" type="cef:tMediaServer"/>	15	<xs:element name="MediaServer" type="cef:tMediaServer"/>
16	<xs:element name="Symbol" type="cef:tSymbol"/>	16	<xs:element name="Symbol" type="cef:tSymbol"/>
17	</xs:choice>	17	</xs:choice>
18	</xs:complexType>	18	</xs:complexType>
19	</xs:element>	19	</xs:element>
20		20	
21	<!-- Brand -->	21	<!-- Brand -->
22	<xs:complexType name="tBrand">	22	<xs:complexType name="tBrand">
23	<xs:sequence>	23	<xs:sequence>
24	<xs:element name="Name" type="xs:string" minOccurs="1" maxOccurs="1" />	24	<xs:element name="Name" type="xs:string" minOccurs="1" maxOccurs="1" />
25	</xs:sequence>	25	</xs:sequence>
26	<xs:attribute name="Identifier" type="xs:string" use="required"/>	26	<xs:attribute name="Identifier" type="xs:string" use="required"/>
27	</xs:complexType>	27	</xs:complexType>
28		28	
29	<!-- Filter -->	29	<!-- Filter -->

```

30 <xs:complexType name="tFilter">
31   <xs:sequence>
32     <xs:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
33     <xs:element name="HorizontalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
34     <xs:element name="VerticalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
35   </xs:sequence>
36   <xs:attribute name="Identifier" type="xs:string" use="required"/>
37   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
38   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
39   <xs:attribute name="Brand" type="xs:string" use="required"/>
40   <xs:attribute name="Code" type="xs:string" use="optional"/>
41   <xs:attribute name="Name" type="xs:string" use="optional"/>
42   <xs:attribute name="PartNo" type="xs:string" use="optional"/>
43   <xs:attribute name="Origin" type="xs:string" use="optional"/>
44 </xs:complexType>
45
46 <xs:complexType name="tFilterColor">
47   <xs:sequence>
48     <xs:element name="sRGB" minOccurs="1" maxOccurs="1">
49       <xs:complexType>
50         <xs:attribute name="Red" type="xs:unsignedByte" use="required" />
51         <xs:attribute name="Green" type="xs:unsignedByte" use="required" />
52         <xs:attribute name="Blue" type="xs:unsignedByte" use="required" />
53       </xs:complexType>
54     </xs:element>
55     <xs:element name="CIE1931" minOccurs="0" maxOccurs="1">
56       <xs:complexType>
57         <xs:attribute name="x" type="xs:float" use="required" />
58         <xs:attribute name="y" type="xs:float" use="required" />
59         <xs:attribute name="Y" type="xs:float" use="required" />
60         <xs:attribute name="K" type="xs:unsignedShort" use="required" />
61       </xs:complexType>
62     </xs:element>
63   </xs:sequence>
64 </xs:complexType>
65
66 <!-- Gobo -->
67 <xs:complexType name="tGobo">
68   <xs:sequence>
69     <xs:element name="Type" type="cef:tGoboType" minOccurs="1" maxOccurs="1" />
70     <xs:element name="Tags" type="xs:string" minOccurs="0" maxOccurs="1" />
71     <xs:element name="ReplacementGobo" minOccurs="0" maxOccurs="unbounded">
72       <xs:complexType>
73         <xs:attribute name="Identifier" type="xs:string" use="required"/>
74         <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
75       </xs:complexType>
76     </xs:element>
77   </xs:sequence>
78   <xs:attribute name="Identifier" type="xs:string" use="required"/>
79   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
80   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
81   <xs:attribute name="Brand" type="xs:string" use="required"/>
82   <xs:attribute name="Code" type="xs:string" use="optional"/>
83   <xs:attribute name="Name" type="xs:string" use="optional"/>
84   <xs:attribute name="PartNo" type="xs:string" use="optional"/>
85   <xs:attribute name="Origin" type="xs:string" use="optional"/>
86 </xs:complexType>
87
88 <!-- Fixture-->
89 <xs:complexType name="tFixture">
90   <xs:sequence>
91     <xs:element name="Class" type="xs:string" minOccurs="1" maxOccurs="1"/>
92     <xs:element name="Category" type="xs:string" minOccurs="1" maxOccurs="1"/>
93     <xs:element name="SymbolIdentifier" type="xs:string" minOccurs="0" maxOccurs="1"/>
94     <xs:element name="RDM" minOccurs="0" maxOccurs="1">
95       <xs:complexType>
96         <xs:sequence>
97           <xs:element name="ManufacturerId" minOccurs="1" maxOccurs="1">
98             <xs:simpleType>
99               <xs:restriction base="xs:unsignedShort">
100                 <xs:minInclusive value="1"/>
101                 <xs:maxInclusive value="32767"/>
102               </xs:restriction>
103             </xs:simpleType>

```

```

30 <xs:complexType name="tFilter">
31   <xs:sequence>
32     <xs:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
33     <xs:element name="HorizontalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
34     <xs:element name="VerticalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
35   </xs:sequence>
36   <xs:attribute name="Identifier" type="xs:string" use="required"/>
37   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
38   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
39   <xs:attribute name="Brand" type="xs:string" use="required"/>
40   <xs:attribute name="Code" type="xs:string" use="optional"/>
41   <xs:attribute name="Name" type="xs:string" use="optional"/>
42   <xs:attribute name="PartNo" type="xs:string" use="optional"/>
43   <xs:attribute name="Origin" type="xs:string" use="optional"/>
44 </xs:complexType>
45
46 <xs:complexType name="tFilterColor">
47   <xs:sequence>
48     <xs:element name="sRGB" minOccurs="1" maxOccurs="1">
49       <xs:complexType>
50         <xs:attribute name="Red" type="xs:unsignedByte" use="required" />
51         <xs:attribute name="Green" type="xs:unsignedByte" use="required" />
52         <xs:attribute name="Blue" type="xs:unsignedByte" use="required" />
53       </xs:complexType>
54     </xs:element>
55     <xs:element name="CIE1931" minOccurs="0" maxOccurs="1">
56       <xs:complexType>
57         <xs:attribute name="x" type="xs:float" use="required" />
58         <xs:attribute name="y" type="xs:float" use="required" />
59         <xs:attribute name="Y" type="xs:float" use="required" />
60         <xs:attribute name="K" type="xs:unsignedShort" use="required" />
61       </xs:complexType>
62     </xs:element>
63   </xs:sequence>
64 </xs:complexType>
65
66 <!-- Gobo -->
67 <xs:complexType name="tGobo">
68   <xs:sequence>
69     <xs:element name="Type" type="cef:tGoboType" minOccurs="1" maxOccurs="1" />
70     <xs:element name="Tags" type="xs:string" minOccurs="0" maxOccurs="1" />
71     <xs:element name="ReplacementGobo" minOccurs="0" maxOccurs="unbounded">
72       <xs:complexType>
73         <xs:attribute name="Identifier" type="xs:string" use="required"/>
74         <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
75       </xs:complexType>
76     </xs:element>
77   </xs:sequence>
78   <xs:attribute name="Identifier" type="xs:string" use="required"/>
79   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
80   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
81   <xs:attribute name="Brand" type="xs:string" use="required"/>
82   <xs:attribute name="Code" type="xs:string" use="optional"/>
83   <xs:attribute name="Name" type="xs:string" use="optional"/>
84   <xs:attribute name="PartNo" type="xs:string" use="optional"/>
85   <xs:attribute name="Origin" type="xs:string" use="optional"/>
86 </xs:complexType>
87
88 <!-- Fixture-->
89 <xs:complexType name="tFixture">
90   <xs:sequence>
91     <xs:element name="Class" type="xs:string" minOccurs="1" maxOccurs="1"/>
92     <xs:element name="Category" type="xs:string" minOccurs="1" maxOccurs="1"/>
93     <xs:element name="SymbolIdentifier" type="xs:string" minOccurs="0" maxOccurs="1"/>
94     <xs:element name="RDM" minOccurs="0" maxOccurs="1">
95       <xs:complexType>
96         <xs:sequence>
97           <xs:element name="ManufacturerId" minOccurs="1" maxOccurs="1">
98             <xs:simpleType>
99               <xs:restriction base="xs:unsignedShort">
100                 <xs:minInclusive value="1"/>
101                 <xs:maxInclusive value="32767"/>
102               </xs:restriction>
103             </xs:simpleType>

```

```
104     </xs:element>
105     <xs:element name="DeviceModelId" type="xs:unsignedShort" minOccurs="1" maxOccurs="1"/>
106   </xs:sequence>
107 </xs:complexType>
108 </xs:element>
109 <xs:element name="Weight" type="xs:string" minOccurs="1" maxOccurs="1"/>
110 <xs:element name="Wattage" type="xs:string" minOccurs="1" maxOccurs="1"/>
111 <xs:element name="CellCount" type="xs:unsignedShort" minOccurs="1" maxOccurs="1" />
112 <xs:element name="Shutter" minOccurs="1" maxOccurs="1">
113   <xs:complexType>
114     <xs:sequence>
115       <xs:element name="MinFrequency" type="xs:float" minOccurs="1" maxOccurs="1"/>
116       <xs:element name="MaxFrequency" type="xs:float" minOccurs="1" maxOccurs="1"/>
117       <xs:element name="MinDuration" type="xs:float" minOccurs="1" maxOccurs="1"/>
118       <xs:element name="MaxDuration" type="xs:float" minOccurs="1" maxOccurs="1"/>
119     </xs:sequence>
120   </xs:complexType>
121 </xs:element>
122 <xs:element name="FramingShutters" minOccurs="1" maxOccurs="1">
123   <xs:simpleType>
124     <xs:restriction base="xs:string">
125       <xs:enumeration value="None" />
126       <xs:enumeration value="OrthogonalSinglePointShutters" />
127       <xs:enumeration value="OrthogonalTwoPointShutters" />
128       <xs:enumeration value="PerimetralSinglePointShutters" />
129       <xs:enumeration value="ExternalBarndoors" />
130       <xs:enumeration value="InternalBarndoors" />
131     </xs:restriction>
132   </xs:simpleType>
133 </xs:element>
134 <xs:element name="Axis" minOccurs="0" maxOccurs="unbounded">
135   <xs:complexType>
136     <xs:sequence>
137       <xs:element name="Range" type="xs:float" minOccurs="1" maxOccurs="1" />
138       <xs:element name="Trim" type="xs:float" minOccurs="1" maxOccurs="1" />
139       <xs:element name="Inverse" type="cef:tBoolean" minOccurs="1" maxOccurs="1" />
140       <xs:element name="MinTime" type="xs:float" minOccurs="1" maxOccurs="1" />
141     </xs:sequence>
142     <xs:attribute name="Name" type="cef:tFixtureAxisName" use="required" />
143     <xs:attribute name="Index" type="xs:unsignedByte" use="required" />
144   </xs:complexType>
145 </xs:element>
146 <xs:element name="Part" minOccurs="0" maxOccurs="unbounded">
147   <xs:complexType>
148     <xs:sequence>
149       <xs:element name="Host" minOccurs="0" maxOccurs="1">
150         <xs:complexType>
151           <xs:attribute name="PartName" type="xs:string" use="required" />
152           <xs:attribute name="AxisName" type="cef:tFixtureAxisName" use="required" />
153           <xs:attribute name="AxisIndex" type="xs:unsignedByte" use="required" />
154         </xs:complexType>
155       </xs:element>
```

```
104     </xs:element>
105     <xs:element name="DeviceModelId" type="xs:unsignedShort" minOccurs="1" maxOccurs="1"/>
106   </xs:sequence>
107 </xs:complexType>
108 </xs:element>
109 <xs:element name="Weight" type="xs:string" minOccurs="1" maxOccurs="1"/>
110 <xs:element name="Wattage" type="xs:string" minOccurs="1" maxOccurs="1"/>
111 <xs:element name="CellCount" type="xs:unsignedShort" minOccurs="1" maxOccurs="1" />
112 <xs:element name="Shutter" minOccurs="1" maxOccurs="1">
113   <xs:complexType>
114     <xs:sequence>
115       <xs:element name="MinFrequency" type="xs:float" minOccurs="1" maxOccurs="1"/>
116       <xs:element name="MaxFrequency" type="xs:float" minOccurs="1" maxOccurs="1"/>
117       <xs:element name="MinDuration" type="xs:float" minOccurs="1" maxOccurs="1"/>
118       <xs:element name="MaxDuration" type="xs:float" minOccurs="1" maxOccurs="1"/>
119     </xs:sequence>
120   </xs:complexType>
121 </xs:element>
122 <xs:element name="FramingShutters" minOccurs="1" maxOccurs="1">
123   <xs:simpleType>
124     <xs:restriction base="xs:string">
125       <xs:enumeration value="None" />
126       <xs:enumeration value="OrthogonalSinglePointShutters" />
127       <xs:enumeration value="OrthogonalTwoPointShutters" />
128       <xs:enumeration value="PerimetralSinglePointShutters" />
129       <xs:enumeration value="ExternalBarndoors" />
130       <xs:enumeration value="InternalBarndoors" />
131     </xs:restriction>
132   </xs:simpleType>
133 </xs:element>
134 <xs:element name="Axis" minOccurs="0" maxOccurs="unbounded">
135   <xs:complexType>
136     <xs:sequence>
137       <xs:element name="Range" type="xs:float" minOccurs="1" maxOccurs="1" />
138       <xs:element name="Trim" type="xs:float" minOccurs="1" maxOccurs="1" />
139       <xs:element name="Inverse" type="cef:tBoolean" minOccurs="1" maxOccurs="1" />
140       <xs:element name="MinTime" type="xs:float" minOccurs="1" maxOccurs="1" />
141     </xs:sequence>
142     <xs:attribute name="Name" type="cef:tFixtureAxisName" use="required" />
143     <xs:attribute name="Index" type="xs:unsignedByte" use="required" />
144   </xs:complexType>
145 </xs:element>
146 <xs:element name="Part" minOccurs="0" maxOccurs="unbounded">
147   <xs:complexType>
148     <xs:sequence>
149       <xs:element name="Host" minOccurs="0" maxOccurs="1">
150         <xs:complexType>
151           <xs:attribute name="PartName" type="xs:string" use="required" />
152           <xs:attribute name="AxisName" type="cef:tFixtureAxisName" use="required" />
153           <xs:attribute name="AxisIndex" type="xs:unsignedByte" use="required" />
154         </xs:complexType>
155       </xs:element>
156       <xs:element name="Model" minOccurs="0" maxOccurs="1">
157         <xs:complexType>
158           <xs:sequence>
159             <xs:element name="Shape" minOccurs="1" maxOccurs="1">
160               <xs:simpleType>
161                 <xs:restriction base="xs:string">
162                   <xs:enumeration value="Box" />
163                   <xs:enumeration value="Tube" />
164                   <xs:enumeration value="Sphere" />
165                   <xs:enumeration value="PAR" />
166                   <xs:enumeration value="TubeWithBox" />
167                   <xs:enumeration value="ConeWithTube" />
168                   <xs:enumeration value="SymmetricEgg" />
169                   <xs:enumeration value="FlatBottomEgg" />
170                   <xs:enumeration value="FlatBottomTubeEgg" />
171                   <xs:enumeration value="Scanner" />
172                   <xs:enumeration value="YokeBase" />
173                   <xs:enumeration value="YokeArm" />
174                   <xs:enumeration value="FrontmountBox" />
175                   <xs:enumeration value="FrontmountTube" />
176                   <xs:enumeration value="FrontmountScanner" />
177                 </xs:restriction>
```

```
156     </xs:sequence>
157     <xs:attribute name="Name" type="xs:string" use="required" />
158   </xs:complexType>
159 </xs:element>
160 <xs:element name="LightSource" minOccurs="0" maxOccurs="unbounded">
161   <xs:complexType>
162     <xs:sequence>
163       <xs:element name="Host" minOccurs="0" maxOccurs="1">
164         <xs:complexType>
165           <xs:attribute name="PartName" type="xs:string" use="required" />
166         </xs:complexType>
167       </xs:element>
```

```
168     <xs:element name="Kind" minOccurs="1" maxOccurs="1">
169       <xs:simpleType>
170         <xs:restriction base="xs:string">
171           <xs:enumeration value="Decoration" />
172           <xs:enumeration value="Light" />
173           <xs:enumeration value="VideoProjector" />
174           <xs:enumeration value="VideoPanel" />
175           <xs:enumeration value="Laser" />
176         </xs:restriction>
177       </xs:simpleType>
178     </xs:element>
179     <xs:element name="VideoResolution" minOccurs="0" maxOccurs="1">
180       <xs:complexType>
181         <xs:attribute name="Horizontal" type="xs:unsignedShort" use="required" />
182         <xs:attribute name="Vertical" type="xs:unsignedShort" use="required" />
183       </xs:complexType>
184     </xs:element>
185     <xs:element name="Colours" minOccurs="0" maxOccurs="1">
186       <xs:complexType>
187         <xs:sequence>
188           <xs:element name="White" type="cef:tFixtureLightSourceColour" minOccurs="0" max
Occurs="1" />
189           <xs:element name="Red" type="cef:tFixtureLightSourceColour" minOccurs="0" maxOcc
curs="1" />
190           <xs:element name="Green" type="cef:tFixtureLightSourceColour" minOccurs="0" max
Occurs="1" />
```

```
178       </xs:simpleType>
179     </xs:element>
180     <xs:element name="Width" type="xs:float" minOccurs="1" maxOccurs="1" />
181     <xs:element name="Height" type="xs:float" minOccurs="1" maxOccurs="1" />
182     <xs:element name="Length" type="xs:float" minOccurs="1" maxOccurs="1" />
183     <xs:element name="Aperture" type="xs:float" minOccurs="1" maxOccurs="1" />
184   </xs:sequence>
185 </xs:complexType>
186 </xs:element>
```

```
187 </xs:sequence>
188 <xs:attribute name="Name" type="xs:string" use="required" />
189 </xs:complexType>
190 </xs:element>
191 <xs:element name="LightSource" minOccurs="0" maxOccurs="unbounded">
192   <xs:complexType>
193     <xs:sequence>
194       <xs:element name="Host" minOccurs="0" maxOccurs="1">
195         <xs:complexType>
196           <xs:attribute name="PartName" type="xs:string" use="required" />
197         </xs:complexType>
198       </xs:element>
```

```
199     <xs:element name="Location" minOccurs="0" maxOccurs="1">
200       <xs:complexType>
201         <xs:sequence>
202           <xs:element name="Center" minOccurs="1" maxOccurs="1">
203             <xs:complexType>
204               <xs:attribute name="X" type="xs:float" use="required" />
205               <xs:attribute name="Y" type="xs:float" use="required" />
206               <xs:attribute name="Z" type="xs:float" use="required" />
207             </xs:complexType>
208           </xs:element>
209           <xs:element name="Direction" minOccurs="1" maxOccurs="1">
210             <xs:complexType>
211               <xs:attribute name="X" type="xs:float" use="required" />
212               <xs:attribute name="Y" type="xs:float" use="required" />
213               <xs:attribute name="Z" type="xs:float" use="required" />
214             </xs:complexType>
215           </xs:element>
216           <xs:element name="Normal" minOccurs="1" maxOccurs="1">
217             <xs:complexType>
218               <xs:attribute name="X" type="xs:float" use="required" />
219               <xs:attribute name="Y" type="xs:float" use="required" />
220               <xs:attribute name="Z" type="xs:float" use="required" />
221             </xs:complexType>
222           </xs:element>
223         </xs:sequence>
224       </xs:complexType>
225     </xs:element>
```

```
226     <xs:element name="Kind" minOccurs="1" maxOccurs="1">
227       <xs:simpleType>
228         <xs:restriction base="xs:string">
229           <xs:enumeration value="Decoration" />
230           <xs:enumeration value="Light" />
231           <xs:enumeration value="VideoProjector" />
232           <xs:enumeration value="VideoPanel" />
233           <xs:enumeration value="Laser" />
234         </xs:restriction>
235       </xs:simpleType>
236     </xs:element>
237     <xs:element name="VideoResolution" minOccurs="0" maxOccurs="1">
238       <xs:complexType>
239         <xs:attribute name="Horizontal" type="xs:unsignedShort" use="required" />
240         <xs:attribute name="Vertical" type="xs:unsignedShort" use="required" />
241       </xs:complexType>
242     </xs:element>
243     <xs:element name="Colours" minOccurs="0" maxOccurs="1">
244       <xs:complexType>
245         <xs:sequence>
246           <xs:element name="White" type="cef:tFixtureLightSourceColour" minOccurs="0" maxOcc
urs="1" />
247           <xs:element name="Red" type="cef:tFixtureLightSourceColour" minOccurs="0" maxOccur
s="1" />
248           <xs:element name="Green" type="cef:tFixtureLightSourceColour" minOccurs="0" maxOcc
urs="1" />
```

```

191      <xs:element name="Blue" type="cef:tFixtureLightSourceColour" minOccurs="0" maxO
ccurs="1" />
192      <xs:element name="Auxiliary1" type="cef:tFixtureLightSourceColour" minOccurs="0
" maxOccurs="1" />
193      <xs:element name="Auxiliary2" type="cef:tFixtureLightSourceColour" minOccurs="0
" maxOccurs="1" />
194      <xs:element name="Auxiliary3" type="cef:tFixtureLightSourceColour" minOccurs="0
" maxOccurs="1" />
195      <xs:element name="Auxiliary4" type="cef:tFixtureLightSourceColour" minOccurs="0
" maxOccurs="1" />
196      <xs:element name="Auxiliary5" type="cef:tFixtureLightSourceColour" minOccurs="0
" maxOccurs="1" />
197      </xs:sequence>
198      </xs:complexType>
199      </xs:element>
200      <xs:element name="Optics" minOccurs="0" maxOccurs="unbounded">
201        <xs:complexType>
202          <xs:sequence>
203            <xs:element name="Wattage" type="xs:float" minOccurs="1" maxOccurs="1"/>
204            <xs:element name="Narrow" type="cef:tFixtureLightSourceOpticTraits" minOccurs="
0" maxOccurs="1" />
205            <xs:element name="Wide" type="cef:tFixtureLightSourceOpticTraits" minOccurs="0"
maxOccurs="1" />
206          </xs:sequence>
207          <xs:attribute name="Identifier" type="xs:string" use="required"/>
208          <xs:attribute name="Name" type="xs:string" use="required"/>
209        </xs:complexType>
210      </xs:element>
211      <xs:element name="ApertureType" minOccurs="1" maxOccurs="1">
212        <xs:simpleType>
213          <xs:restriction base="xs:string">
214            <xs:enumeration value="RoundProfile" />
215            <xs:enumeration value="SquareSharp" />
216            <xs:enumeration value="RoundPC" />
217            <xs:enumeration value="RoundFresnel" />
218            <xs:enumeration value="RoundPAR" />
219            <xs:enumeration value="SquareSymmetric" />
220            <xs:enumeration value="SquareAssymetric" />
221            <xs:enumeration value="RoundLambertian" />
222            <xs:enumeration value="SquareLambertian" />
223            <xs:enumeration value="SquarePanel" />
224            <xs:enumeration value="DonutLambertian" />
225            <xs:enumeration value="DonutSymmetric" />
226            <xs:enumeration value="RoundBeam" />
227            <xs:enumeration value="Spherical" />
228          </xs:restriction>
229        </xs:simpleType>
230      </xs:element>
231      <xs:element name="Aperture" minOccurs="0" maxOccurs="unbounded">
232        <xs:complexType>
233          <xs:attribute name="Cell" type="xs:unsignedInt" use="required" />
234          <xs:attribute name="X" type="xs:float" use="required" />
235          <xs:attribute name="Y" type="xs:float" use="required" />
236          <xs:attribute name="Diameter" type="xs:float" use="optional" />
237          <xs:attribute name="Width" type="xs:float" use="optional" />
238          <xs:attribute name="Height" type="xs:float" use="optional" />
239          <xs:attribute name="PixelPitch" type="xs:float" use="optional" />
240          <xs:attribute name="PixelSize" type="xs:float" use="optional" />
241          <xs:attribute name="InnerDiameter" type="xs:float" use="optional" />
242          <xs:attribute name="OuterDiameter" type="xs:float" use="optional" />
243          <xs:attribute name="StartAngle" type="xs:float" use="optional" />
244          <xs:attribute name="EndAngle" type="xs:float" use="optional" />
245        </xs:complexType>
246      </xs:element>
247    </xs:sequence>
248  </xs:complexType>
249 </xs:element>
250 <xs:element name="Wheel" minOccurs="0" maxOccurs="unbounded">
251   <xs:complexType>
252     <xs:sequence>
253       <xs:element name="Type" minOccurs="1" maxOccurs="1">
254         <xs:simpleType>
255           <xs:restriction base="xs:string">

```

```

249      <xs:element name="Blue" type="cef:tFixtureLightSourceColour" minOccurs="0" maxOccu
rs="1" />
250      <xs:element name="Auxiliary1" type="cef:tFixtureLightSourceColour" minOccurs="0" m
axOccurs="1" />
251      <xs:element name="Auxiliary2" type="cef:tFixtureLightSourceColour" minOccurs="0" m
axOccurs="1" />
252      <xs:element name="Auxiliary3" type="cef:tFixtureLightSourceColour" minOccurs="0" m
axOccurs="1" />
253      <xs:element name="Auxiliary4" type="cef:tFixtureLightSourceColour" minOccurs="0" m
axOccurs="1" />
254      <xs:element name="Auxiliary5" type="cef:tFixtureLightSourceColour" minOccurs="0" m
axOccurs="1" />
255      </xs:sequence>
256      </xs:complexType>
257      </xs:element>
258      <xs:element name="Optics" minOccurs="0" maxOccurs="unbounded">
259        <xs:complexType>
260          <xs:sequence>
261            <xs:element name="Wattage" type="xs:float" minOccurs="1" maxOccurs="1"/>
262            <xs:element name="Narrow" type="cef:tFixtureLightSourceOpticTraits" minOccurs="0"
maxOccurs="1" />
263            <xs:element name="Wide" type="cef:tFixtureLightSourceOpticTraits" minOccurs="0" ma
xOccurs="1" />
264          </xs:sequence>
265          <xs:attribute name="Identifier" type="xs:string" use="required"/>
266          <xs:attribute name="Name" type="xs:string" use="required"/>
267        </xs:complexType>
268      </xs:element>
269      <xs:element name="ApertureType" minOccurs="1" maxOccurs="1">
270        <xs:simpleType>
271          <xs:restriction base="xs:string">
272            <xs:enumeration value="RoundProfile" />
273            <xs:enumeration value="SquareSharp" />
274            <xs:enumeration value="RoundPC" />
275            <xs:enumeration value="RoundFresnel" />
276            <xs:enumeration value="RoundPAR" />
277            <xs:enumeration value="SquareSymmetric" />
278            <xs:enumeration value="SquareAssymetric" />
279            <xs:enumeration value="RoundLambertian" />
280            <xs:enumeration value="SquareLambertian" />
281            <xs:enumeration value="SquarePanel" />
282            <xs:enumeration value="DonutLambertian" />
283            <xs:enumeration value="DonutSymmetric" />
284            <xs:enumeration value="RoundBeam" />
285            <xs:enumeration value="Spherical" />
286          </xs:restriction>
287        </xs:simpleType>
288      </xs:element>
289      <xs:element name="Aperture" minOccurs="0" maxOccurs="unbounded">
290        <xs:complexType>
291          <xs:attribute name="Cell" type="xs:unsignedInt" use="required" />
292          <xs:attribute name="X" type="xs:float" use="required" />
293          <xs:attribute name="Y" type="xs:float" use="required" />
294          <xs:attribute name="Diameter" type="xs:float" use="optional" />
295          <xs:attribute name="Width" type="xs:float" use="optional" />
296          <xs:attribute name="Height" type="xs:float" use="optional" />
297          <xs:attribute name="PixelPitch" type="xs:float" use="optional" />
298          <xs:attribute name="PixelSize" type="xs:float" use="optional" />
299          <xs:attribute name="InnerDiameter" type="xs:float" use="optional" />
300          <xs:attribute name="OuterDiameter" type="xs:float" use="optional" />
301          <xs:attribute name="StartAngle" type="xs:float" use="optional" />
302          <xs:attribute name="EndAngle" type="xs:float" use="optional" />
303        </xs:complexType>
304      </xs:element>
305    </xs:sequence>
306    <xs:attribute name="Name" type="xs:string" use="optional"/>
307  </xs:complexType>
308 </xs:element>
309 <xs:element name="Wheel" minOccurs="0" maxOccurs="unbounded">
310   <xs:complexType>
311     <xs:sequence>
312       <xs:element name="Type" minOccurs="1" maxOccurs="1">
313         <xs:simpleType>
314           <xs:restriction base="xs:string">

```



```

256         <xs:enumeration value="Wheel" />
257         <xs:enumeration value="Scroller" />
258     </xs:restriction>
259 </xs:simpleType>
260 </xs:element>
261 <xs:element name="MinRotationTime" type="xs:float" minOccurs="1" maxOccurs="1"/>
262 <xs:element name="MaxRotationTime" type="xs:float" minOccurs="1" maxOccurs="1"/>
263 <xs:element name="MinFrameRotationTime" type="xs:float" minOccurs="1" maxOccurs="1
"/>
264 </xs:element name="MaxFrameRotationTime" type="xs:float" minOccurs="1" maxOccurs="1
"/>
265 <xs:element name="Slots">
266     <xs:complexType>
267         <xs:choice minOccurs="0" maxOccurs="unbounded">
268             <xs:element name="Open">
269                 <xs:complexType></xs:complexType>
270             </xs:element>
271             <xs:element name="Filter">
272                 <xs:complexType>
273                     <xs:attribute name="Identifier" type="xs:string" use="required"/>
274                     <xs:attribute name="Brand" type="xs:string" use="required"/>
275                     <xs:attribute name="Code" type="xs:string" use="optional"/>
276                     <xs:attribute name="Name" type="xs:string" use="optional"/>
277                     <xs:attribute name="PartNo" type="xs:string" use="optional"/>
278                     <xs:attribute name="Origin" type="xs:string" use="optional"/>
279                 </xs:complexType>
280             </xs:element>
281             <xs:element name="Gobo">
282                 <xs:complexType>
283                     <xs:attribute name="Identifier" type="xs:string" use="required"/>
284                     <xs:attribute name="Brand" type="xs:string" use="required"/>
285                     <xs:attribute name="Code" type="xs:string" use="optional"/>
286                     <xs:attribute name="Name" type="xs:string" use="optional"/>
287                     <xs:attribute name="PartNo" type="xs:string" use="optional"/>
288                     <xs:attribute name="Origin" type="xs:string" use="optional"/>
289                     <xs:attribute name="Type" type="cef:tGoboType" use="required"/>
290                 </xs:complexType>
291             </xs:element>
292         </xs:choice>
293     </xs:complexType>
294 </xs:element>
295 </xs:sequence>
296 <xs:attribute name="Identifier" type="xs:string" use="required"/>
297 <xs:attribute name="Name" type="xs:string" use="required"/>
298 <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
299 </xs:complexType>
300 </xs:element>
301 <xs:element name="DmxMode" minOccurs="0" maxOccurs="unbounded">
302     <xs:complexType>
303         <xs:sequence>
304             <xs:element name="Option" minOccurs="0" maxOccurs="unbounded">
305                 <xs:complexType>
306                     <xs:attribute name="Name" type="xs:string" use="required" />
307                     <xs:attribute name="Type" use="required">
308                         <xs:simpleType>
309                             <xs:restriction base="xs:string">
310                                 <xs:enumeration value="Integer" />
311                                 <xs:enumeration value="Boolean" />
312                                 <xs:enumeration value="Text" />
313                             </xs:restriction>
314                         </xs:simpleType>
315                     </xs:attribute>
316                     <xs:attribute name="Value" type="xs:string" use="required" />
317                 </xs:complexType>
318             </xs:element>
319             <xs:element name="ChannelLayout" minOccurs="1" maxOccurs="1">
320                 <xs:complexType>
321                     <xs:sequence>
322                         <xs:element name="Channel" minOccurs="0" maxOccurs="512">
323                             <xs:complexType>
324                                 <xs:choice minOccurs="0" maxOccurs="unbounded">
325                                     <!-- Additive light output -->
326                                     <xs:element name="SetLightSuperIntensityLevel" type="cef:tSimple
CellLevelCommand" minOccurs="0" maxOccurs="unbounded" />

```

```

315         <xs:enumeration value="Wheel" />
316         <xs:enumeration value="Scroller" />
317     </xs:restriction>
318 </xs:simpleType>
319 </xs:element>
320 <xs:element name="MinRotationTime" type="xs:float" minOccurs="1" maxOccurs="1"/>
321 <xs:element name="MaxRotationTime" type="xs:float" minOccurs="1" maxOccurs="1"/>
322 <xs:element name="MinFrameRotationTime" type="xs:float" minOccurs="1" maxOccurs="1"/>
323 <xs:element name="MaxFrameRotationTime" type="xs:float" minOccurs="1" maxOccurs="1"/>
324 <xs:element name="Slots">
325     <xs:complexType>
326         <xs:choice minOccurs="0" maxOccurs="unbounded">
327             <xs:element name="Open">
328                 <xs:complexType></xs:complexType>
329             </xs:element>
330             <xs:element name="Filter">
331                 <xs:complexType>
332                     <xs:attribute name="Identifier" type="xs:string" use="required"/>
333                     <xs:attribute name="Brand" type="xs:string" use="required"/>
334                     <xs:attribute name="Code" type="xs:string" use="optional"/>
335                     <xs:attribute name="Name" type="xs:string" use="optional"/>
336                     <xs:attribute name="PartNo" type="xs:string" use="optional"/>
337                     <xs:attribute name="Origin" type="xs:string" use="optional"/>
338                 </xs:complexType>
339             </xs:element>
340             <xs:element name="Gobo">
341                 <xs:complexType>
342                     <xs:attribute name="Identifier" type="xs:string" use="required"/>
343                     <xs:attribute name="Brand" type="xs:string" use="required"/>
344                     <xs:attribute name="Code" type="xs:string" use="optional"/>
345                     <xs:attribute name="Name" type="xs:string" use="optional"/>
346                     <xs:attribute name="PartNo" type="xs:string" use="optional"/>
347                     <xs:attribute name="Origin" type="xs:string" use="optional"/>
348                     <xs:attribute name="Type" type="cef:tGoboType" use="required"/>
349                 </xs:complexType>
350             </xs:element>
351         </xs:choice>
352     </xs:complexType>
353 </xs:element>
354 </xs:sequence>
355 <xs:attribute name="Identifier" type="xs:string" use="required"/>
356 <xs:attribute name="Name" type="xs:string" use="required"/>
357 <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
358 </xs:complexType>
359 </xs:element>
360 <xs:element name="DmxMode" minOccurs="0" maxOccurs="unbounded">
361     <xs:complexType>
362         <xs:sequence>
363             <xs:element name="Option" minOccurs="0" maxOccurs="unbounded">
364                 <xs:complexType>
365                     <xs:attribute name="Name" type="xs:string" use="required" />
366                     <xs:attribute name="Type" use="required">
367                         <xs:simpleType>
368                             <xs:restriction base="xs:string">
369                                 <xs:enumeration value="Integer" />
370                                 <xs:enumeration value="Boolean" />
371                                 <xs:enumeration value="Text" />
372                             </xs:restriction>
373                         </xs:simpleType>
374                     </xs:attribute>
375                     <xs:attribute name="Value" type="xs:string" use="required" />
376                 </xs:complexType>
377             </xs:element>
378             <xs:element name="ChannelLayout" minOccurs="1" maxOccurs="1">
379                 <xs:complexType>
380                     <xs:sequence>
381                         <xs:element name="Channel" minOccurs="0" maxOccurs="512">
382                             <xs:complexType>
383                                 <xs:choice minOccurs="0" maxOccurs="unbounded">
384                                     <!-- Additive light output -->
385                                     <xs:element name="SetLightSuperIntensityLevel" type="cef:tSimpleCellLevelCom
mand" minOccurs="0" maxOccurs="unbounded" />

```



```
363 <xs:element name="SetCTOFlagLevel" type="cef:tSimpleLevelCommand
" minOccurs="0" maxOccurs="unbounded" />
364 <xs:element name="SetCTBFlagLevel" type="cef:tSimpleLevelCommand
" minOccurs="0" maxOccurs="unbounded" />
365 <xs:element name="SetColorFlagSpeed" type="cef:tSimpleSpeedComma
nd" minOccurs="0" maxOccurs="unbounded" />
366 <xs:element name="SetColorFlagTime" type="cef:tSimpleTimeCommand
" minOccurs="0" maxOccurs="unbounded" />
367 <xs:element name="SetColorFlagShutterMode" type="cef:tShutterOnO
ffCommand" minOccurs="0" maxOccurs="unbounded" />
368 <xs:element name="CustomColorFlagCommand" type="cef:tCustomComma
nd" minOccurs="0" maxOccurs="unbounded" />
369 <!-- Beam and projection -->
370 <xs:element name="SetFrostLevel" type="cef:tSimpleLevelCommand"
minOccurs="0" maxOccurs="unbounded" />
371 <xs:element name="SetFrostStrobe" type="cef:tSimpleStrobeCommand
" minOccurs="0" maxOccurs="unbounded" />
372 <xs:element name="CustomFrostCommand" type="cef:tCustomCommand"
minOccurs="0" maxOccurs="unbounded" />
373 <xs:element name="SetIrisLevel" type="cef:tSimpleLevelCommand" m
inOccurs="0" maxOccurs="unbounded" />
374 <xs:element name="SetIrisStrobe" type="cef:tSimpleStrobeCommand"
minOccurs="0" maxOccurs="unbounded" />
375 <xs:element name="CustomIrisCommand" type="cef:tCustomCommand" m
inOccurs="0" maxOccurs="unbounded" />
376 <xs:element name="SetZoomLevel" type="cef:tSimpleLevelCommand" m
inOccurs="0" maxOccurs="unbounded" />
377 <xs:element name="SetZoomStrobe" type="cef:tSimpleStrobeCommand"
minOccurs="0" maxOccurs="unbounded" />
378 <xs:element name="CustomZoomCommand" type="cef:tCustomCommand" m
inOccurs="0" maxOccurs="unbounded" />
379 <xs:element name="SetFocusLevel" type="cef:tSimpleLevelCommand"
minOccurs="0" maxOccurs="unbounded" />
380 <xs:element name="SetFocusMode" type="cef:tSetFocusModeCommand"
minOccurs="0" maxOccurs="unbounded" />
381 <xs:element name="CustomFocusCommand" type="cef:tCustomCommand"
minOccurs="0" maxOccurs="unbounded" />
382 <!-- Wheels -->
383 <xs:element name="SetWheelMode" type="cef:tSetWheelModeCommand"
minOccurs="0" maxOccurs="unbounded" />
384 <xs:element name="SetWheelSpinDirection" type="cef:tSetWheelSpin
DirectionCommand" minOccurs="0" maxOccurs="unbounded" />
385 <xs:element name="SetWheelPosition" type="cef:tSetWheelPositionC
ommand" minOccurs="0" maxOccurs="unbounded" />
386 <xs:element name="SetWheelSpeed" type="cef:tSetWheelSpeedCommand
" minOccurs="0" maxOccurs="unbounded" />
387 <xs:element name="SetWheelShutterMode" type="cef:tSetWheelShutte
rModeCommand" minOccurs="0" maxOccurs="unbounded" />
388 <xs:element name="SetWheelDepthPosition" type="cef:tSetWheelDept
hPositionCommand" minOccurs="0" maxOccurs="unbounded" />
389 <xs:element name="SetWheelDepthStrobe" type="cef:tSetWheelDepthS
trobeCommand" minOccurs="0" maxOccurs="unbounded" />
390 <xs:element name="SetWheelDepthOrientation" type="cef:tSetWheelD
ePTHOrientationCommand" minOccurs="0" maxOccurs="unbounded" />
391 <xs:element name="SetWheelFrameMode" type="cef:tSetWheelFrameMod
eCommand" minOccurs="0" maxOccurs="unbounded" />
392 <xs:element name="SetWheelFrameSpinDirection" type="cef:tSetWhee
lFrameSpinDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
393 <xs:element name="SetWheelFramePosition" type="cef:tSetWheelFram
ePositionCommand" minOccurs="0" maxOccurs="unbounded" />
394 <xs:element name="SetWheelFrameSpeed" type="cef:tSetWheelFrameSp
eedCommand" minOccurs="0" maxOccurs="unbounded" />
395 <xs:element name="CustomWheelCommand" type="cef:tCustomCommand"
minOccurs="0" maxOccurs="unbounded" />
396 <!-- Framing shutters -->
397 <xs:element name="SetFramingShutterDepth" type="cef:tSetFramingS
hutterDepthCommand" minOccurs="0" maxOccurs="unbounded" />
398 <xs:element name="SetFramingShutterAngle" type="cef:tSetFramingS
hutterAngleCommand" minOccurs="0" maxOccurs="unbounded" />
399 <xs:element name="SetFramingShutterADepth" type="cef:tSetFraming
```

```
424 <xs:element name="SetGreenFlagLevel" type="cef:tSimpleLevelCommand" minOccur
s="0" maxOccurs="unbounded" />
425 <xs:element name="SetBlueFlagLevel" type="cef:tSimpleLevelCommand" minOccurs
="0" maxOccurs="unbounded" />
426 <xs:element name="SetCTOFlagLevel" type="cef:tSimpleLevelCommand" minOccurs=
"0" maxOccurs="unbounded" />
427 <xs:element name="SetCTBFlagLevel" type="cef:tSimpleLevelCommand" minOccurs=
"0" maxOccurs="unbounded" />
428 <xs:element name="SetColorFlagSpeed" type="cef:tSimpleSpeedCommand" minOccur
s="0" maxOccurs="unbounded" />
429 <xs:element name="SetColorFlagTime" type="cef:tSimpleTimeCommand" minOccurs=
"0" maxOccurs="unbounded" />
430 <xs:element name="SetColorFlagShutterMode" type="cef:tShutterOnOffCommand" m
inOccurs="0" maxOccurs="unbounded" />
431 <xs:element name="CustomColorFlagCommand" type="cef:tCustomCommand" minOccur
s="0" maxOccurs="unbounded" />
432 <!-- Beam and projection -->
433 <xs:element name="SetFrostLevel" type="cef:tSimpleLevelCommand" minOccurs="0"
" maxOccurs="unbounded" />
434 <xs:element name="SetFrostStrobe" type="cef:tSimpleStrobeCommand" minOccurs=
"0" maxOccurs="unbounded" />
435 <xs:element name="CustomFrostCommand" type="cef:tCustomCommand" minOccurs="0"
" maxOccurs="unbounded" />
436 <xs:element name="SetIrisLevel" type="cef:tSimpleLevelCommand" minOccurs="0"
" maxOccurs="unbounded" />
437 <xs:element name="SetIrisStrobe" type="cef:tSimpleStrobeCommand" minOccurs="0"
" maxOccurs="unbounded" />
438 <xs:element name="CustomIrisCommand" type="cef:tCustomCommand" minOccurs="0"
" maxOccurs="unbounded" />
439 <xs:element name="SetZoomLevel" type="cef:tSimpleLevelCommand" minOccurs="0"
" maxOccurs="unbounded" />
440 <xs:element name="SetZoomStrobe" type="cef:tSimpleStrobeCommand" minOccurs="0"
" maxOccurs="unbounded" />
441 <xs:element name="CustomZoomCommand" type="cef:tCustomCommand" minOccurs="0"
" maxOccurs="unbounded" />
442 <xs:element name="SetFocusLevel" type="cef:tSimpleLevelCommand" minOccurs="0"
" maxOccurs="unbounded" />
443 <xs:element name="SetFocusMode" type="cef:tSetFocusModeCommand" minOccurs="0"
" maxOccurs="unbounded" />
444 <xs:element name="CustomFocusCommand" type="cef:tCustomCommand" minOccurs="0"
" maxOccurs="unbounded" />
445 <!-- Wheels -->
446 <xs:element name="SetWheelMode" type="cef:tSetWheelModeCommand" minOccurs="0"
" maxOccurs="unbounded" />
447 <xs:element name="SetWheelSpinDirection" type="cef:tSetWheelSpinDirectionCom
mand" minOccurs="0" maxOccurs="unbounded" />
448 <xs:element name="SetWheelPosition" type="cef:tSetWheelPositionCommand" minO
ccurs="0" maxOccurs="unbounded" />
449 <xs:element name="SetWheelSpeed" type="cef:tSetWheelSpeedCommand" minOccurs=
"0" maxOccurs="unbounded" />
450 <xs:element name="SetWheelShutterMode" type="cef:tSetWheelShutterModeCommand
" minOccurs="0" maxOccurs="unbounded" />
451 <xs:element name="SetWheelDepthPosition" type="cef:tSetWheelDepthPositionCom
mand" minOccurs="0" maxOccurs="unbounded" />
452 <xs:element name="SetWheelDepthStrobe" type="cef:tSetWheelDepthStrobeCommand
" minOccurs="0" maxOccurs="unbounded" />
453 <xs:element name="SetWheelDepthOrientation" type="cef:tSetWheelDepthOrientat
ionCommand" minOccurs="0" maxOccurs="unbounded" />
454 <xs:element name="SetWheelFrameMode" type="cef:tSetWheelFrameModeCommand" mi
nOccurs="0" maxOccurs="unbounded" />
455 <xs:element name="SetWheelFrameSpinDirection" type="cef:tSetWheelFrameSpinDi
rectionCommand" minOccurs="0" maxOccurs="unbounded" />
456 <xs:element name="SetWheelFramePosition" type="cef:tSetWheelFramePositionCom
mand" minOccurs="0" maxOccurs="unbounded" />
457 <xs:element name="SetWheelFrameSpeed" type="cef:tSetWheelFrameSpeedCommand"
minOccurs="0" maxOccurs="unbounded" />
458 <xs:element name="CustomWheelCommand" type="cef:tCustomCommand" minOccurs="0"
" maxOccurs="unbounded" />
459 <!-- Framing shutters -->
460 <xs:element name="SetFramingShutterDepth" type="cef:tSetFramingShutterDepthC
ommand" minOccurs="0" maxOccurs="unbounded" />
461 <xs:element name="SetFramingShutterAngle" type="cef:tSetFramingShutterAngleC
ommand" minOccurs="0" maxOccurs="unbounded" />
462 <xs:element name="SetFramingShutterADepth" type="cef:tSetFramingShutterDepth
```



```
ShutterDepthCommand" minOccurs="0" maxOccurs="unbounded" />
400 <xs:element name="SetFramingShutterBDepth" type="cef:tSetFraming
ShutterDepthCommand" minOccurs="0" maxOccurs="unbounded" />
401 <xs:element name="SetFramingShutterPackageAngle" type="cef:tSetF
amingShutterPackageAngleCommand" minOccurs="0" maxOccurs="unbounded" />
402 <xs:element name="CustomFramingShuttersCommand" type="cef:tCusto
mCommand" minOccurs="0" maxOccurs="unbounded" />
403 <!-- Motion -->
404 <xs:element name="SetPanMode" type="cef:tSetMotionModeCommand" m
inOccurs="0" maxOccurs="unbounded" />
405 <xs:element name="SetTiltMode" type="cef:tSetMotionModeCommand"
minOccurs="0" maxOccurs="unbounded" />
406 <xs:element name="Pan" type="cef:tMotionCommand" minOccurs="0" m
axOccurs="unbounded" />
407 <xs:element name="Tilt" type="cef:tMotionCommand" minOccurs="0"
maxOccurs="unbounded" />
408 <xs:element name="Pitch" type="cef:tMotionCommand" minOccurs="0"
maxOccurs="unbounded" />
409 <xs:element name="SetPanDirection" type="cef:tSetMotionDirection
Command" minOccurs="0" maxOccurs="unbounded" />
410 <xs:element name="SetTiltDirection" type="cef:tSetMotionDirectio
nCommand" minOccurs="0" maxOccurs="unbounded" />
411 <xs:element name="SetPanSpeed" type="cef:tMotionSpeedCommand" mi
nOccurs="0" maxOccurs="unbounded" />
412 <xs:element name="SetTiltSpeed" type="cef:tMotionSpeedCommand" m
inOccurs="0" maxOccurs="unbounded" />
413 <xs:element name="SetVectorPosition" type="cef:tSetVectorPositio
nCommand" minOccurs="0" maxOccurs="unbounded" />
414 <xs:element name="SetMotionSpeed" type="cef:tMotionSpeedCommand"
minOccurs="0" maxOccurs="unbounded" />
415 <xs:element name="SetMotionTime" type="cef:tMotionTimeCommand" m
inOccurs="0" maxOccurs="unbounded" />
416 <xs:element name="SetMotionShutterMode" type="cef:tShutterOnOffC
ommand" minOccurs="0" maxOccurs="unbounded" />
417 <xs:element name="CustomMotionCommand" type="cef:tCustomCommand"
minOccurs="0" maxOccurs="unbounded" />
418 <!-- Specials -->
419 <xs:element name="SetLampOn" type="cef:tSimpleCommand" minOccurs
="0" maxOccurs="unbounded" />
420 <xs:element name="SetLampOff" type="cef:tSimpleCommand" minOccurs
="0" maxOccurs="unbounded" />
421 <xs:element name="SetLampMode" type="cef:tSetLampModeCommand" mi
nOccurs="0" maxOccurs="unbounded" />
422 <xs:element name="CustomLampCommand" type="cef:tCustomCommand" m
inOccurs="0" maxOccurs="unbounded" />
423 <xs:element name="SetLaserOn" type="cef:tSimpleCommand" minOccurs
="0" maxOccurs="unbounded" />
424 <xs:element name="SetLaserOff" type="cef:tSimpleCommand" minOccurs
="0" maxOccurs="unbounded" />
425 <xs:element name="SetLaserStrobe" type="cef:tSetLaserStrobeComma
nd" minOccurs="0" maxOccurs="unbounded" />
426 <xs:element name="SetFanMode" type="cef:tSetFanModeCommand" minO
ccurs="0" maxOccurs="unbounded" />
427 <xs:element name="CustomFanCommand" type="cef:tCustomCommand" mi
nOccurs="0" maxOccurs="unbounded" />
428 <xs:element name="Reset" type="cef:tResetCommand" minOccurs="0"
maxOccurs="unbounded" />
429 <xs:element name="NoFunction" type="cef:tSimpleCommand" minOccurs
="0" maxOccurs="unbounded" />
430 <xs:element name="Reserved" type="cef:tSimpleCommand" minOccurs=
"0" maxOccurs="unbounded" />
431 <xs:element name="CustomCommand" type="cef:tTextCommand"
minOccurs="0" maxOccurs="unbounded" />
432 <xs:element name="Preset" type="cef:tPresetCommand" minOccurs="0"
maxOccurs="unbounded" />
433 <xs:element name="Macro" type="cef:tTextCommand" minOccurs="0" m
axOccurs="unbounded" />
434 </xs:choice>
435 <xs:attribute name="Type" use="required">
436 <xs:simpleType>
```

```
Command" minOccurs="0" maxOccurs="unbounded" />
463 <xs:element name="SetFramingShutterBDepth" type="cef:tSetFramingShutterDepth
Command" minOccurs="0" maxOccurs="unbounded" />
464 <xs:element name="SetFramingShutterPackageAngle" type="cef:tSetFramingShutte
rPackageAngleCommand" minOccurs="0" maxOccurs="unbounded" />
465 <xs:element name="CustomFramingShuttersCommand" type="cef:tCustomCommand" mi
nOccurs="0" maxOccurs="unbounded" />
466 <!-- Motion -->
467 <xs:element name="SetPanMode" type="cef:tSetMotionModeCommand" minOccurs="0"
maxOccurs="unbounded" />
468 <xs:element name="SetTiltMode" type="cef:tSetMotionModeCommand" minOccurs="0"
maxOccurs="unbounded" />
469 <xs:element name="Pan" type="cef:tMotionCommand" minOccurs="0" maxOccurs="un
bounded" />
470 <xs:element name="Tilt" type="cef:tMotionCommand" minOccurs="0" maxOccurs="u
nbounded" />
471 <xs:element name="Pitch" type="cef:tMotionCommand" minOccurs="0" maxOccurs="
unbounded" />
472 <xs:element name="SetPanDirection" type="cef:tSetMotionDirectionCommand" min
Occurs="0" maxOccurs="unbounded" />
473 <xs:element name="SetTiltDirection" type="cef:tSetMotionDirectionCommand" mi
nOccurs="0" maxOccurs="unbounded" />
474 <xs:element name="SetPanSpeed" type="cef:tMotionSpeedCommand" minOccurs="0"
maxOccurs="unbounded" />
475 <xs:element name="SetTiltSpeed" type="cef:tMotionSpeedCommand" minOccurs="0"
maxOccurs="unbounded" />
476 <xs:element name="SetVectorPosition" type="cef:tSetVectorPositionCommand" mi
nOccurs="0" maxOccurs="unbounded" />
477 <xs:element name="SetMotionSpeed" type="cef:tMotionSpeedCommand" minOccurs="
0" maxOccurs="unbounded" />
478 <xs:element name="SetMotionTime" type="cef:tMotionTimeCommand" minOccurs="0"
maxOccurs="unbounded" />
479 <xs:element name="SetMotionShutterMode" type="cef:tShutterOnOffCommand" minO
ccurs="0" maxOccurs="unbounded" />
480 <xs:element name="CustomMotionCommand" type="cef:tCustomCommand" minOccurs="
0" maxOccurs="unbounded" />
481 <!-- Specials -->
482 <xs:element name="SetLampOn" type="cef:tSimpleCommand" minOccurs="0" maxOccu
rs="unbounded" />
483 <xs:element name="SetLampOff" type="cef:tSimpleCommand" minOccurs="0" maxOcc
urs="unbounded" />
484 <xs:element name="SetLampMode" type="cef:tSetLampModeCommand" minOccurs="0"
maxOccurs="unbounded" />
485 <xs:element name="CustomLampCommand" type="cef:tCustomCommand" minOccurs="0"
maxOccurs="unbounded" />
486 <xs:element name="SetLaserOn" type="cef:tSimpleCommand" minOccurs="0" maxOcc
urs="unbounded" />
487 <xs:element name="SetLaserOff" type="cef:tSimpleCommand" minOccurs="0" maxOc
curs="unbounded" />
488 <xs:element name="SetLaserStrobe" type="cef:tSetLaserStrobeCommand" minOccur
s="0" maxOccurs="unbounded" />
489 <xs:element name="SetFanMode" type="cef:tSetFanModeCommand" minOccurs="0" ma
xOccurs="unbounded" />
490 <xs:element name="CustomFanCommand" type="cef:tCustomCommand" minOccurs="0"
maxOccurs="unbounded" />
491 <xs:element name="Reset" type="cef:tResetCommand" minOccurs="0" maxOccurs="u
nbounded" />
492 <xs:element name="NoFunction" type="cef:tSimpleCommand" minOccurs="0" maxOcc
urs="unbounded" />
493 <xs:element name="Reserved" type="cef:tSimpleCommand" minOccurs="0" maxOccur
s="unbounded" />
494 <xs:element name="CustomCommand" type="cef:tCustomCommand" minOccurs="0"
maxOccurs="unbounded" />
495 <xs:element name="SetPreset" type="cef:tPresetCommand" minOccurs="0"
maxOccurs="unbounded" />
496 <xs:element name="SetPresetScroll" type="cef:tPresetScrollCommand" minOccurs
="0" maxOccurs="unbounded" />
497 <xs:element name="SetPresetScrollSpeed" type="cef:tSimpleSpeedCommand" minOc
curs="0" maxOccurs="unbounded" />
498 <xs:element name="Macro" type="cef:tTextCommand" minOccurs="0" maxOccurs="un
bounded" />
499 </xs:choice>
500 <xs:attribute name="Type" use="required">
501 <xs:simpleType>
```

```

437         <xs:restriction base="xs:string">
438             <xs:enumeration value="8Bit" />
439             <xs:enumeration value="16BitMsb" />
440             <xs:enumeration value="16BitLsb" />
441         </xs:restriction>
442     </xs:simpleType>
443 </xs:attribute>
444 <xs:attribute name="OsChannelIndex" use="optional" type="xs:unsignedInt" />
edInt" />
445 <xs:attribute name="Name" use="required"/>
446 <xs:attribute name="ShortName" use="optional"/>
447 <xs:attribute name="DefaultLevel" use="optional"/>
448         <xs:attribute name="LocateLevel" use="optional"/>
449     </xs:complexType>
450 </xs:element>
451 </xs:sequence>
452 </xs:complexType>
453 </xs:element>
454 <xs:element name="Function" minOccurs="0" maxOccurs="unbounded">
455     <xs:complexType>
456         <xs:sequence minOccurs="1" maxOccurs="unbounded">
457             <xs:element name="Step" minOccurs="1" maxOccurs="unbounded">
458                 <xs:complexType>
459                     <xs:sequence>
460                         <xs:element name="Parameter" minOccurs="0" maxOccurs="unbounded">
461                             <xs:complexType>
462                                 <xs:attribute name="ChannelIndex" type="xs:unsignedInt" use="required" />
ed" />
463                 <xs:attribute name="DMX" type="xs:int" use="required" />
464             </xs:complexType>
465         </xs:element>
466     </xs:sequence>
467     <xs:attribute name="Time" type="xs:float" use="required" />
468 </xs:complexType>
469 </xs:element>
470 </xs:sequence>
471 <xs:attribute name="Type" use="required">
472     <xs:simpleType>
473         <xs:restriction base="xs:string">
474             <xs:enumeration value="Custom" />
475             <xs:enumeration value="Lock" />
476             <xs:enumeration value="Unlock" />
477             <xs:enumeration value="LampOn" />
478             <xs:enumeration value="LampOff" />
479             <xs:enumeration value="LampModeNormal" />
480             <xs:enumeration value="LampModeLowPower" />
481             <xs:enumeration value="ResetComplete" />
482             <xs:enumeration value="ResetPanTilt" />
483             <xs:enumeration value="ResetColour" />
484             <xs:enumeration value="ResetGobo" />
485             <xs:enumeration value="ResetStrobe" />
486             <xs:enumeration value="ResetFocus" />
487             <xs:enumeration value="ResetZoom" />
488             <xs:enumeration value="ResetFrost" />
489             <xs:enumeration value="ResetIris" />
490             <xs:enumeration value="ResetAllInternal" />
491             <xs:enumeration value="FanModeSlow" />
492             <xs:enumeration value="FanModeFast" />
493         </xs:restriction>
494     </xs:simpleType>
495 </xs:attribute>
496 <xs:attribute name="CustomGroupName" type="xs:string" use="optional" />
497 <xs:attribute name="CustomName" type="xs:string" use="optional" />
498 </xs:complexType>
499 </xs:element>
500 </xs:sequence>

```

```

502         <xs:restriction base="xs:string">
503             <xs:enumeration value="8Bit" />
504             <xs:enumeration value="16BitMsb" />
505             <xs:enumeration value="16BitLsb" />
506         </xs:restriction>
507     </xs:simpleType>
508 </xs:attribute>
509 <xs:attribute name="OsChannelIndex" use="optional" type="xs:unsignedInt" />
510 <xs:attribute name="Name" use="required"/>
511 <xs:attribute name="ShortName" use="optional"/>
512 <xs:attribute name="DefaultLevel" use="optional"/>
513 <xs:attribute name="DefaultLevelType" use="optional">
514     <xs:simpleType>
515         <xs:restriction base="xs:string">
516             <xs:enumeration value="Explicit" />
517             <xs:enumeration value="Computed" />
518         </xs:restriction>
519     </xs:simpleType>
520 </xs:attribute>
521 <xs:attribute name="LocateLevel" use="optional"/>
522 </xs:complexType>
523 </xs:element>
524 </xs:sequence>
525 </xs:complexType>
526 </xs:element>
527 <xs:element name="Function" minOccurs="0" maxOccurs="unbounded">
528     <xs:complexType>
529         <xs:sequence minOccurs="1" maxOccurs="unbounded">
530             <xs:element name="Step" minOccurs="1" maxOccurs="unbounded">
531                 <xs:complexType>
532                     <xs:sequence>
533                         <xs:element name="Parameter" minOccurs="0" maxOccurs="unbounded">
534                             <xs:complexType>
535                                 <xs:attribute name="ChannelIndex" type="xs:unsignedInt" use="required" />
ed" />
536                 <xs:attribute name="DMX" type="xs:int" use="required" />
537             </xs:complexType>
538         </xs:element>
539     </xs:sequence>
540     <xs:attribute name="Time" type="xs:float" use="required" />
541 </xs:complexType>
542 </xs:element>
543 </xs:sequence>
544 <xs:attribute name="Type" use="required">
545     <xs:simpleType>
546         <xs:restriction base="xs:string">
547             <xs:enumeration value="Custom" />
548             <xs:enumeration value="Lock" />
549             <xs:enumeration value="Unlock" />
550             <xs:enumeration value="LampOn" />
551             <xs:enumeration value="LampOff" />
552             <xs:enumeration value="LampModeNormal" />
553             <xs:enumeration value="LampModeLowPower" />
554             <xs:enumeration value="ResetComplete" />
555             <xs:enumeration value="ResetPanTilt" />
556             <xs:enumeration value="ResetColour" />
557             <xs:enumeration value="ResetGobo" />
558             <xs:enumeration value="ResetStrobe" />
559             <xs:enumeration value="ResetFocus" />
560             <xs:enumeration value="ResetZoom" />
561             <xs:enumeration value="ResetFrost" />
562             <xs:enumeration value="ResetIris" />
563             <xs:enumeration value="ResetAllInternal" />
564             <xs:enumeration value="FanModeSlow" />
565             <xs:enumeration value="FanModeFast" />
566         </xs:restriction>
567     </xs:simpleType>
568 </xs:attribute>
569 <xs:attribute name="CustomGroupName" type="xs:string" use="optional" />
570 <xs:attribute name="CustomName" type="xs:string" use="optional" />
571 </xs:complexType>
572 </xs:element>
573 </xs:sequence>

```

```

501     <xs:attribute name="Identifier" type="xs:string" use="required"/>
502     <xs:attribute name="Name" type="xs:string" use="required"/>
503     <xs:attribute name="ControllerIndex" type="xs:unsignedInt" use="required"/>
504     <xs:attribute name="DmxChannels" type="xs:unsignedInt" use="required"/>
505     </xs:complexType>
506 </xs:element>
507 </xs:sequence>
508 <xs:attribute name="Identifier" type="xs:string" use="required"/>
509 <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
510 <xs:attribute name="VersionDate" type="xs:date" use="required"/>
511 <xs:attribute name="Brand" type="xs:string" use="required"/>
512 <xs:attribute name="Name" type="xs:string" use="required"/>
513 <xs:attribute name="PartNo" type="xs:string" use="optional"/>
514 </xs:complexType>
515
516 <xs:simpleType name="tFixtureAxisName">
517   <xs:restriction base="xs:string">
518     <xs:enumeration value="Pan" />
519     <xs:enumeration value="Tilt" />
520     <xs:enumeration value="Pitch" />
521   </xs:restriction>
522 </xs:simpleType>
523
524 <xs:complexType name="tFixtureLightSourceColour">
525   <xs:sequence>
526     <xs:element name="sRGB" minOccurs="1" maxOccurs="1">
527       <xs:complexType>
528         <xs:attribute name="Red" type="xs:unsignedByte" use="required" />
529         <xs:attribute name="Green" type="xs:unsignedByte" use="required" />
530         <xs:attribute name="Blue" type="xs:unsignedByte" use="required" />
531       </xs:complexType>
532     </xs:element>
533     <xs:element name="CIE1931" minOccurs="0" maxOccurs="1">
534       <xs:complexType>
535         <xs:attribute name="x" type="xs:float" use="required" />
536         <xs:attribute name="y" type="xs:float" use="required" />
537         <xs:attribute name="Y" type="xs:float" use="required" />
538       </xs:complexType>
539     </xs:element>
540   </xs:sequence>
541   <xs:attribute name="Name" type="xs:string" use="optional" />
542 </xs:complexType>
543
544 <xs:complexType name="tFixtureLightSourceOpticTraits">
545   <xs:sequence>
546     <xs:element name="HorizontalFieldAngle" type="xs:float" minOccurs="1" maxOccurs="1" />
547     <xs:element name="VerticalFieldAngle" type="xs:float" minOccurs="1" maxOccurs="1" />
548     <xs:element name="Photometrics" minOccurs="0" maxOccurs="1">
549       <xs:complexType>
550         <xs:sequence>
551           <xs:element name="LuminousFlux" type="xs:float" minOccurs="1" maxOccurs="1" />
552         </xs:sequence>
553       </xs:complexType>
554     </xs:element>
555   </xs:sequence>
556 </xs:complexType>
557
558 <!-- Media server -->
559 <xs:complexType name="tMediaServer">
560   <xs:sequence>
561     <xs:element name="Layers" minOccurs="1" maxOccurs="1">
562       <xs:complexType>
563         <xs:sequence>
564           <xs:element name="Layer" type="cef:tMediaServerLayer" minOccurs="0" maxOccurs="unbounded" />
565         </xs:sequence>
566       </xs:complexType>
567     </xs:element>
568     <xs:element name="Lists" minOccurs="1" maxOccurs="1">
569       <xs:complexType>
570         <xs:sequence>
571           <xs:element name="List" type="cef:tMediaServerList" minOccurs="0" maxOccurs="unbounded" />
572         </xs:sequence>
573       </xs:complexType>
574     </xs:element>
575   </xs:sequence>
576 </xs:complexType>
577
578 <!-- Media server -->
579 <xs:complexType name="tMediaServer">
580   <xs:sequence>
581     <xs:element name="Layers" minOccurs="1" maxOccurs="1">
582       <xs:complexType>
583         <xs:sequence>
584           <xs:element name="Layer" type="cef:tMediaServerLayer" minOccurs="0" maxOccurs="unbounded" />
585         </xs:sequence>
586       </xs:complexType>
587     </xs:element>
588     <xs:element name="Lists" minOccurs="1" maxOccurs="1">
589       <xs:complexType>
590         <xs:sequence>
591           <xs:element name="List" type="cef:tMediaServerList" minOccurs="0" maxOccurs="unbounded" />
592         </xs:sequence>
593       </xs:complexType>
594     </xs:element>
595     <xs:attribute name="Identifier" type="xs:string" use="required"/>
596     <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
597     <xs:attribute name="VersionDate" type="xs:date" use="required"/>
598     <xs:attribute name="Brand" type="xs:string" use="required"/>
599     <xs:attribute name="Name" type="xs:string" use="required"/>
600     <xs:attribute name="PartNo" type="xs:string" use="optional"/>
601   </xs:sequence>
602 </xs:complexType>
603
604 <xs:simpleType name="tFixtureAxisName">
605   <xs:restriction base="xs:string">
606     <xs:enumeration value="Pan" />
607     <xs:enumeration value="Tilt" />
608     <xs:enumeration value="Pitch" />
609   </xs:restriction>
610 </xs:simpleType>
611
612 <xs:complexType name="tFixtureLightSourceColour">
613   <xs:sequence>
614     <xs:element name="sRGB" minOccurs="1" maxOccurs="1">
615       <xs:complexType>
616         <xs:attribute name="Red" type="xs:unsignedByte" use="required" />
617         <xs:attribute name="Green" type="xs:unsignedByte" use="required" />
618         <xs:attribute name="Blue" type="xs:unsignedByte" use="required" />
619       </xs:complexType>
620     </xs:element>
621     <xs:element name="CIE1931" minOccurs="0" maxOccurs="1">
622       <xs:complexType>
623         <xs:attribute name="x" type="xs:float" use="required" />
624         <xs:attribute name="y" type="xs:float" use="required" />
625         <xs:attribute name="Y" type="xs:float" use="required" />
626       </xs:complexType>
627     </xs:element>
628   </xs:sequence>
629   <xs:attribute name="Name" type="xs:string" use="optional" />
630 </xs:complexType>
631
632 <!-- Media server -->
633 <xs:complexType name="tMediaServer">
634   <xs:sequence>
635     <xs:element name="Layers" minOccurs="1" maxOccurs="1">
636       <xs:complexType>
637         <xs:sequence>
638           <xs:element name="Layer" type="cef:tMediaServerLayer" minOccurs="0" maxOccurs="unbounded" />
639         </xs:sequence>
640       </xs:complexType>
641     </xs:element>
642     <xs:element name="Lists" minOccurs="1" maxOccurs="1">
643       <xs:complexType>
644         <xs:sequence>
645           <xs:element name="List" type="cef:tMediaServerList" minOccurs="0" maxOccurs="unbounded" />
646         </xs:sequence>
647       </xs:complexType>
648     </xs:element>
649     <xs:attribute name="Identifier" type="xs:string" use="required"/>
650     <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
651     <xs:attribute name="VersionDate" type="xs:date" use="required"/>
652     <xs:attribute name="Brand" type="xs:string" use="required"/>
653     <xs:attribute name="Name" type="xs:string" use="required"/>
654     <xs:attribute name="PartNo" type="xs:string" use="optional"/>
655   </xs:sequence>
656 </xs:complexType>

```

```

572     </xs:sequence>
573   </xs:complexType>
574 </xs:element>
575 </xs:sequence>
576 <xs:attribute name="Identifier" type="xs:string" use="required"/>
577 <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
578 <xs:attribute name="VersionDate" type="xs:date" use="required"/>
579 <xs:attribute name="Brand" type="xs:string" use="required" />
580 <xs:attribute name="Name" type="xs:string" use="required" />
581 </xs:complexType>
582
583 <xs:complexType name="tMediaServerLayer">
584   <xs:sequence>
585     <xs:element name="Channels" minOccurs="1" maxOccurs="1">
586       <xs:complexType>
587         <xs:sequence>
588           <xs:element name="Channel" minOccurs="1" maxOccurs="512">
589             <xs:complexType>
590               <xs:choice minOccurs="0" maxOccurs="unbounded">
591                 <xs:element name="DimmerRange" type="cef:tMediaServerDimmerRange" />
592                 <xs:element name="Range" type="cef:tMediaServerGenericRange" />
593                 <xs:element name="Snap" type="cef:tMediaServerGenericRange" />
594               </xs:choice>
595               <xs:attribute name="Name" type="xs:string" use="required" />
596               <xs:attribute name="Default" type="xs:unsignedInt" use="required" />
597               <xs:attribute name="Bits" use="optional">
598                 <xs:simpleType>
599                   <xs:restriction base="xs:int">
600                     <xs:enumeration value="8" />
601                     <xs:enumeration value="16" />
602                     <xs:enumeration value="24" />
603                     <xs:enumeration value="32" />
604                   </xs:restriction>
605                 </xs:simpleType>
606               </xs:attribute>
607               <xs:attribute name="Table" type="xs:string" use="optional" />
608               <xs:attribute name="TableFunction" use="optional">
609                 <xs:simpleType>
610                   <xs:restriction base="xs:string">
611                     <xs:enumeration value="Selector" />
612                     <xs:enumeration value="Parameter" />
613                   </xs:restriction>
614                 </xs:simpleType>
615               </xs:attribute>
616               <xs:attribute name="TableParameterName" type="xs:string" use="optional" />
617               <xs:attribute name="CITPMediaType" use="optional">
618                 <xs:simpleType>
619                   <xs:restriction base="xs:string">
620                     <xs:enumeration value="Media" />
621                     <xs:enumeration value="Effects" />
622                     <xs:enumeration value="3D Meshes" />
623                   </xs:restriction>
624                 </xs:simpleType>
625               </xs:attribute>
626               <xs:attribute name="CITPMediaLevel" use="optional">
627                 <xs:simpleType>
628                   <xs:restriction base="xs:int">
629                     <xs:minInclusive value="1" />
630                     <xs:maxInclusive value="4" />
631                   </xs:restriction>
632                 </xs:simpleType>
633               </xs:attribute>
634               <xs:attribute name="CITPParameterIndex" type="xs:byte" use="optional" />
635             </xs:complexType>
636           </xs:element>
637         </xs:sequence>
638       </xs:complexType>
639     </xs:element>

```

```

646     </xs:sequence>
647   </xs:complexType>
648 </xs:element>
649 </xs:sequence>
650 <xs:attribute name="Identifier" type="xs:string" use="required"/>
651 <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
652 <xs:attribute name="VersionDate" type="xs:date" use="required"/>
653 <xs:attribute name="Brand" type="xs:string" use="required" />
654 <xs:attribute name="Name" type="xs:string" use="required" />
655 </xs:complexType>
656
657 <xs:complexType name="tMediaServerLayer">
658   <xs:sequence>
659     <xs:element name="Channels" minOccurs="1" maxOccurs="1">
660       <xs:complexType>
661         <xs:sequence>
662           <xs:element name="Channel" minOccurs="1" maxOccurs="512">
663             <xs:complexType>
664               <xs:choice minOccurs="0" maxOccurs="unbounded">
665                 <xs:element name="DimmerRange" type="cef:tMediaServerDimmerRange" />
666                 <xs:element name="Range" type="cef:tMediaServerRange" />
667                 <xs:element name="Snap" type="cef:tMediaServerSnap" />
668               </xs:choice>
669               <xs:attribute name="Name" type="xs:string" use="required" />
670               <xs:attribute name="Default" type="xs:unsignedInt" use="required" />
671               <xs:attribute name="Bits" use="optional">
672                 <xs:simpleType>
673                   <xs:restriction base="xs:int">
674                     <xs:enumeration value="8" />
675                     <xs:enumeration value="16" />
676                     <xs:enumeration value="24" />
677                     <xs:enumeration value="32" />
678                   </xs:restriction>
679                 </xs:simpleType>
680               </xs:attribute>
681               <xs:attribute name="Table" type="xs:string" use="optional" />
682               <xs:attribute name="TableFunction" use="optional">
683                 <xs:simpleType>
684                   <xs:restriction base="xs:string">
685                     <xs:enumeration value="Selector" />
686                     <xs:enumeration value="Parameter" />
687                   </xs:restriction>
688                 </xs:simpleType>
689               </xs:attribute>
690               <xs:attribute name="TableParameterName" type="xs:string" use="optional" />
691               <xs:attribute name="CITPMediaType" use="optional">
692                 <xs:simpleType>
693                   <xs:restriction base="xs:string">
694                     <xs:enumeration value="Media" />
695                     <xs:enumeration value="Effects" />
696                     <xs:enumeration value="Cues" />
697                     <xs:enumeration value="Crossfades" />
698                     <xs:enumeration value="Masks" />
699                     <xs:enumeration value="Blend Presets" />
700                     <xs:enumeration value="Effect Presets" />
701                     <xs:enumeration value="Image Presets" />
702                   </xs:restriction>
703                 </xs:simpleType>
704               </xs:attribute>
705               <xs:attribute name="CITPMediaLevel" use="optional">
706                 <xs:simpleType>
707                   <xs:restriction base="xs:int">
708                     <xs:minInclusive value="1" />
709                     <xs:maxInclusive value="4" />
710                   </xs:restriction>
711                 </xs:simpleType>
712               </xs:attribute>
713               <xs:attribute name="CITPParameterIndex" type="xs:byte" use="optional" />
714             </xs:complexType>
715           </xs:element>
716         </xs:sequence>
717       </xs:complexType>
718     </xs:element>
719

```



```
640 </xs:sequence>
641 <xs:attribute name="Identifier" type="xs:string" use="required"/>
642 <xs:attribute name="Name" type="xs:string" use="required" />
643 </xs:complexType>
644
645 <xs:complexType name="tMediaServerGenericRange">
646 <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
647 <xs:attribute name="End" type="xs:unsignedInt" use="required" />
648 <!-- Substitute ### with the 8-bit DMX level -->
649 <!-- Substitute ###.## with the 16-bit DMX level divided by 100 -->
650 <xs:attribute name="Text" type="xs:string" use="required" />
651 </xs:complexType>
652
653 <xs:complexType name="tMediaServerDimmerRange">
654 <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
655 <xs:attribute name="End" type="xs:unsignedInt" use="required" />
656 <xs:attribute name="DimmerFrom" use="required">
657 <xs:simpleType>
658 <xs:restriction base="xs:float">
659 <xs:minInclusive value="0" />
660 <xs:maxInclusive value="1" />
661 </xs:restriction>
662 </xs:simpleType>
663 </xs:attribute>
664 <xs:attribute name="DimmerTo" use="required">
665 <xs:simpleType>
666 <xs:restriction base="xs:float">
667 <xs:minInclusive value="0" />
668 <xs:maxInclusive value="1" />
669 </xs:restriction>
670 </xs:simpleType>
671 </xs:attribute>
672 </xs:complexType>
673
674 <xs:complexType name="tMediaServerList">
675 <xs:sequence>
676 <xs:element name="Entry" minOccurs="1" maxOccurs="255">
677 <xs:complexType>
678 <xs:sequence>
679 <xs:element name="Parameter" minOccurs="0" maxOccurs="unbounded">
680 <xs:complexType>
681 <xs:attribute name="Name" type="xs:string" use="required" />
682 <xs:attribute name="Function" type="xs:string" use="required" />
683 </xs:complexType>
684 </xs:element>
685 </xs:sequence>
686 <xs:attribute name="Start" type="xs:unsignedByte" use="required" />
687 <xs:attribute name="End" type="xs:unsignedByte" use="required" />
688 <xs:attribute name="Name" type="xs:string" use="required" />
689 </xs:complexType>
690 </xs:element>
691 </xs:sequence>
692 <xs:attribute name="Name" type="xs:string" use="required" />
693 </xs:complexType>
694
```

```
720 </xs:sequence>
721 <xs:attribute name="Identifier" type="xs:string" use="required"/>
722 <xs:attribute name="Name" type="xs:string" use="required" />
723 </xs:complexType>
724
725 <xs:complexType name="tMediaServerDimmerRange">
726 <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
727 <xs:attribute name="End" type="xs:unsignedInt" use="required" />
728 <xs:attribute name="DimmerFrom" use="required">
729 <xs:simpleType>
730 <xs:restriction base="xs:float">
731 <xs:minInclusive value="0" />
732 <xs:maxInclusive value="1" />
733 </xs:restriction>
734 </xs:simpleType>
735 </xs:attribute>
736 <xs:attribute name="DimmerTo" use="required">
737 <xs:simpleType>
738 <xs:restriction base="xs:float">
739 <xs:minInclusive value="0" />
740 <xs:maxInclusive value="1" />
741 </xs:restriction>
742 </xs:simpleType>
743 </xs:attribute>
744 </xs:complexType>
745
746 <xs:complexType name="tMediaServerRange">
747 <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
748 <xs:attribute name="End" type="xs:unsignedInt" use="required" />
749 <!-- Substitute ### with the 8-bit DMX level -->
750 <!-- Substitute ###.## with the 16-bit DMX level divided by 100 -->
751 <xs:attribute name="Text" type="xs:string" use="required" />
752 <xs:attribute name="From" type="xs:string" use="required" />
753 <xs:attribute name="To" type="xs:string" use="required" />
754 </xs:complexType>
755
756 <xs:complexType name="tMediaServerSnap">
757 <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
758 <xs:attribute name="End" type="xs:unsignedInt" use="required" />
759 <!-- Substitute ### with the 8-bit DMX level -->
760 <!-- Substitute ###.## with the 16-bit DMX level divided by 100 -->
761 <xs:attribute name="Text" type="xs:string" use="required" />
762 <xs:attribute name="To" type="xs:string" use="optional" />
763 </xs:complexType>
764
765 <xs:complexType name="tMediaServerList">
766 <xs:sequence>
767 <xs:element name="Entry" minOccurs="1" maxOccurs="255">
768 <xs:complexType>
769 <xs:sequence>
770 <xs:element name="Parameter" minOccurs="0" maxOccurs="unbounded">
771 <xs:complexType>
772 <xs:attribute name="Name" type="xs:string" use="required" />
773 <xs:attribute name="Function" type="xs:string" use="required" />
774 </xs:complexType>
775 </xs:element>
776 </xs:sequence>
777 <xs:attribute name="Start" type="xs:unsignedByte" use="required" />
778 <xs:attribute name="End" type="xs:unsignedByte" use="required" />
779 <xs:attribute name="Name" type="xs:string" use="required" />
780 </xs:complexType>
781 </xs:element>
782 </xs:sequence>
783 <xs:attribute name="Name" type="xs:string" use="required" />
784 </xs:complexType>
785
```



```

695 <!-- Symbol -->
696 <xs:complexType name="tSymbol">
697   <xs:sequence>
698     <xs:element name="Shape" minOccurs="0" maxOccurs="unbounded">
699       <xs:complexType>
700         <xs:sequence>
701           <xs:element name="Point" minOccurs="2" maxOccurs="unbounded">
702             <xs:complexType>
703               <xs:attribute name="X" type="xs:float" use="required" />
704               <xs:attribute name="Y" type="xs:float" use="required" />
705             </xs:complexType>
706           </xs:element>
707         </xs:sequence>
708         <xs:attribute name="Type" use="required">
709           <xs:simpleType>
710             <xs:restriction base="xs:string">
711               <xs:enumeration value="Fill" />
712               <xs:enumeration value="Line" />
713             </xs:restriction>
714           </xs:simpleType>
715         </xs:attribute>
716       </xs:complexType>
717     </xs:element>
718   </xs:sequence>
719   <xs:attribute name="Identfier" type="xs:string" use="required"/>
720   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
721   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
722   <xs:attribute name="Brand" type="xs:string" use="required"/>
723   <xs:attribute name="Name" type="xs:string" use="optional"/>
724 </xs:complexType>
725
726 <!-- Generic DMX Mode command types -->
727 <xs:complexType name="tSimpleCommand">
728   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
729   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
730 </xs:complexType>
731
732 <xs:complexType name="tSimpleLevelCommand">
733   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
734   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
735   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
736   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
737 </xs:complexType>
738
739 <xs:complexType name="tSimpleCellLevelCommand">
740   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
741   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
742   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
743   <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
744   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
745   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
746 </xs:complexType>
747
748 <xs:complexType name="tSimpleSpeedCommand">
749   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
750   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
751   <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
752   <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
753 </xs:complexType>
754
755 <xs:complexType name="tSimpleTimeCommand">
756   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
757   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
758   <xs:attribute name="ToStartTime" type="cef:tTimeRangeValue" use="required"/>
759   <xs:attribute name="ToEndTime" type="cef:tTimeRangeValue" use="required"/>
760 </xs:complexType>
761
762 <xs:complexType name="tSimpleStrobeCommand">
763   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
764   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
765   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
766   <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
767   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
768   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>

```

```

786 <!-- Symbol -->
787 <xs:complexType name="tSymbol">
788   <xs:sequence>
789     <xs:element name="Shape" minOccurs="0" maxOccurs="unbounded">
790       <xs:complexType>
791         <xs:sequence>
792           <xs:element name="Point" minOccurs="2" maxOccurs="unbounded">
793             <xs:complexType>
794               <xs:attribute name="X" type="xs:float" use="required" />
795               <xs:attribute name="Y" type="xs:float" use="required" />
796             </xs:complexType>
797           </xs:element>
798         </xs:sequence>
799         <xs:attribute name="Type" use="required">
800           <xs:simpleType>
801             <xs:restriction base="xs:string">
802               <xs:enumeration value="Fill" />
803               <xs:enumeration value="Line" />
804             </xs:restriction>
805           </xs:simpleType>
806         </xs:attribute>
807       </xs:complexType>
808     </xs:element>
809   </xs:sequence>
810   <xs:attribute name="Identfier" type="xs:string" use="required"/>
811   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
812   <xs:attribute name="VersionDate" type="xs:date" use="required"/>
813   <xs:attribute name="Brand" type="xs:string" use="required"/>
814   <xs:attribute name="Name" type="xs:string" use="optional"/>
815 </xs:complexType>
816
817 <!-- Generic DMX Mode command types -->
818 <xs:complexType name="tSimpleCommand">
819   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
820   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
821 </xs:complexType>
822
823 <xs:complexType name="tSimpleLevelCommand">
824   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
825   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
826   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
827   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
828 </xs:complexType>
829
830 <xs:complexType name="tSimpleCellLevelCommand">
831   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
832   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
833   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
834   <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
835   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
836   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
837 </xs:complexType>
838
839 <xs:complexType name="tSimpleSpeedCommand">
840   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
841   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
842   <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
843   <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
844 </xs:complexType>
845
846 <xs:complexType name="tSimpleTimeCommand">
847   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
848   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
849   <xs:attribute name="ToStartTime" type="cef:tTimeRangeValue" use="required"/>
850   <xs:attribute name="ToEndTime" type="cef:tTimeRangeValue" use="required"/>
851 </xs:complexType>
852
853 <xs:complexType name="tSimpleStrobeCommand">
854   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
855   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
856   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
857   <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
858   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
859   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>

```



```
835 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
836 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
837 <xs:attribute name="Mode" type="cef:tStrobeMode" use="required"/>
838 </xs:complexType>
839
840 <xs:complexType name="tSetShutterStrobeVariableRateCommand">
841 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
842 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
843 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
844 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
845 <xs:attribute name="Mode" type="cef:tStrobeMode" use="required"/>
846 <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
847 <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
848 </xs:complexType>
849
850 <xs:complexType name="tSetShutterStrobeDurationCommand">
851 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
852 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
853 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
854 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
855 <xs:attribute name="ToTiming" use="required">
856 <xs:simpleType>
857 <xs:restriction base="xs:string">
858 <xs:enumeration value="Absolute" />
859 <xs:enumeration value="Relative" />
860 </xs:restriction>
861 </xs:simpleType>
862 </xs:attribute>
863 <xs:attribute name="ToStartLevelDuration" type="cef:tSimpleRangeValue" use="required"/>
864 <xs:attribute name="ToEndLevelDuration" type="cef:tSimpleRangeValue" use="required"/>
865 </xs:complexType>
866
867 <xs:complexType name="tSetFocusModeCommand">
868 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
869 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
870 <xs:attribute name="ToMode" use="required">
871 <xs:simpleType>
872 <xs:restriction base="xs:string">
873 <xs:enumeration value="Normal" />
874 <xs:enumeration value="Auto" />
875 </xs:restriction>
876 </xs:simpleType>
877 </xs:attribute>
878 </xs:complexType>
879
880 <xs:complexType name="tSetWheelModeCommand">
881 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
882 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
883 <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
884 <xs:attribute name="ToMode" type="cef:tWheelMode" use="required"/>
885 </xs:complexType>
886
887 <xs:complexType name="tSetWheelSpinDirectionCommand">
888 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
889 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
890 <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
891 <xs:attribute name="ToDirection" type="cef:tWheelSpinDirection" use="required"/>
892 </xs:complexType>
893
894 <xs:complexType name="tSetWheelPositionCommand">
895 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
896 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
897 <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
898 <xs:attribute name="Mode" type="cef:tWheelMode" use="required"/>
899 <xs:attribute name="ToStartLevelPosition" type="xs:float" use="required"/>
900 <xs:attribute name="ToEndLevelPosition" type="xs:float" use="required"/>
901 </xs:complexType>
902
903 <xs:complexType name="tSetWheelSpeedCommand">
904 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
905 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
906 <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
907 <xs:attribute name="Mode" type="cef:tWheelMode" use="required"/>
908 <xs:attribute name="ToStartLevelSpeed" type="xs:float" use="required"/>
```

```
934 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
935 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
936 <xs:attribute name="Mode" type="cef:tStrobeMode" use="required"/>
937 </xs:complexType>
938
939 <xs:complexType name="tSetShutterStrobeVariableRateCommand">
940 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
941 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
942 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
943 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
944 <xs:attribute name="Mode" type="cef:tStrobeMode" use="required"/>
945 <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
946 <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
947 </xs:complexType>
948
949 <xs:complexType name="tSetShutterStrobeDurationCommand">
950 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
951 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
952 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
953 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
954 <xs:attribute name="ToTiming" use="required">
955 <xs:simpleType>
956 <xs:restriction base="xs:string">
957 <xs:enumeration value="Absolute" />
958 <xs:enumeration value="Relative" />
959 </xs:restriction>
960 </xs:simpleType>
961 </xs:attribute>
962 <xs:attribute name="ToStartLevelDuration" type="cef:tSimpleRangeValue" use="required"/>
963 <xs:attribute name="ToEndLevelDuration" type="cef:tSimpleRangeValue" use="required"/>
964 </xs:complexType>
965
966 <xs:complexType name="tSetFocusModeCommand">
967 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
968 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
969 <xs:attribute name="ToMode" use="required">
970 <xs:simpleType>
971 <xs:restriction base="xs:string">
972 <xs:enumeration value="Normal" />
973 <xs:enumeration value="Auto" />
974 </xs:restriction>
975 </xs:simpleType>
976 </xs:attribute>
977 </xs:complexType>
978
979 <xs:complexType name="tSetWheelModeCommand">
980 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
981 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
982 <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
983 <xs:attribute name="ToMode" type="cef:tWheelMode" use="required"/>
984 </xs:complexType>
985
986 <xs:complexType name="tSetWheelSpinDirectionCommand">
987 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
988 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
989 <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
990 <xs:attribute name="ToDirection" type="cef:tWheelSpinDirection" use="required"/>
991 </xs:complexType>
992
993 <xs:complexType name="tSetWheelPositionCommand">
994 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
995 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
996 <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
997 <xs:attribute name="Mode" type="cef:tWheelMode" use="required"/>
998 <xs:attribute name="ToStartLevelPosition" type="xs:float" use="required"/>
999 <xs:attribute name="ToEndLevelPosition" type="xs:float" use="required"/>
1000 </xs:complexType>
1001
1002 <xs:complexType name="tSetWheelSpeedCommand">
1003 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1004 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1005 <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1006 <xs:attribute name="Mode" type="cef:tWheelMode" use="required"/>
1007 <xs:attribute name="ToStartLevelSpeed" type="xs:float" use="required"/>
```



```

983
984 <xs:complexType name="tSetFramingShutterAngleCommand">
985   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
986   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
987   <xs:attribute name="Index" type="cef:tFramingShutterIndex" use="required"/>
988   <xs:attribute name="ToStartLevelAngle" type="cef:tFramingShutterAngleValue" use="required"/>
989   <xs:attribute name="ToEndLevelAngle" type="cef:tFramingShutterAngleValue" use="required"/>
990 </xs:complexType>
991
992 <xs:complexType name="tSetFramingShutterPackageAngleCommand">
993   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
994   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
995   <xs:attribute name="ToStartLevelAngle" type="xs:float" use="required"/>
996   <xs:attribute name="ToEndLevelAngle" type="xs:float" use="required"/>
997 </xs:complexType>
998
999 <xs:complexType name="tSetMotionModeCommand">
1000  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1001  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1002  <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1003  <xs:attribute name="ToMode" use="required">
1004    <xs:simpleType>
1005      <xs:restriction base="xs:string">
1006        <xs:enumeration value="Indexed" />
1007        <xs:enumeration value="Spinning" />
1008      </xs:restriction>
1009    </xs:simpleType>
1010  </xs:attribute>
1011 </xs:complexType>
1012
1013 <xs:complexType name="tMotionCommand">
1014  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1015  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1016  <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1017  <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1018 </xs:complexType>
1019
1020 <xs:complexType name="tSetMotionDirectionCommand">
1021  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1022  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1023  <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1024  <xs:attribute name="ToDirection" use="required">
1025    <xs:simpleType>
1026      <xs:restriction base="xs:string">
1027        <xs:enumeration value="Reverse" />
1028        <xs:enumeration value="Forward" />
1029      </xs:restriction>
1030    </xs:simpleType>
1031  </xs:attribute>
1032 </xs:complexType>
1033
1034 <xs:complexType name="tMotionSpeedCommand">
1035  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1036  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1037  <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1038  <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
1039  <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
1040 </xs:complexType>
1041
1042 <xs:complexType name="tMotionTimeCommand">
1043  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1044  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1045  <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1046  <xs:attribute name="ToStartTime" type="cef:tTimeRangeValue" use="required"/>
1047  <xs:attribute name="ToEndTime" type="cef:tTimeRangeValue" use="required"/>
1048 </xs:complexType>
1049
1050 <xs:complexType name="tSetVectorPositionCommand">
1051  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1052  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1053  <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
1054  <xs:attribute name="ToStartPosition" type="cef:tUnboundedRangeValue" use="required"/>
1055  <xs:attribute name="ToEndPosition" type="cef:tUnboundedRangeValue" use="required"/>
1056 </xs:complexType>

```

```

1082
1083 <xs:complexType name="tSetFramingShutterAngleCommand">
1084  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1085  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1086  <xs:attribute name="Index" type="cef:tFramingShutterIndex" use="required"/>
1087  <xs:attribute name="ToStartLevelAngle" type="cef:tFramingShutterAngleValue" use="required"/>
1088  <xs:attribute name="ToEndLevelAngle" type="cef:tFramingShutterAngleValue" use="required"/>
1089 </xs:complexType>
1090
1091 <xs:complexType name="tSetFramingShutterPackageAngleCommand">
1092  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1093  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1094  <xs:attribute name="ToStartLevelAngle" type="xs:float" use="required"/>
1095  <xs:attribute name="ToEndLevelAngle" type="xs:float" use="required"/>
1096 </xs:complexType>
1097
1098 <xs:complexType name="tSetMotionModeCommand">
1099  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1100  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1101  <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1102  <xs:attribute name="ToMode" use="required">
1103    <xs:simpleType>
1104      <xs:restriction base="xs:string">
1105        <xs:enumeration value="Indexed" />
1106        <xs:enumeration value="Spinning" />
1107      </xs:restriction>
1108    </xs:simpleType>
1109  </xs:attribute>
1110 </xs:complexType>
1111
1112 <xs:complexType name="tMotionCommand">
1113  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1114  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1115  <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1116  <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1117 </xs:complexType>
1118
1119 <xs:complexType name="tSetMotionDirectionCommand">
1120  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1121  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1122  <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1123  <xs:attribute name="ToDirection" use="required">
1124    <xs:simpleType>
1125      <xs:restriction base="xs:string">
1126        <xs:enumeration value="Reverse" />
1127        <xs:enumeration value="Forward" />
1128      </xs:restriction>
1129    </xs:simpleType>
1130  </xs:attribute>
1131 </xs:complexType>
1132
1133 <xs:complexType name="tMotionSpeedCommand">
1134  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1135  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1136  <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1137  <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
1138  <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
1139 </xs:complexType>
1140
1141 <xs:complexType name="tMotionTimeCommand">
1142  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1143  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1144  <xs:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1145  <xs:attribute name="ToStartTime" type="cef:tTimeRangeValue" use="required"/>
1146  <xs:attribute name="ToEndTime" type="cef:tTimeRangeValue" use="required"/>
1147 </xs:complexType>
1148
1149 <xs:complexType name="tSetVectorPositionCommand">
1150  <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1151  <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1152  <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
1153  <xs:attribute name="ToStartPosition" type="cef:tUnboundedRangeValue" use="required"/>
1154  <xs:attribute name="ToEndPosition" type="cef:tUnboundedRangeValue" use="required"/>
1155 </xs:complexType>

```



```

1057
1058 <xs:complexType name="tSetLampModeCommand">
1059   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1060   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1061   <xs:attribute name="ToMode" use="required">
1062     <xs:simpleType>
1063       <xs:restriction base="xs:string">
1064         <xs:enumeration value="Normal" />
1065         <xs:enumeration value="LowPower" />
1066       </xs:restriction>
1067     </xs:simpleType>
1068   </xs:attribute>
1069 </xs:complexType>
1070
1071 <xs:complexType name="tSetLaserStrobeCommand">
1072   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1073   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1074   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1075   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1076   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1077 </xs:complexType>
1078
1079 <xs:complexType name="tSetFanModeCommand">
1080   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1081   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1082   <xs:attribute name="ToMode" use="required">
1083     <xs:simpleType>
1084       <xs:restriction base="xs:string">
1085         <xs:enumeration value="Fast" />
1086         <xs:enumeration value="Slow" />
1087       </xs:restriction>
1088     </xs:simpleType>
1089   </xs:attribute>
1090 </xs:complexType>
1091
1092 <xs:complexType name="tCustomCommand">
1093   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1094   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1095   <xs:attribute name="Usage" use="required">
1096     <xs:simpleType>
1097       <xs:restriction base="xs:string">
1098         <xs:enumeration value="Snap" />
1099         <xs:enumeration value="Range" />
1100       </xs:restriction>
1101     </xs:simpleType>
1102   </xs:attribute>
1103   <xs:attribute name="Description" type="xs:string" use="required"/>
1104   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1105 </xs:complexType>
1106
1107 <xs:complexType name="tResetCommand">
1108   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1109   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1110   <xs:attribute name="ToType" use="required">
1111     <xs:simpleType>
1112       <xs:restriction base="xs:string">
1113         <xs:enumeration value="Complete" />
1114         <xs:enumeration value="PanTilt" />
1115         <xs:enumeration value="Colour" />
1116         <xs:enumeration value="Gobo" />
1117         <xs:enumeration value="Strobe" />
1118         <xs:enumeration value="Focus" />
1119         <xs:enumeration value="Zoom" />
1120         <xs:enumeration value="Frost" />
1121         <xs:enumeration value="Iris" />
1122         <xs:enumeration value="AllInternal" />
1123       </xs:restriction>
1124     </xs:simpleType>
1125   </xs:attribute>
1126 </xs:complexType>
1127
1128 <xs:complexType name="tPresetCommand">

```

```

1156
1157 <xs:complexType name="tSetLampModeCommand">
1158   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1159   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1160   <xs:attribute name="ToMode" use="required">
1161     <xs:simpleType>
1162       <xs:restriction base="xs:string">
1163         <xs:enumeration value="Normal" />
1164         <xs:enumeration value="LowPower" />
1165       </xs:restriction>
1166     </xs:simpleType>
1167   </xs:attribute>
1168 </xs:complexType>
1169
1170 <xs:complexType name="tSetLaserStrobeCommand">
1171   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1172   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1173   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1174   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1175   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1176 </xs:complexType>
1177
1178 <xs:complexType name="tSetFanModeCommand">
1179   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1180   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1181   <xs:attribute name="ToMode" use="required">
1182     <xs:simpleType>
1183       <xs:restriction base="xs:string">
1184         <xs:enumeration value="Fast" />
1185         <xs:enumeration value="Slow" />
1186       </xs:restriction>
1187     </xs:simpleType>
1188   </xs:attribute>
1189 </xs:complexType>
1190
1191 <xs:complexType name="tCustomCommand">
1192   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1193   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1194   <xs:attribute name="Usage" use="required">
1195     <xs:simpleType>
1196       <xs:restriction base="xs:string">
1197         <xs:enumeration value="Snap" />
1198         <xs:enumeration value="Range" />
1199       </xs:restriction>
1200     </xs:simpleType>
1201   </xs:attribute>
1202   <xs:attribute name="Description" type="xs:string" use="required"/>
1203   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1204   <xs:attribute name="From" type="xs:string" use="optional"/>
1205   <xs:attribute name="To" type="xs:string" use="optional"/>
1206 </xs:complexType>
1207
1208 <xs:complexType name="tResetCommand">
1209   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1210   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1211   <xs:attribute name="ToType" use="required">
1212     <xs:simpleType>
1213       <xs:restriction base="xs:string">
1214         <xs:enumeration value="Complete" />
1215         <xs:enumeration value="PanTilt" />
1216         <xs:enumeration value="Colour" />
1217         <xs:enumeration value="Gobo" />
1218         <xs:enumeration value="Strobe" />
1219         <xs:enumeration value="Focus" />
1220         <xs:enumeration value="Zoom" />
1221         <xs:enumeration value="Frost" />
1222         <xs:enumeration value="Iris" />
1223         <xs:enumeration value="AllInternal" />
1224       </xs:restriction>
1225     </xs:simpleType>
1226   </xs:attribute>
1227 </xs:complexType>
1228
1229 <xs:complexType name="tPresetCommand">

```

```
1129 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1130 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1131 <xs:attribute name="Usage" use="required">
1132   <xs:simpleType>
1133     <xs:restriction base="xs:string">
1134       <xs:enumeration value="Snap" />
1135       <xs:enumeration value="Range" />
1136     </xs:restriction>
1137   </xs:simpleType>
1138 </xs:attribute>
1139 <xs:attribute name="StartColor" type="xs:string" use="optional"/>
1140 <xs:attribute name="EndColor" type="xs:string" use="optional"/>
1141 <xs:attribute name="Description" type="xs:string" use="required"/>
1142 <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1143 </xs:complexType>
1144
```

```
1145 <xs:complexType name="tTextCommand">
1146   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1147   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1148   <xs:attribute name="Description" type="xs:string" use="required"/>
1149   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1150 </xs:complexType>
1151
1152 <!-- Common simple types-->
1153 <xs:simpleType name="tGoboType">
1154   <xs:restriction base="xs:string">
1155     <xs:enumeration value="Pattern" />
1156     <xs:enumeration value="Animation Disc" />
1157     <xs:enumeration value="Linear 2-Facet Prism" />
1158     <xs:enumeration value="Circular 3-Facet Prism" />
1159     <xs:enumeration value="Circular 4-Facet Prism" />
1160     <xs:enumeration value="Linear 4-Facet Prism" />
1161     <xs:enumeration value="Circular 5-Facet Prism" />
1162     <xs:enumeration value="Linear 5-Facet Prism" />
1163     <xs:enumeration value="Round 5-Facet Prism" />
1164     <xs:enumeration value="Circular 6-Facet Prism" />
1165     <xs:enumeration value="Linear 6-Facet Prism" />
1166     <xs:enumeration value="Round 6-Facet Prism" />
1167     <xs:enumeration value="Round 7-Facet Prism" />
1168     <xs:enumeration value="Circular 8-Facet Prism" />
1169     <xs:enumeration value="Linear 8-Facet Prism" />
1170     <xs:enumeration value="Round 9-Facet Prism" />
1171     <xs:enumeration value="Linear 10-Facet Prism" />
1172     <xs:enumeration value="Circular 8-8-16-Facet Prism" />
1173     <xs:enumeration value="Circular 16-16-Facet Prism" />
1174     <xs:enumeration value="Bar Prism" />
1175     <xs:enumeration value="Comet Prism" />
1176   </xs:restriction>
1177 </xs:simpleType>
1178
1179 <xs:simpleType name="tDmxChannelOffset">
1180   <xs:restriction base="xs:unsignedInt">
1181     <xs:minInclusive value="0"/>
1182     <xs:maxInclusive value="511"/>
1183   </xs:restriction>
1184 </xs:simpleType>
1185
```

```
1230 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1231 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1232 <xs:attribute name="Usage" use="required">
1233   <xs:simpleType>
1234     <xs:restriction base="xs:string">
1235       <xs:enumeration value="Snap" />
1236       <xs:enumeration value="Range" />
1237     </xs:restriction>
1238   </xs:simpleType>
1239 </xs:attribute>
1240 <xs:attribute name="StartColor" type="xs:string" use="optional"/>
1241 <xs:attribute name="EndColor" type="xs:string" use="optional"/>
1242 <xs:attribute name="Description" type="xs:string" use="required"/>
1243 <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1244 </xs:complexType>
1245
```

```
1246 <xs:complexType name="tPresetScrollCommand">
1247   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1248   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1249   <xs:attribute name="ToMode" use="required">
1250     <xs:simpleType>
1251       <xs:restriction base="xs:string">
1252         <xs:enumeration value="Forward" />
1253         <xs:enumeration value="Reverse" />
1254         <xs:enumeration value="Bounce" />
1255         <xs:enumeration value="Random" />
1256         <xs:enumeration value="Sound" />
1257         <xs:enumeration value="Stop" />
1258       </xs:restriction>
1259     </xs:simpleType>
1260   </xs:attribute>
1261 </xs:complexType>
1262
```

```
1263 <xs:complexType name="tTextCommand">
1264   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1265   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1266   <xs:attribute name="Description" type="xs:string" use="required"/>
1267   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1268 </xs:complexType>
1269
1270 <!-- Common simple types-->
1271 <xs:simpleType name="tGoboType">
1272   <xs:restriction base="xs:string">
1273     <xs:enumeration value="Pattern" />
1274     <xs:enumeration value="Animation Disc" />
1275     <xs:enumeration value="Linear 2-Facet Prism" />
1276     <xs:enumeration value="Circular 3-Facet Prism" />
1277     <xs:enumeration value="Circular 4-Facet Prism" />
1278     <xs:enumeration value="Linear 4-Facet Prism" />
1279     <xs:enumeration value="Circular 5-Facet Prism" />
1280     <xs:enumeration value="Linear 5-Facet Prism" />
1281     <xs:enumeration value="Round 5-Facet Prism" />
1282     <xs:enumeration value="Circular 6-Facet Prism" />
1283     <xs:enumeration value="Linear 6-Facet Prism" />
1284     <xs:enumeration value="Round 6-Facet Prism" />
1285     <xs:enumeration value="Round 7-Facet Prism" />
1286     <xs:enumeration value="Circular 8-Facet Prism" />
1287     <xs:enumeration value="Linear 8-Facet Prism" />
1288     <xs:enumeration value="Round 9-Facet Prism" />
1289     <xs:enumeration value="Linear 10-Facet Prism" />
1290     <xs:enumeration value="Circular 8-8-16-Facet Prism" />
1291     <xs:enumeration value="Circular 16-16-Facet Prism" />
1292     <xs:enumeration value="Bar Prism" />
1293     <xs:enumeration value="Comet Prism" />
1294   </xs:restriction>
1295 </xs:simpleType>
1296
1297 <xs:simpleType name="tDmxChannelOffset">
1298   <xs:restriction base="xs:unsignedInt">
1299     <xs:minInclusive value="0"/>
1300     <xs:maxInclusive value="511"/>
1301   </xs:restriction>
1302 </xs:simpleType>
1303
```

```
1186 <xs:simpleType name="tControlLayer">
1187   <xs:restriction base="xs:string">
1188     <xs:enumeration value="Individual" />
1189     <xs:enumeration value="Group" />
1190   </xs:restriction>
1191 </xs:simpleType>
1192
1193 <xs:simpleType name="tSimpleRangeValue">
1194   <xs:restriction base="xs:float">
1195     <xs:minInclusive value="0"/>
1196     <xs:maxInclusive value="1"/>
1197   </xs:restriction>
1198 </xs:simpleType>
1199
1200 <xs:simpleType name="tWideRangeValue">
1201   <xs:restriction base="xs:float">
1202     <xs:minInclusive value="-1"/>
1203     <xs:maxInclusive value="1"/>
1204   </xs:restriction>
1205 </xs:simpleType>
1206
1207 <xs:simpleType name="tUnboundedRangeValue">
1208   <xs:restriction base="xs:float"/>
1209 </xs:simpleType>
1210
1211 <xs:simpleType name="tTimeRangeValue">
1212   <xs:restriction base="xs:float">
1213     <xs:minInclusive value="0"/>
1214   </xs:restriction>
1215 </xs:simpleType>
1216
```

```
1217 <xs:simpleType name="tColorTemperatureRangeValue">
1218   <xs:restriction base="xs:float">
1219     <xs:minInclusive value="0"/>
1220     <xs:maxInclusive value="30000"/>
1221   </xs:restriction>
1222 </xs:simpleType>
1223
1224 <xs:simpleType name="tFramingShutterDepthValue">
1225   <xs:restriction base="xs:float">
1226     <xs:minInclusive value="0"/>
1227     <xs:maxInclusive value="2"/>
1228   </xs:restriction>
1229 </xs:simpleType>
1230
1231 <xs:simpleType name="tFramingShutterAngleValue">
1232   <xs:restriction base="xs:float">
1233     <xs:minInclusive value="-360"/>
1234     <xs:maxInclusive value="360"/>
1235   </xs:restriction>
1236 </xs:simpleType>
1237
1238 <xs:simpleType name="tOnOff">
1239   <xs:restriction base="xs:string">
1240     <xs:enumeration value="On" />
1241     <xs:enumeration value="Off" />
1242   </xs:restriction>
1243 </xs:simpleType>
1244
1245 <xs:simpleType name="tStrobeMode">
1246   <xs:restriction base="xs:string">
1247     <xs:enumeration value="Linear" />
1248     <xs:enumeration value="Random" />
1249     <xs:enumeration value="ApertureRandom" />
1250     <xs:enumeration value="SynchronizedRandom" />
1251     <xs:enumeration value="Lightning" />
1252     <xs:enumeration value="Spikes" />
```

```
1304 <xs:simpleType name="tControlLayer">
1305   <xs:restriction base="xs:string">
1306     <xs:enumeration value="Individual" />
1307     <xs:enumeration value="Group" />
1308   </xs:restriction>
1309 </xs:simpleType>
1310
1311 <xs:simpleType name="tSimpleRangeValue">
1312   <xs:restriction base="xs:float">
1313     <xs:minInclusive value="0"/>
1314     <xs:maxInclusive value="1"/>
1315   </xs:restriction>
1316 </xs:simpleType>
1317
1318 <xs:simpleType name="tWideRangeValue">
1319   <xs:restriction base="xs:float">
1320     <xs:minInclusive value="-1"/>
1321     <xs:maxInclusive value="1"/>
1322   </xs:restriction>
1323 </xs:simpleType>
1324
1325 <xs:simpleType name="tUnboundedRangeValue">
1326   <xs:restriction base="xs:float"/>
1327 </xs:simpleType>
1328
1329 <xs:simpleType name="tTimeRangeValue">
1330   <xs:restriction base="xs:float">
1331     <xs:minInclusive value="0"/>
1332   </xs:restriction>
1333 </xs:simpleType>
1334
1335 <xs:simpleType name="tColorRenderingIndexRangeValue">
1336   <xs:restriction base="xs:float">
1337     <xs:minInclusive value="0"/>
1338     <xs:maxInclusive value="100"/>
1339   </xs:restriction>
1340 </xs:simpleType>
1341
1342 <xs:simpleType name="tColorTemperatureRangeValue">
1343   <xs:restriction base="xs:float">
1344     <xs:minInclusive value="0"/>
1345     <xs:maxInclusive value="30000"/>
1346   </xs:restriction>
1347 </xs:simpleType>
1348
1349 <xs:simpleType name="tFramingShutterDepthValue">
1350   <xs:restriction base="xs:float">
1351     <xs:minInclusive value="0"/>
1352     <xs:maxInclusive value="2"/>
1353   </xs:restriction>
1354 </xs:simpleType>
1355
1356 <xs:simpleType name="tFramingShutterAngleValue">
1357   <xs:restriction base="xs:float">
1358     <xs:minInclusive value="-360"/>
1359     <xs:maxInclusive value="360"/>
1360   </xs:restriction>
1361 </xs:simpleType>
1362
1363 <xs:simpleType name="tOnOff">
1364   <xs:restriction base="xs:string">
1365     <xs:enumeration value="On" />
1366     <xs:enumeration value="Off" />
1367   </xs:restriction>
1368 </xs:simpleType>
1369
1370 <xs:simpleType name="tStrobeMode">
1371   <xs:restriction base="xs:string">
1372     <xs:enumeration value="Linear" />
1373     <xs:enumeration value="Random" />
1374     <xs:enumeration value="ApertureRandom" />
1375     <xs:enumeration value="SynchronizedRandom" />
1376     <xs:enumeration value="Lightning" />
1377     <xs:enumeration value="Spikes" />
```

```

1253     </xs:restriction>
1254 </xs:simpleType>
1255
1256 <xs:simpleType name="tStrobeTransition">
1257   <xs:restriction base="xs:string">
1258     <xs:enumeration value="RampRamp" />
1259     <xs:enumeration value="RampSnap" />
1260     <xs:enumeration value="SnapRamp" />
1261     <xs:enumeration value="SnapSnap" />
1262   </xs:restriction>
1263 </xs:simpleType>
1264
1265 <xs:simpleType name="tWheelIndex">
1266   <xs:restriction base="xs:unsignedInt">
1267     <xs:minInclusive value="1"/>
1268   </xs:restriction>
1269 </xs:simpleType>
1270
1271 <xs:simpleType name="tFramingShutterIndex">
1272   <xs:restriction base="xs:unsignedInt">
1273     <xs:minInclusive value="1"/>
1274     <xs:maxInclusive value="4"/>
1275   </xs:restriction>
1276 </xs:simpleType>
1277
1278 <xs:simpleType name="tAxisIndex">
1279   <xs:restriction base="xs:unsignedInt">
1280     <xs:minInclusive value="1"/>
1281   </xs:restriction>
1282 </xs:simpleType>
1283
1284 <xs:simpleType name="tLightMode">
1285   <xs:restriction base="xs:string">
1286     <xs:enumeration value="Direct" />
1287     <xs:enumeration value="ColorTemperature" />
1288     <xs:enumeration value="ColorTemperaturePlus" />
1289     <xs:enumeration value="RGB" />
1290     <xs:enumeration value="RGBPlus" />
1291     <xs:enumeration value="HSV" />
1292     <xs:enumeration value="HSVPlus" />
1293   </xs:restriction>
1294 </xs:simpleType>
1295
1296 <xs:simpleType name="tWheelMode">
1297   <xs:restriction base="xs:string">
1298     <xs:enumeration value="Indexed" />
1299     <xs:enumeration value="Continuous" />
1300     <xs:enumeration value="Mixed" />
1301     <xs:enumeration value="Spinning" />
1302     <xs:enumeration value="Oscillating" />
1303   </xs:restriction>
1304 </xs:simpleType>
1305
1306 <xs:simpleType name="tWheelFrameMode">
1307   <xs:restriction base="xs:string">
1308     <xs:enumeration value="Indexed" />
1309     <xs:enumeration value="Spinning" />
1310   </xs:restriction>
1311 </xs:simpleType>
1312
1313 <xs:simpleType name="tWheelSpinDirection">
1314   <xs:restriction base="xs:string">
1315     <xs:enumeration value="Forward" />
1316     <xs:enumeration value="Reverse" />
1317   </xs:restriction>
1318 </xs:simpleType>
1319
1320 <xs:simpleType name="tBoolean">
1321   <xs:restriction base="xs:string">
1322     <xs:enumeration value="True" />
1323     <xs:enumeration value="False" />
1324   </xs:restriction>
1325 </xs:simpleType>
1326
1378     </xs:restriction>
1379 </xs:simpleType>
1380
1381 <xs:simpleType name="tStrobeTransition">
1382   <xs:restriction base="xs:string">
1383     <xs:enumeration value="RampRamp" />
1384     <xs:enumeration value="RampSnap" />
1385     <xs:enumeration value="SnapRamp" />
1386     <xs:enumeration value="SnapSnap" />
1387   </xs:restriction>
1388 </xs:simpleType>
1389
1390 <xs:simpleType name="tWheelIndex">
1391   <xs:restriction base="xs:unsignedInt">
1392     <xs:minInclusive value="1"/>
1393   </xs:restriction>
1394 </xs:simpleType>
1395
1396 <xs:simpleType name="tFramingShutterIndex">
1397   <xs:restriction base="xs:unsignedInt">
1398     <xs:minInclusive value="1"/>
1399     <xs:maxInclusive value="4"/>
1400   </xs:restriction>
1401 </xs:simpleType>
1402
1403 <xs:simpleType name="tAxisIndex">
1404   <xs:restriction base="xs:unsignedInt">
1405     <xs:minInclusive value="1"/>
1406   </xs:restriction>
1407 </xs:simpleType>
1408
1409 <xs:simpleType name="tLightMode">
1410   <xs:restriction base="xs:string">
1411     <xs:enumeration value="Direct" />
1412     <xs:enumeration value="ColorTemperature" />
1413     <xs:enumeration value="ColorTemperaturePlus" />
1414     <xs:enumeration value="RGB" />
1415     <xs:enumeration value="RGBPlus" />
1416     <xs:enumeration value="HSV" />
1417     <xs:enumeration value="HSVPlus" />
1418   </xs:restriction>
1419 </xs:simpleType>
1420
1421 <xs:simpleType name="tWheelMode">
1422   <xs:restriction base="xs:string">
1423     <xs:enumeration value="Indexed" />
1424     <xs:enumeration value="Continuous" />
1425     <xs:enumeration value="Mixed" />
1426     <xs:enumeration value="Spinning" />
1427     <xs:enumeration value="Oscillating" />
1428   </xs:restriction>
1429 </xs:simpleType>
1430
1431 <xs:simpleType name="tWheelFrameMode">
1432   <xs:restriction base="xs:string">
1433     <xs:enumeration value="Indexed" />
1434     <xs:enumeration value="Spinning" />
1435   </xs:restriction>
1436 </xs:simpleType>
1437
1438 <xs:simpleType name="tWheelSpinDirection">
1439   <xs:restriction base="xs:string">
1440     <xs:enumeration value="Forward" />
1441     <xs:enumeration value="Reverse" />
1442   </xs:restriction>
1443 </xs:simpleType>
1444
1445 <xs:simpleType name="tBoolean">
1446   <xs:restriction base="xs:string">
1447     <xs:enumeration value="True" />
1448     <xs:enumeration value="False" />
1449   </xs:restriction>
1450 </xs:simpleType>
1451

```

