

Araxis Merge File Comparison Report

Produced by **Araxis Merge** on **2025-01-15 11:27:28 W. Europe Standard Time**. See www.araxis.com for information about Merge. This report uses XHTML and CSS2, and is best viewed with a modern standards-compliant browser. For optimum results when printing this report, use landscape orientation and enable printing of background images and colours in your browser.

1. Files compared

#	Location	File	Last Modified
1	C:\Source\AB Guide	AtlaBase.CommonExportFormat_2.9.0.xsd	2024-01-31 11:46:28 W. Europe Standard Time
2	C:\Source\AB Guide	AtlaBase.CommonExportFormat_2.10.0.xsd	2025-01-08 15:08:12 W. Europe Standard Time

2. Comparison summary

Description	Between Files 1 and 2	
	Text Blocks	Lines
Unchanged	18	3380
Changed	4	8
Inserted	10	64
Removed	3	164

3. Comparison options

Whitespace	Consecutive whitespace is treated as a single space
Character case	Differences in character case are significant
Line endings	Differences in line endings (CR and LF characters) are ignored
CR/LF characters	Not shown in the comparison detail
Active line-pairing rules	

4. Active regular expressions

No regular expressions were active.

5. Comparison detail

```
1 <xs:schema
2   targetNamespace="http://www.atlabase.com/schemas/CommonExportFormat_2.9.0"
3   xmlns:xs="http://www.w3.org/2001/XMLSchema"
4   xmlns:cef="http://www.atlabase.com/schemas/CommonExportFormat_2.9.0"
5   elementFormDefault="qualified">
6
7   <!-- Document root -->
8   <xs:element name="AtlaBase.CommonExportFormat">
9     <xs:complexType>
10    <xs:choice minOccurs="1" maxOccurs="unbounded">
11      <xs:element name="Brand" type="cef:tBrand"/>
12      <xs:element name="Filter" type="cef:tFilter"/>
13      <xs:element name="Gobo" type="cef:tGobo"/>
14      <xs:element name="Fixture" type="cef:tFixture"/>
15      <xs:element name="MediaServer" type="cef:tMediaServer"/>
16      <xs:element name="Symbol" type="cef:tSymbol"/>
17    </xs:choice>
18  </xs:complexType>
19 </xs:element>
20
21 <!-- Brand -->
22 <xs:complexType name="tBrand">
23   <xs:sequence>
24     <xs:element name="Name" type="xs:string" minOccurs="1" maxOccurs="1" />
25   </xs:sequence>
26   <xs:attribute name="Identifier" type="xs:string" use="required"/>
27 </xs:complexType>
```

```
1 <xs:schema
2   targetNamespace="http://www.atlabase.com/schemas/CommonExportFormat_2.10.0"
3   xmlns:xs="http://www.w3.org/2001/XMLSchema"
4   xmlns:cef="http://www.atlabase.com/schemas/CommonExportFormat_2.10.0"
5   elementFormDefault="qualified">
6
7   <!-- Document root -->
8   <xs:element name="AtlaBase.CommonExportFormat">
9     <xs:complexType>
10    <xs:choice minOccurs="1" maxOccurs="unbounded">
11      <xs:element name="Brand" type="cef:tBrand"/>
12      <xs:element name="Filter" type="cef:tFilter"/>
13      <xs:element name="Gobo" type="cef:tGobo"/>
14      <xs:element name="Fixture" type="cef:tFixture"/>
15      <xs:element name="Symbol" type="cef:tSymbol"/>
16    </xs:choice>
17  </xs:complexType>
18 </xs:element>
19
20 <!-- Brand -->
21 <xs:complexType name="tBrand">
22   <xs:sequence>
23     <xs:element name="Name" type="xs:string" minOccurs="1" maxOccurs="1" />
24   </xs:sequence>
25   <xs:attribute name="Identifier" type="xs:string" use="required"/>
26 </xs:complexType>
```

```

28
29 <!-- Filter -->
30 <xss:complexType name="tFilter">
31   <xss:sequence>
32     <xss:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
33     <xss:element name="HorizontalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
34
35     <xss:element name="VerticalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
36   </xss:sequence>
37   <xss:attribute name="Identifier" type="xs:string" use="required"/>
38   <xss:attribute name="Version" type="xs:unsignedInt" use="required"/>
39   <xss:attribute name="VersionDate" type="xs:date" use="required"/>
40   <xss:attribute name="Brand" type="xs:string" use="required"/>
41   <xss:attribute name="Code" type="xs:string" use="optional"/>
42   <xss:attribute name="Name" type="xs:string" use="optional"/>
43   <xss:attribute name="PartNo" type="xs:string" use="optional"/>
44   <xss:attribute name="Origin" type="xs:string" use="optional"/>
45 </xss:complexType>
46
47 <xss:complexType name="tFilterColor">
48   <xss:sequence>
49     <xss:element name="sRGB" minOccurs="1" maxOccurs="1">
50       <xss:complexType>
51         <xss:attribute name="Red" type="xs:unsignedByte" use="required" />
52         <xss:attribute name="Green" type="xs:unsignedByte" use="required" />
53         <xss:attribute name="Blue" type="xs:unsignedByte" use="required" />
54       </xss:complexType>
55     </xss:element>
56     <xss:element name="CIE1931" minOccurs="0" maxOccurs="1">
57       <xss:complexType>
58         <xss:attribute name="x" type="xs:float" use="required" />
59         <xss:attribute name="y" type="xs:float" use="required" />
60         <xss:attribute name="Y" type="xs:float" use="required" />
61         <xss:attribute name="K" type="xs:unsignedShort" use="required" />
62       </xss:complexType>
63     </xss:element>
64   </xss:sequence>
65 </xss:complexType>
66
67 <!-- Gobo -->
68 <xss:complexType name="tGobo">
69   <xss:sequence>
70     <xss:element name="Type" type="cef:tGoboType" minOccurs="1" maxOccurs="1" />
71     <xss:element name="AnimationDiscRatio" minOccurs="0" maxOccurs="1">
72       <xss:simpleType>
73         <xss:restriction base="xs:float">
74           <xss:minExclusive value="0" />
75           <xss:maxInclusive value="1" />
76         </xss:restriction>
77       </xss:simpleType>
78     </xss:element>
79     <xss:element name="Tags" type="xs:string" minOccurs="0" maxOccurs="1" />
80     <xss:element name="ReplacementGobo" minOccurs="0" maxOccurs="unbounded">
81       <xss:complexType>
82         <xss:attribute name="Identifier" type="xs:string" use="required"/>
83         <xss:attribute name="Version" type="xs:unsignedInt" use="required"/>
84       </xss:complexType>
85     </xss:element>
86   </xss:sequence>
87   <xss:attribute name="Identifier" type="xs:string" use="required"/>
88   <xss:attribute name="Version" type="xs:unsignedInt" use="required"/>
89   <xss:attribute name="VersionDate" type="xs:date" use="required"/>
90   <xss:attribute name="Brand" type="xs:string" use="required"/>
91   <xss:attribute name="Code" type="xs:string" use="optional"/>
92   <xss:attribute name="Name" type="xs:string" use="optional"/>
93   <xss:attribute name="PartNo" type="xs:string" use="optional"/>
94   <xss:attribute name="Origin" type="xs:string" use="optional"/>
95 </xss:complexType>
96
97 <!-- Filter -->
98 <xss:complexType name="tFilter">
99   <xss:sequence>
100     <xss:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
101     <xss:element name="HorizontalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
102
103     <xss:element name="VerticalFrost" type="xs:float" minOccurs="1" maxOccurs="1" />
104   </xss:sequence>
105   <xss:attribute name="Identifier" type="xs:string" use="required"/>
106   <xss:attribute name="Version" type="xs:unsignedInt" use="required"/>
107   <xss:attribute name="VersionDate" type="xs:date" use="required"/>
108   <xss:attribute name="Brand" type="xs:string" use="required"/>
109   <xss:attribute name="Code" type="xs:string" use="optional"/>
110   <xss:attribute name="Name" type="xs:string" use="optional"/>
111   <xss:attribute name="PartNo" type="xs:string" use="optional"/>
112   <xss:attribute name="Origin" type="xs:string" use="optional"/>
113 </xss:complexType>
114
115 <xss:complexType name="tFilterColor">
116   <xss:sequence>
117     <xss:element name="sRGB" minOccurs="1" maxOccurs="1">
118       <xss:complexType>
119         <xss:attribute name="Red" type="xs:unsignedByte" use="required" />
120         <xss:attribute name="Green" type="xs:unsignedByte" use="required" />
121         <xss:attribute name="Blue" type="xs:unsignedByte" use="required" />
122       </xss:complexType>
123     </xss:element>
124     <xss:element name="CIE1931" minOccurs="0" maxOccurs="1">
125       <xss:complexType>
126         <xss:attribute name="x" type="xs:float" use="required" />
127         <xss:attribute name="y" type="xs:float" use="required" />
128         <xss:attribute name="Y" type="xs:float" use="required" />
129         <xss:attribute name="K" type="xs:unsignedShort" use="required" />
130       </xss:complexType>
131     </xss:element>
132   </xss:sequence>
133 </xss:complexType>
134
135 <!-- Gobo -->
136 <xss:complexType name="tGobo">
137   <xss:sequence>
138     <xss:element name="Type" type="cef:tGoboType" minOccurs="1" maxOccurs="1" />
139     <xss:element name="AnimationDiscRatio" minOccurs="0" maxOccurs="1">
140       <xss:simpleType>
141         <xss:restriction base="xs:float">
142           <xss:minExclusive value="0" />
143           <xss:maxInclusive value="1" />
144         </xss:restriction>
145       </xss:simpleType>
146     </xss:element>
147     <xss:element name="Tags" type="xs:string" minOccurs="0" maxOccurs="1" />
148     <xss:element name="ReplacementGobo" minOccurs="0" maxOccurs="unbounded">
149       <xss:complexType>
150         <xss:attribute name="Identifier" type="xs:string" use="required"/>
151         <xss:attribute name="Version" type="xs:unsignedInt" use="required"/>
152       </xss:complexType>
153     </xss:element>
154   </xss:sequence>
155   <xss:attribute name="Identifier" type="xs:string" use="required"/>
156   <xss:attribute name="Version" type="xs:unsignedInt" use="required"/>
157   <xss:attribute name="VersionDate" type="xs:date" use="required"/>
158   <xss:attribute name="Brand" type="xs:string" use="required"/>
159   <xss:attribute name="Code" type="xs:string" use="optional"/>
160   <xss:attribute name="Name" type="xs:string" use="optional"/>
161   <xss:attribute name="PartNo" type="xs:string" use="optional"/>
162   <xss:attribute name="Origin" type="xs:string" use="optional"/>
163 </xss:complexType>
164
165 </xss:complexType>

```

```

96  <!-- Fixture-->
97  <xss:complexType name="tFixture">
98    <xss:sequence>
99      <xss:element name="Class" type="xs:string" minOccurs="1" maxOccurs="1"/>
100     <xss:element name="Category" type="xs:string" minOccurs="1" maxOccurs="1"/>
101     <xss:element name="SymbolIdentifier" type="xs:string" minOccurs="0" maxOccurs="1"/>
102
103     <xss:element name="RDM" minOccurs="0" maxOccurs="1">
104       <xss:complexType>
105         <xss:sequence>
106           <xss:element name="ManufacturerId" minOccurs="1" maxOccurs="1">
107             <xss:simpleType>
108               <xss:restriction base="xs:unsignedShort">
109                 <xss:minInclusive value="1"/>
110                 <xss:maxInclusive value="32767"/>
111             </xss:restriction>
112           </xss:simpleType>
113         </xss:element>
114         <xss:element name="DeviceModelId" type="xs:unsignedShort" minOccurs="1" maxOccurs="1"/>
115       </xss:sequence>
116     </xss:complexType>
117   </xss:element>
118   <xss:element name="Weight" type="xs:string" minOccurs="1" maxOccurs="1"/>
119   <xss:element name="Wattage" type="xs:string" minOccurs="1" maxOccurs="1"/>
120   <xss:element name="CellCount" type="xs:unsignedShort" minOccurs="1" maxOccurs="1" />
121
122   <xss:element name="Shutter" minOccurs="1" maxOccurs="1">
123     <xss:complexType>
124       <xss:sequence>
125         <xss:element name="MinFrequency" type="xs:float" minOccurs="1" maxOccurs="1"/>
126
127         <xss:element name="MaxFrequency" type="xs:float" minOccurs="1" maxOccurs="1"/>
128
129         <xss:element name="MinDuration" type="xs:float" minOccurs="1" maxOccurs="1"/>
130
131         <xss:element name="MaxDuration" type="xs:float" minOccurs="1" maxOccurs="1"/>
132
133       </xss:sequence>
134     </xss:complexType>
135   </xss:element>
136   <xss:element name="FramingShutters" minOccurs="1" maxOccurs="1">
137     <xss:simpleType>
138       <xss:restriction base="xs:string">
139         <xss:enumeration value="None" />
140         <xss:enumeration value="OrthogonalSinglePointShutters" />
141         <xss:enumeration value="OrthogonalTwoPointShutters" />
142         <xss:enumeration value="PerimetralSinglePointShutters" />
143         <xss:enumeration value="ExternalBarndoors" />
144         <xss:enumeration value="InternalBarndoors" />
145       </xss:restriction>
146     </xss:simpleType>
147   </xss:element>
148   <xss:element name="ColorFlags" minOccurs="0" maxOccurs="1">
149     <xss:complexType>
150       <xss:sequence>
151         <xss:element name="Cyan" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
152         <xss:element name="Magenta" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
153         <xss:element name="Yellow" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
154         <xss:element name="CTO" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
155         <xss:element name="CTB" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
156       </xss:sequence>
157     </xss:complexType>
158   </xss:element>

```

```

95  <!-- Fixture-->
96  <xss:complexType name="tFixture">
97    <xss:sequence>
98      <xss:element name="Class" type="xs:string" minOccurs="1" maxOccurs="1"/>
99      <xss:element name="Category" type="xs:string" minOccurs="1" maxOccurs="1"/>
100     <xss:element name="SymbolIdentifier" type="xs:string" minOccurs="0" maxOccurs="1" />
101     <xss:element name="RDM" minOccurs="0" maxOccurs="1">
102       <xss:complexType>
103         <xss:sequence>
104           <xss:element name="ManufacturerId" minOccurs="1" maxOccurs="1">
105             <xss:simpleType>
106               <xss:restriction base="xs:unsignedShort">
107                 <xss:minInclusive value="1"/>
108                 <xss:maxInclusive value="32767"/>
109             </xss:restriction>
110           </xss:simpleType>
111         </xss:element>
112         <xss:element name="DeviceModelId" type="xs:unsignedShort" minOccurs="1" maxOccurs="1" />
113       </xss:sequence>
114     </xss:complexType>
115   </xss:element>
116   <xss:element name="Weight" type="xs:string" minOccurs="1" maxOccurs="1"/>
117   <xss:element name="Wattage" type="xs:string" minOccurs="1" maxOccurs="1"/>
118   <xss:element name="CellCount" type="xs:unsignedShort" minOccurs="1" maxOccurs="1" />
119
120   <xss:element name="Shutter" minOccurs="1" maxOccurs="1">
121     <xss:complexType>
122       <xss:sequence>
123         <xss:element name="MinFrequency" type="xs:float" minOccurs="1" maxOccurs="1" />
124
125         <xss:element name="MaxFrequency" type="xs:float" minOccurs="1" maxOccurs="1" />
126
127         <xss:element name="MinDuration" type="xs:float" minOccurs="1" maxOccurs="1" />
128
129         <xss:element name="MaxDuration" type="xs:float" minOccurs="1" maxOccurs="1" />
130
131       </xss:sequence>
132     </xss:complexType>
133   </xss:element>
134   <xss:element name="FramingShutters" minOccurs="1" maxOccurs="1">
135     <xss:simpleType>
136       <xss:restriction base="xs:string">
137         <xss:enumeration value="None" />
138         <xss:enumeration value="OrthogonalSinglePointShutters" />
139         <xss:enumeration value="OrthogonalTwoPointShutters" />
140         <xss:enumeration value="PerimetralSinglePointShutters" />
141         <xss:enumeration value="ExternalBarndoors" />
142         <xss:enumeration value="InternalBarndoors" />
143       </xss:restriction>
144     </xss:simpleType>
145   </xss:element>
146   <xss:element name="ColorFlags" minOccurs="0" maxOccurs="1">
147     <xss:complexType>
148       <xss:sequence>
149         <xss:element name="Cyan" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
150         <xss:element name="Magenta" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
151         <xss:element name="Yellow" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
152         <xss:element name="CTO" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
153         <xss:element name="CTB" type="cef:tFixtureColorFlag" minOccurs="0" maxOccurs="1" />
154       </xss:sequence>
155     </xss:complexType>
156   </xss:element>

```

```

153 <xs:element name="FrostFlags" minOccurs="0" maxOccurs="1">
154   <xs:complexType>
155     <xs:sequence>
156       <xs:element name="Flag" minOccurs="1" maxOccurs="unbounded">
157         <xs:complexType>
158           <xs:attribute name="Name" type="xs:string" use="optional" />
159
160           <xs:attribute name="Frost" type="cef:tPositiveFloat" use="required" />
161
162           <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
163
164         </xs:complexType>
165       </xs:sequence>
166     </xs:complexType>
167   </xs:element>
168   <xs:element name="Axis" minOccurs="0" maxOccurs="unbounded">
169     <xs:complexType>
170       <xs:sequence>
171         <xs:element name="Range" type="xs:float" minOccurs="1" maxOccurs="1" />
172
173         <xs:element name="Trim" type="xs:float" minOccurs="1" maxOccurs="1" />
174
175         <xs:element name="Inverse" type="cef:tBoolean" minOccurs="1" maxOccurs="1" />
176
177         <xs:element name="MinTime" type="xs:float" minOccurs="1" maxOccurs="1" />
178
179       </xs:sequence>
180       <xs:attribute name="Name" type="cef:tFixtureAxisName" use="required" />
181       <xs:attribute name="Index" type="xs:unsignedByte" use="required" />
182     </xs:complexType>
183   </xs:element>
184   <xs:element name="Part" minOccurs="0" maxOccurs="unbounded">
185     <xs:complexType>
186       <xs:sequence>
187         <xs:element name="Host" minOccurs="0" maxOccurs="1">
188           <xs:complexType>
189             <xs:attribute name="PartName" type="xs:string" use="required" />
190
191             <xs:attribute name="AxisName" type="cef:tFixtureAxisName" use="required" />
192
193             <xs:attribute name="AxisIndex" type="xs:unsignedByte" use="required" />
194
195           </xs:complexType>
196         </xs:element>
197       </xs:sequence>
198     </xs:complexType>
199   </xs:element>
200   <xs:element name="Model" minOccurs="0" maxOccurs="1">
201     <xs:complexType>
202       <xs:sequence>
203         <xs:element name="Shape" minOccurs="1" maxOccurs="1">
204           <xs:simpleType>
205             <xs:restriction base="xs:string">
206               <xs:enumeration value="Box" />
207               <xs:enumeration value="Tube" />
208               <xs:enumeration value="Sphere" />
209               <xs:enumeration value="PAR" />
210               <xs:enumeration value="TubeWithBox" />
211               <xs:enumeration value="ConeWithTube" />
212               <xs:enumeration value="SymmetricEgg" />
213               <xs:enumeration value="FlatBottomEgg" />
214               <xs:enumeration value="FlatBottomTubeEgg" />
215
216               <xs:enumeration value="Scanner" />
217               <xs:enumeration value="YokeBase" />
218               <xs:enumeration value="YokeArm" />
219               <xs:enumeration value="FrontmountBox" />
220               <xs:enumeration value="FrontmountTube" />
221               <xs:enumeration value="FrontmountScanner" />
222
223             </xs:restriction>
224           </xs:simpleType>
225         </xs:element>
226       </xs:sequence>
227     </xs:complexType>
228   </xs:element>
229   <xs:element name="FrostFlags" minOccurs="0" maxOccurs="1">
230     <xs:complexType>
231       <xs:sequence>
232         <xs:element name="Flag" minOccurs="1" maxOccurs="unbounded">
233           <xs:complexType>
234             <xs:attribute name="Name" type="xs:string" use="optional" />
235
236             <xs:attribute name="Frost" type="cef:tPositiveFloat" use="required" />
237
238             <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>
239
240           </xs:complexType>
241         </xs:sequence>
242       </xs:complexType>
243     </xs:element>
244   </xs:complexType>
245 
```

```
210      </xs:simpleType>
211      </xs:element>
212      <xs:element name="Width" type="xs:float" minOccurs="1" maxOccurs="1" />
213
214      <xs:element name="Height" type="xs:float" minOccurs="1" maxOccurs="1" />
215
216      <xs:element name="Length" type="xs:float" minOccurs="1" maxOccurs="1" />
217
218      <xs:element name="Aperture" type="xs:float" minOccurs="1" maxOccurs="1" />
219
220  />
221      </xs:sequence>
222      </xs:complexType>
223      </xs:element>
224  </xs:sequence>
225      <xs:attribute name="Name" type="xs:string" use="required" />
226  </xs:complexType>
227  </xs:element>
228  <xs:element name="LightSource" minOccurs="0" maxOccurs="unbounded">
229      <xs:complexType>
230      <xs:sequence>
231          <xs:element name="Host" minOccurs="0" maxOccurs="1">
232              <xs:complexType>
233                  <xs:attribute name="PartName" type="xs:string" use="required" />
234
235          </xs:complexType>
236      </xs:element>
237  <xs:element name="Location" minOccurs="0" maxOccurs="1">
238      <xs:complexType>
239          <xs:sequence>
240              <xs:element name="Center" minOccurs="1" maxOccurs="1">
241                  <xs:complexType>
242                      <xs:attribute name="X" type="xs:float" use="required" />
243
244                      <xs:attribute name="Y" type="xs:float" use="required" />
245
246                      <xs:attribute name="Z" type="xs:float" use="required" />
247
248      </xs:complexType>
249  </xs:element>
250  <xs:element name="Direction" minOccurs="1" maxOccurs="1">
251
252      <xs:complexType>
253          <xs:attribute name="X" type="xs:float" use="required" />
254
255          <xs:attribute name="Y" type="xs:float" use="required" />
256
257          <xs:attribute name="Z" type="xs:float" use="required" />
258
259      </xs:complexType>
260  </xs:element>
261  </xs:sequence>
262  </xs:complexType>
263  </xs:element>
264  <xs:element name="Kind" minOccurs="1" maxOccurs="1">
265      <xs:simpleType>
266          <xs:restriction base="xs:string">
267              <xs:enumeration value="Decoration" />
268              <xs:enumeration value="Light" />
269              <xs:enumeration value="VideoProjector" />
```

```
209
210
211     maxOccurs="1" />
212     " maxOccurs="1" />
213     " maxOccurs="1" />
214             <xs:element name="Aperture" type="xs:float" minOccurs=
215             "1" maxOccurs="1" />
216                     </xs:sequence>
217                 </xs:complexType>
218             </xs:element>
219             <xs:attribute name="Name" type="xs:string" use="required" />
220         </xs:complexType>
221     </xs:element>
222     <xs:element name="LightSource" minOccurs="0" maxOccurs="unbounded">
223         <xs:complexType>
224             <xs:sequence>
225                 <xs:element name="Host" minOccurs="0" maxOccurs="1">
226                     <xs:complexType>
227                         <xs:attribute name="PartName" type="xs:string" use="requir
228             ed" />
229         </xs:complexType>
230     </xs:element>
231     <xs:element name="Location" minOccurs="0" maxOccurs="1">
232         <xs:complexType>
233             <xs:sequence>
234                 <xs:element name="Center" minOccurs="1" maxOccurs="1">
235                     <xs:complexType>
236                         <xs:attribute name="X" type="xs:float" use="re
237             quired" />
238                         <xs:attribute name="Y" type="xs:float" use="re
239             quired" />
240                         <xs:attribute name="Z" type="xs:float" use="re
241             quired" />
242         </xs:complexType>
243     </xs:element>
244     <xs:element name="Direction" minOccurs="1" maxOccurs="1">
245         <xs:complexType>
246             <xs:attribute name="X" type="xs:float" use="re
247             quired" />
248             <xs:attribute name="Y" type="xs:float" use="re
249             quired" />
250             <xs:attribute name="Z" type="xs:float" use="re
251             quired" />
252         </xs:complexType>
253     </xs:element>
254         </xs:sequence>
255     </xs:complexType>
256 </xs:element>
257 <xs:element name="Kind" minOccurs="1" maxOccurs="1">
258     <xs:simpleType>
259         <xs:restriction base="xs:string">
260             <xs:enumeration value="Decoration" />
261             <xs:enumeration value="Light" />
262             <xs:enumeration value="VideoProjector" />
```

```

264      <xss:enumeration value="VideoPanel" />
265      <xss:enumeration value="Laser" />
266      </xss:restriction>
267  </xss:simpleType>
268  </xss:element>
269  <xss:element name="VideoResolution" minOccurs="0" maxOccurs="1">
270      <xss:complexType>
271          <xss:attribute name="Horizontal" type="xs:unsignedShort" use="required" />
272
273          <xss:attribute name="Vertical" type="xs:unsignedShort" use="required" />
274      </xss:complexType>
275  </xss:element>
276  <xss:element name="Colours" minOccurs="0" maxOccurs="1">
277      <xss:complexType>
278          <xss:sequence>
279              <xss:element name="White" type="cef:tFixtureLightSourceColour" minOccurs=
280                  "0" maxOccurs="1" />
281                  <xss:element name="Red" type="cef:tFixtureLightSourceColour" minOccurs="0
282                  " maxOccurs="1" />
283                  <xss:element name="Green" type="cef:tFixtureLightSourceColour" minOccurs=
284                  "0" maxOccurs="1" />
285                  <xss:element name="Blue" type="cef:tFixtureLightSourceColour" minOccurs=
286                  "0" maxOccurs="1" />
287                  <xss:element name="Auxiliary1" type="cef:tFixtureLightSourceColour" minOccurs=
288                  "0" maxOccurs="1" />
289                  <xss:element name="Auxiliary2" type="cef:tFixtureLightSourceColour" minOccurs=
290                  "0" maxOccurs="1" />
291                  <xss:element name="Auxiliary3" type="cef:tFixtureLightSourceColour" minOccurs=
292                  "0" maxOccurs="1" />
293                  <xss:element name="Auxiliary4" type="cef:tFixtureLightSourceColour" minOccurs=
294                  "0" maxOccurs="1" />
295                  <xss:element name="Auxiliary5" type="cef:tFixtureLightSourceColour" minOccurs=
296                  "0" maxOccurs="1" />
297          </xss:sequence>
298      </xss:complexType>
299  </xss:element>
300  <xss:element name="ColourMixing" minOccurs="1" maxOccurs="1">
301      <xss:complexType>
302          <xss:sequence>
303              <xss:element name="ShutterRelation" minOccurs="1" maxOccurs="1">
304
305                  <xss:simpleType>
306                      <xss:restriction base="xs:string">
307                          <xss:enumeration value="Separated" />
308                          <xss:enumeration value="Integrated" />
309          </xss:restriction>
310      </xss:simpleType>
311  </xss:element>
312  <xss:element name="CIE" minOccurs="0" maxOccurs="1">
313      <xss:complexType>
314          <xss:attribute name="ChromaticityXMin" type="cef:tChromaticityValue"
315              use="required" />
316          <xss:attribute name="ChromaticityXMax" type="cef:tChromaticityValue"
317              use="required" />
318          <xss:attribute name="ChromaticityYMin" type="cef:tChromaticityValue"
319              use="required" />
320          <xss:attribute name="ChromaticityYMax" type="cef:tChromaticityValue"
321              use="required" />
322
323          </xss:complexType>
324      </xss:element>
325  </xss:sequence>
326  </xss:complexType>
327  </xss:element>
328  <xss:element name="Optics" minOccurs="0" maxOccurs="unbounded">
329      <xss:complexType>
330          <xss:sequence>
331              <xss:element name="Wattage" type="xs:float" minOccurs="1" maxOccurs="1" />

```

```

263          <xss:enumeration value="VideoPanel" />
264          <xss:enumeration value="Laser" />
265          </xss:restriction>
266  </xss:simpleType>
267  </xss:element>
268  <xss:element name="VideoResolution" minOccurs="0" maxOccurs="1">
269      <xss:complexType>
270          <xss:attribute name="Horizontal" type="xs:unsignedShort" use="required" />
271          <xss:attribute name="Vertical" type="xs:unsignedShort" use="required" />
272      </xss:complexType>
273  </xss:element>
274  <xss:element name="Colours" minOccurs="0" maxOccurs="1">
275      <xss:complexType>
276          <xss:sequence>
277              <xss:element name="White" type="cef:tFixtureLightSourceColour"
278                  minOccurs="0" maxOccurs="1" />
279                  <xss:element name="Red" type="cef:tFixtureLightSourceColour"
280                  minOccurs="0" maxOccurs="1" />
281                  <xss:element name="Green" type="cef:tFixtureLightSourceColour"
282                  minOccurs="0" maxOccurs="1" />
283                  <xss:element name="Blue" type="cef:tFixtureLightSourceColour"
284                  minOccurs="0" maxOccurs="1" />
285                  <xss:element name="Auxiliary1" type="cef:tFixtureLightSourceColour"
286                  minOccurs="0" maxOccurs="1" />
287                  <xss:element name="Auxiliary2" type="cef:tFixtureLightSourceColour"
288                  minOccurs="0" maxOccurs="1" />
289                  <xss:element name="Auxiliary3" type="cef:tFixtureLightSourceColour"
290                  minOccurs="0" maxOccurs="1" />
291                  <xss:element name="Auxiliary4" type="cef:tFixtureLightSourceColour"
292                  minOccurs="0" maxOccurs="1" />
293                  <xss:element name="Auxiliary5" type="cef:tFixtureLightSourceColour"
294                  minOccurs="0" maxOccurs="1" />
295          </xss:sequence>
296      </xss:complexType>
297  </xss:element>
298  <xss:element name="ColourMixing" minOccurs="1" maxOccurs="1">
299      <xss:complexType>
300          <xss:sequence>
301              <xss:element name="ShutterRelation" minOccurs="1" maxOccurs="1">
302
303                  <xss:simpleType>
304                      <xss:restriction base="xs:string">
305                          <xss:enumeration value="Separated" />
306                          <xss:enumeration value="Integrated" />
307          </xss:restriction>
308      </xss:simpleType>
309  </xss:element>
310  <xss:element name="CIE" minOccurs="0" maxOccurs="1">
311      <xss:complexType>
312          <xss:attribute name="ChromaticityXMin" type="cef:tChromaticityValue"
313              use="required" />
314          <xss:attribute name="ChromaticityXMax" type="cef:tChromaticityValue"
315              use="required" />
316          <xss:attribute name="ChromaticityYMin" type="cef:tChromaticityValue"
317              use="required" />
318          <xss:attribute name="ChromaticityYMax" type="cef:tChromaticityValue"
319              use="required" />
320
321          </xss:complexType>
322      </xss:element>
323  </xss:sequence>
324  </xss:complexType>
325  </xss:element>
326  <xss:element name="Optics" minOccurs="0" maxOccurs="unbounded">
327      <xss:complexType>
328          <xss:sequence>
329              <xss:element name="Wattage" type="xs:float" minOccurs="1" maxOccurs="1" />

```

```

316         <xs:element name="Shift" minOccurs="0" maxOccurs="1">
317             <xs:complexType>
318                 <xs:sequence>
319                     <xs:element name="MaxHorizontal" type="cef:tPositiveFloat" minOccurs="1" maxOccurs="1" />
320                         <xs:element name="MaxVerticalNegative" type="cef:tPositiveFloat" minOccurs="1" maxOccurs="1" />
321                             <xs:element name="MaxVerticalPositive" type="cef:tPositiveFloat" minOccurs="1" maxOccurs="1" />
322                                 </xs:sequence>
323                         </xs:complexType>
324                     </xs:element>
325                     <xs:element name="Narrow" type="cef:tFixtureLightSourceOpticTraits" minOccurs="0" maxOccurs="1" />
326                         <xs:element name="Wide" type="cef:tFixtureLightSourceOpticTraits" minOccurs="0" maxOccurs="1" />
327                             </xs:sequence>
328                             <xs:attribute name="Identifier" type="xs:string" use="required"/>
329
330                             <xs:attribute name="Name" type="xs:string" use="required"/>
331                         </xs:complexType>
332                     </xs:element>
333                     <xs:element name="ApertureType" minOccurs="1" maxOccurs="1">
334                         <xs:simpleType>
335                             <xs:restriction base="xs:string">
336                                 <xs:enumeration value="RoundProfile" />
337                                 <xs:enumeration value="SquareSharp" />
338                                 <xs:enumeration value="RoundPC" />
339                                 <xs:enumeration value="RoundFresnel" />
340                                 <xs:enumeration value="RoundPAR" />
341                                 <xs:enumeration value="SquareSymmetric" />
342                                 <xs:enumeration value="SquareAssymmetric" />
343                                 <xs:enumeration value="RoundLambertian" />
344                                 <xs:enumeration value="SquareLambertian" />
345                                 <xs:enumeration value="SquarePanel" />
346                                 <xs:enumeration value="DonutLambertian" />
347                                 <xs:enumeration value="DonutSymmetric" />
348                                 <xs:enumeration value="RoundBeam" />
349                                 <xs:enumeration value="Spherical" />
350                         </xs:restriction>
351                     </xs:simpleType>
352                 </xs:element>
353                 <xs:element name="Aperture" minOccurs="0" maxOccurs="unbounded">
354                     <xs:complexType>
355                         <xs:attribute name="Cell" type="xs:unsignedInt" use="required" />
356
357                         <xs:attribute name="X" type="xs:float" use="required" />
358                         <xs:attribute name="Y" type="xs:float" use="required" />
359                         <xs:attribute name="Diameter" type="xs:float" use="optional" />
360
361                         <xs:attribute name="Width" type="xs:float" use="optional" />
362
363                         <xs:attribute name="Height" type="xs:float" use="optional" />
364
365                         <xs:attribute name="PixelPitch" type="xs:float" use="optional" />
366
367                         <xs:attribute name="PixelSize" type="xs:float" use="optional" />
368
369                         <xs:attribute name="InnerDiameter" type="xs:float" use="optional" />
370
371                         <xs:attribute name="OuterDiameter" type="xs:float" use="optional" />
372
373                         <xs:attribute name="StartAngle" type="xs:float" use="optional" />
374
375                         <xs:attribute name="EndAngle" type="xs:float" use="optional" />
376
377                     </xs:complexType>
378                 </xs:element>
379             </xs:sequence>

```

```

315             <xs:element name="Shift" minOccurs="0" maxOccurs="1">
316                 <xs:complexType>
317                     <xs:sequence>
318                         <xs:element name="MaxHorizontal" type="cef:tPositiveFloat" minOccurs="1" maxOccurs="1" />
319                             <xs:element name="MaxVerticalNegative" type="cef:tPositiveFloat" minOccurs="1" maxOccurs="1" />
320                                 <xs:element name="MaxVerticalPositive" type="cef:tPositiveFloat" minOccurs="1" maxOccurs="1" />
321                                     </xs:sequence>
322                                 </xs:complexType>
323                             </xs:element>
324                             <xs:element name="Narrow" type="cef:tFixtureLightSourceOpticTraits" minOccurs="0" maxOccurs="1" />
325                                 <xs:element name="Wide" type="cef:tFixtureLightSourceOpticTraits" minOccurs="0" maxOccurs="1" />
326                                     </xs:sequence>
327                                     <xs:attribute name="Identifier" type="xs:string" use="required"/>
328
329                                     <xs:attribute name="Name" type="xs:string" use="required"/>
330                                 </xs:complexType>
331                             </xs:element>
332                             <xs:element name="ApertureType" minOccurs="1" maxOccurs="1">
333                                 <xs:simpleType>
334                                     <xs:restriction base="xs:string">
335                                         <xs:enumeration value="RoundProfile" />
336                                         <xs:enumeration value="SquareSharp" />
337                                         <xs:enumeration value="RoundPC" />
338                                         <xs:enumeration value="RoundFresnel" />
339                                         <xs:enumeration value="RoundPAR" />
340                                         <xs:enumeration value="SquareSymmetric" />
341                                         <xs:enumeration value="SquareAssymmetric" />
342                                         <xs:enumeration value="RoundLambertian" />
343                                         <xs:enumeration value="SquareLambertian" />
344                                         <xs:enumeration value="SquarePanel" />
345                                         <xs:enumeration value="DonutLambertian" />
346                                         <xs:enumeration value="DonutSymmetric" />
347                                         <xs:enumeration value="RoundBeam" />
348                                         <xs:enumeration value="Spherical" />
349                                     </xs:restriction>
350                                 </xs:simpleType>
351                             </xs:element>
352                             <xs:element name="Aperture" minOccurs="0" maxOccurs="unbounded">
353                                 <xs:complexType>
354                                     <xs:attribute name="Cell" type="xs:unsignedInt" use="required" />
355
356                                     <xs:attribute name="X" type="xs:float" use="required" />
357                                     <xs:attribute name="Y" type="xs:float" use="required" />
358                                     <xs:attribute name="Diameter" type="xs:float" use="optional" />
359
360                                     <xs:attribute name="Width" type="xs:float" use="optional" />
361
362                                     <xs:attribute name="Height" type="xs:float" use="optional" />
363
364                                     <xs:attribute name="PixelPitch" type="xs:float" use="optional" />
365
366                                     <xs:attribute name="PixelSize" type="xs:float" use="optional" />
367
368                                     <xs:attribute name="InnerDiameter" type="xs:float" use="optional" />
369
370                                     <xs:attribute name="OuterDiameter" type="xs:float" use="optional" />
371
372                                     <xs:attribute name="StartAngle" type="xs:float" use="optional" />
373
374                                     <xs:attribute name="EndAngle" type="xs:float" use="optional" />
375
376                                 </xs:complexType>
377                             </xs:element>
378                         </xs:sequence>

```

```

369      <xs:attribute name="Name" type="xs:string" use="optional"/>
370    </xs:complexType>
371  </xs:element>
372  <xs:element name="Wheel" minOccurs="0" maxOccurs="unbounded">
373    <xs:complexType>
374      <xs:sequence>
375        <xs:element name="Type" minOccurs="1" maxOccurs="1">
376          <xs:simpleType>
377            <xs:restriction base="xs:string">
378              <xs:enumeration value="Wheel" />
379              <xs:enumeration value="Scroller" />
380            </xs:restriction>
381          </xs:simpleType>
382        </xs:element>
383        <xs:element name="MinRotationTime" type="xs:float" minOccurs="1" maxOccurs="1"
384      />
385    </xs:element>
386    <xs:element name="MaxRotationTime" type="xs:float" minOccurs="1" maxOccurs="1"
387      s="1"/>
388    <xs:element name="MinFrameRotationTime" type="xs:float" minOccurs="1" maxOccur
389      s="1"/>
390    <xs:element name="MaxFrameRotationTime" type="xs:float" minOccurs="1" maxOccur
391      s="1"/>
392    <xs:element name="Slots">
393      <xs:complexType>
394        <xs:choice minOccurs="0" maxOccurs="unbounded">
395          <xs:element name="Open">
396            <xs:complexType></xs:complexType>
397          </xs:element>
398          <xs:element name="Filter">
399            <xs:complexType>
400              <xs:attribute name="Identifier" type="xs:string" use="required"/>
401
402              <xs:attribute name="Brand" type="xs:string" use="required"/>
403
404              <xs:attribute name="Code" type="xs:string" use="optional"/>
405
406              <xs:attribute name="Name" type="xs:string" use="optional"/>
407
408              <xs:attribute name="PartNo" type="xs:string" use="optional"/>
409
410              <xs:attribute name="Origin" type="xs:string" use="optional"/>
411
412              <xs:attribute name="Type" type="cef:tGoboType" use="required"/>
413
414            </xs:complexType>
415          </xs:element>
416        </xs:choice>
417      </xs:complexType>
418    </xs:element>
419    <xs:attribute name="Identifier" type="xs:string" use="required"/>
420    <xs:attribute name="Name" type="xs:string" use="required"/>
421    <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>

```

```

368      <xs:attribute name="Name" type="xs:string" use="optional"/>
369    </xs:complexType>
370  </xs:element>
371  <xs:element name="Wheel" minOccurs="0" maxOccurs="unbounded">
372    <xs:complexType>
373      <xs:sequence>
374        <xs:element name="Type" minOccurs="1" maxOccurs="1">
375          <xs:simpleType>
376            <xs:restriction base="xs:string">
377              <xs:enumeration value="Wheel" />
378              <xs:enumeration value="Scroller" />
379            </xs:restriction>
380          </xs:simpleType>
381        </xs:element>
382        <xs:element name="MinRotationTime" type="xs:float" minOccurs="1" m
383          axOccurs="1"/>
384        <xs:element name="MaxRotationTime" type="xs:float" minOccurs="1" m
385          axOccurs="1"/>
386        <xs:element name="MinFrameRotationTime" type="xs:float" minOccurs=
387          "1" maxOccurs="1"/>
388        <xs:element name="MaxFrameRotationTime" type="xs:float" minOccurs=
389          "1" maxOccurs="1"/>
390        <xs:element name="Slots">
391          <xs:complexType>
392            <xs:choice minOccurs="0" maxOccurs="unbounded">
393              <xs:element name="Open">
394                <xs:complexType></xs:complexType>
395              </xs:element>
396              <xs:element name="Filter">
397                <xs:complexType>
398                  <xs:attribute name="Identifier" type="xs:string" use="required"/>
399                  <xs:attribute name="Brand" type="xs:string" us
400                    e="required"/>
401
402                  <xs:attribute name="Code" type="xs:string" use
403                    =="optional"/>
404
405                  <xs:attribute name="Name" type="xs:string" use
406                    =="optional"/>
407
408                  <xs:attribute name="PartNo" type="xs:string" u
409                    se="optional"/>
410
411                  <xs:attribute name="Origin" type="xs:string" u
412
413                  <xs:attribute name="Type" type="cef:tGoboType" use="required"/>
414
415                </xs:complexType>
416              </xs:element>
417            </xs:choice>
418          </xs:complexType>
419        </xs:element>
420        <xs:attribute name="Identifier" type="xs:string" use="required"/>
421        <xs:attribute name="Name" type="xs:string" use="required"/>
422        <xs:attribute name="Index" type="xs:unsignedInt" use="required"/>

```

```

421      </xs:complexType>
422    </xs:element>
423    <xs:element name="DmxMode" minOccurs="0" maxOccurs="unbounded">
424      <xs:complexType>
425        <xs:sequence>
426          <xs:element name="Option" minOccurs="0" maxOccurs="unbounded">
427            <xs:complexType>
428              <xs:attribute name="Name" type="xs:string" use="required" />
429
430              <xs:attribute name="Type" use="required">
431                <xs:simpleType>
432                  <xs:restriction base="xs:string">
433                    <xs:enumeration value="Integer" />
434                    <xs:enumeration value="Boolean" />
435                    <xs:enumeration value="Text" />
436                </xs:restriction>
437            </xs:simpleType>
438          <xs:attribute name="Value" type="xs:string" use="required" />
439
440        </xs:complexType>
441      </xs:element>
442      <xs:element name="ChannelLayout" minOccurs="1" maxOccurs="1">
443        <xs:complexType>
444          <xs:sequence>
445            <xs:element name="Channel" minOccurs="0" maxOccurs="512">
446              <xs:complexType>
447                <xs:choice minOccurs="0" maxOccurs="unbounded">
448                  <!-- Additive light output -->
449                  <xs:element name="SetLightSuperIntensityLevel" type="cef:tSimpleCe
llLevelCommand" minOccurs="0" maxOccurs="unbounded" />
450                  <xs:element name="SetLightEnabled" type="cef:tSetCellLightEnabledC
ommand" minOccurs="0" maxOccurs="unbounded" />
451                  <xs:element name="SetLightIntensityLevel" type="cef:tSimpleCellLev
elCommand" minOccurs="0" maxOccurs="unbounded" />
452                  <xs:element name="SetLightColorRenderingIndex" type="cef:tSetCellL
ightColorRenderingIndexLevelCommand" minOccurs="0" maxOccurs="unbounded" />
453
454                  <xs:element name="SetLightMode" type="cef:tSetLightModeCommand" mi
nOccurs="0" maxOccurs="unbounded" />
455                  <xs:element name="SetLightModesMixLevel" type="cef:tSetLightModesM
ixLevelCommand" minOccurs="0" maxOccurs="unbounded" />
456                  <xs:element name="SetWhiteLightLevel" type="cef:tSetCellLightWideL
evelCommand" minOccurs="0" maxOccurs="unbounded" />
457                  <xs:element name="SetRedLightLevel" type="cef:tSetCellLightWideLe
velCommand" minOccurs="0" maxOccurs="unbounded" />
458                  <xs:element name="SetGreenLightLevel" type="cef:tSetCellLightWideL
evelCommand" minOccurs="0" maxOccurs="unbounded" />
459                  <xs:element name="SetBlueLightLevel" type="cef:tSetCellLightWideLe
velCommand" minOccurs="0" maxOccurs="unbounded" />
460                  <xs:element name="SetAuxColor1LightLevel" type="cef:tSetCellLightW
ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
461                  <xs:element name="SetAuxColor2LightLevel" type="cef:tSetCellLightW
ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
462                  <xs:element name="SetAuxColor3LightLevel" type="cef:tSetCellLightW
ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
463                  <xs:element name="SetAuxColor4LightLevel" type="cef:tSetCellLightW
ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
464                  <xs:element name="SetLightColorTemperatureLevel" type="cef:tSetCel
lLightColorTemperatureLevelCommand" minOccurs="0" maxOccurs="unbounded" />
465                  <xs:element name="SetLightColorTemperatureLevelRange" type="cef:tS
etCellLightColorTemperatureLevelCommand" minOccurs="0" maxOccurs="unbound
ed" />
466                  <xs:element name="SetLightRangedColorTemperatureLevel" type="cef:t
SetCellLightLevelCommand" minOccurs="0" maxOccurs="unbounded" />

```

```

420      </xs:complexType>
421    </xs:element>
422    <xs:element name="DmxMode" minOccurs="0" maxOccurs="unbounded">
423      <xs:complexType>
424        <xs:sequence>
425          <xs:element name="Option" minOccurs="0" maxOccurs="unbounded">
426            <xs:complexType>
427              <xs:attribute name="Name" type="xs:string" use="required" />
428
429              <xs:attribute name="Type" use="required">
430                <xs:simpleType>
431                  <xs:restriction base="xs:string">
432                    <xs:enumeration value="Integer" />
433                    <xs:enumeration value="Boolean" />
434                    <xs:enumeration value="Text" />
435                </xs:restriction>
436            </xs:simpleType>
437          <xs:attribute name="Value" type="xs:string" use="required" />
438
439        </xs:complexType>
440      </xs:element>
441      <xs:element name="ChannelLayout" minOccurs="1" maxOccurs="1">
442        <xs:complexType>
443          <xs:sequence>
444            <xs:element name="Channel" minOccurs="0" maxOccurs="51
2">
445              <xs:complexType>
446                <xs:choice minOccurs="0" maxOccurs="unbounded">
447                  <!-- Additive light output -->
448                  <xs:element name="SetLightSuperIntensityLevel" type="cef:tSimpleCe
llLevelCommand" minOccurs="0" maxOccurs="unbounded" />
449                  <xs:element name="SetLightEnabled" type="cef:tSetCellLightEnabledC
ommand" minOccurs="0" maxOccurs="unbounded" />
450                  <xs:element name="SetLightIntensityLevel" type="cef:tSimpleCellLev
elCommand" minOccurs="0" maxOccurs="unbounded" />
451                  <xs:element name="SetLightColorRenderingIndex" type="cef:tSetCellL
ightColorRenderingIndexLevelCommand" minOccurs="0" maxOccurs="unbounded" />
452
453                  <xs:element name="SetLightMode" type="cef:tSetLightModeCommand" mi
nOccurs="0" maxOccurs="unbounded" />
454                  <xs:element name="SetLightModesMixLevel" type="cef:tSetLightModesM
ixLevelCommand" minOccurs="0" maxOccurs="unbounded" />
455                  <xs:element name="SetWhiteLightLevel" type="cef:tSetCellLightWideL
evelCommand" minOccurs="0" maxOccurs="unbounded" />
456                  <xs:element name="SetRedLightLevel" type="cef:tSetCellLightWideLe
velCommand" minOccurs="0" maxOccurs="unbounded" />
457                  <xs:element name="SetGreenLightLevel" type="cef:tSetCellLightWideL
evelCommand" minOccurs="0" maxOccurs="unbounded" />
458                  <xs:element name="SetBlueLightLevel" type="cef:tSetCellLightWideLe
velCommand" minOccurs="0" maxOccurs="unbounded" />
459                  <xs:element name="SetAuxColor1LightLevel" type="cef:tSetCellLightW
ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
460                  <xs:element name="SetAuxColor2LightLevel" type="cef:tSetCellLightW
ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
461                  <xs:element name="SetAuxColor3LightLevel" type="cef:tSetCellLightW
ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
462                  <xs:element name="SetAuxColor4LightLevel" type="cef:tSetCellLightW
ideLevelCommand" minOccurs="0" maxOccurs="unbounded" />
463                  <xs:element name="SetLightColorTemperatureLevel" type="cef:tSetCel
lLightColorTemperatureLevelCommand" minOccurs="0" maxOccurs="unbounded" />
464                  <xs:element name="SetLightColorTemperatureLevelRange" type="cef:tS
etCellLightColorTemperatureLevelCommand" minOccurs="0" maxOccurs="unbound
ed" />
465                  <xs:element name="SetLightRangedColorTemperatureLevel" type="cef:t
SetCellLightLevelCommand" minOccurs="0" maxOccurs="unbounded" />

```



```

498      <xs:element name="SetBlueFlagLevel" type="cef:tSimpleLevelCommand"
499          minOccurs="0" maxOccurs="unbounded" />
500          <xs:element name="SetCT0FlagLevel" type="cef:tSimpleLevelCommand"
501              minOccurs="0" maxOccurs="unbounded" />
502              <xs:element name="SetCTBFlagLevel" type="cef:tSimpleLevelCommand"
503                  minOccurs="0" maxOccurs="unbounded" />
504                  <xs:element name="SetColorFlagSpeed" type="cef:tSimpleSpeedCommand"
505                      " minOccurs="0" maxOccurs="unbounded" />
506                      <xs:element name="SetColorFlagTime" type="cef:tSimpleTimeCommand"
507                          minOccurs="0" maxOccurs="unbounded" />
508                          <xs:element name="SetColorFlagShutterMode" type="cef:tShutterOnOff
509                              Command" minOccurs="0" maxOccurs="unbounded" />
510                              <xs:element name="CustomColorFlagCommand" type="cef:tCustomCommand
511                                  " minOccurs="0" maxOccurs="unbounded" />
512                                  <!-- Beam and projection -->
513                                  <xs:element name="SetFrostLevel" type="cef:tSetFrostLevelCommand"
514                                      minOccurs="0" maxOccurs="unbounded" />
515                                      <xs:element name="SetFrostStrobe" type="cef:tSetFrostStrobeCommand
516                                          " minOccurs="0" maxOccurs="unbounded" />
517                                          <xs:element name="CustomFrostCommand" type="cef:tCustomFrostComman
518                                              d" minOccurs="0" maxOccurs="unbounded" />
519                                              <xs:element name="SetIrisLevel" type="cef:tSimpleLevelCommand" min
520          Occurs="0" maxOccurs="unbounded" />
521          <xs:element name="SetIrisStrobe" type="cef:tSimpleStrobeCommand" m
522          inOccurs="0" maxOccurs="unbounded" />
523          <xs:element name="CustomIrisCommand" type="cef:tCustomCommand" min
524          Occurs="0" maxOccurs="unbounded" />
525          <xs:element name="SetZoomLevel" type="cef:tSimpleCellLevelCommand"
526              minOccurs="0" maxOccurs="unbounded" />
527              <xs:element name="SetZoomStrobe" type="cef:tSimpleCellStrobeCommand
528                  " minOccurs="0" maxOccurs="unbounded" />
529                  <xs:element name="CustomZoomCommand" type="cef:tCustomCellCommand"
530                      minOccurs="0" maxOccurs="unbounded" />
531                      <xs:element name="SetPrismScaleLevel" type="cef:tSimpleLevelCommand
532                          " minOccurs="0" maxOccurs="unbounded" />
533                          <xs:element name="SetFocusLevel" type="cef:tSimpleLevelCommand" mi
534          nOccurs="0" maxOccurs="unbounded" />
535          <xs:element name="SetFocusMode" type="cef:tSetFocusModeCommand" mi
536          nOccurs="0" maxOccurs="unbounded" />
537          <xs:element name="CustomFocusCommand" type="cef:tCustomCommand" mi
538          nOccurs="0" maxOccurs="unbounded" />
539          <!-- Wheels -->
540          <xs:element name="SetWheelMode" type="cef:tSetWheelModeCommand" mi
541          nOccurs="0" maxOccurs="unbounded" />
542          <xs:element name="SetWheelSpinDirection" type="cef:tSetWheelSpinDi
543              rectionCommand" minOccurs="0" maxOccurs="unbounded" />
544              <xs:element name="SetWheelPosition" type="cef:tSetWheelPositionCom
545                  and" minOccurs="0" maxOccurs="unbounded" />
546                  <xs:element name="SetWheelRandomPositionSpeed" type="cef:tSetWheel
547                      RandomPositionSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
548                      <xs:element name="SetWheelSpeed" type="cef:tSetWheelSpeedCommand"
549                          minOccurs="0" maxOccurs="unbounded" />
550                      <xs:element name="SetWheelShutterMode" type="cef:tSetWheelShutterM
551                          odeCommand" minOccurs="0" maxOccurs="unbounded" />
552                          <xs:element name="SetWheelDepthPosition" type="cef:tSetWheelDepthP
553                              ositionCommand" minOccurs="0" maxOccurs="unbounded" />
554                              <xs:element name="SetWheelDepthStrobe" type="cef:tSetWheelDepthStr
555                                  obeCommand" minOccurs="0" maxOccurs="unbounded" />
556                                  <xs:element name="SetWheelDepthOrientation" type="cef:tSetWheelDep
557                                      thOrientationCommand" minOccurs="0" maxOccurs="unbounded" />
558                                      <xs:element name="SetWheelFrameMode" type="cef:tSetWheelFrameModeC
559                                          ommand" minOccurs="0" maxOccurs="unbounded" />
560                                          <xs:element name="SetWheelFrameSpinDirection" type="cef:tSetWheelF
561                                              rameSpinDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
562                                              <xs:element name="SetWheelFramePosition" type="cef:tSetWheelFrameP
563                                              ositionCommand" minOccurs="0" maxOccurs="unbounded" />
564                                              <xs:element name="SetWheelFrameSpeed" type="cef:tSetWheelFrameSpee
565                                              dCommand" minOccurs="0" maxOccurs="unbounded" />
566                                              <xs:element name="CustomWheelCommand" type="cef:tCustomWheelCommand"

```

```

500      <xs:element name="SetBlueFlagLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
501          <xs:element name="SetCT0FlagLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
502          <xs:element name="SetCTBFlagLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
503          <xs:element name="SetColorFlagSpeed" type="cef:tSimpleSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
504          <xs:element name="SetColorFlagTime" type="cef:tSimpleTimeCommand" minOccurs="0" maxOccurs="unbounded" />
505          <xs:element name="SetColorFlagShutterMode" type="cef:tShutterOnOffCommand" minOccurs="0" maxOccurs="unbounded" />
506          <xs:element name="CustomColorFlagCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
507          <!-- Beam and projection -->
508          <xs:element name="SetFrostLevel" type="cef:tSetFrostLevelCommand" minOccurs="0" maxOccurs="unbounded" />
509          <xs:element name="SetFrostStrobe" type="cef:tSetFrostStrobeCommand" minOccurs="0" maxOccurs="unbounded" />
510          <xs:element name="CustomFrostCommand" type="cef:tCustomFrostCommand" minOccurs="0" maxOccurs="unbounded" />
511          <xs:element name="SetIrisLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
512          <xs:element name="SetIrisStrobe" type="cef:tSimpleStrobeCommand" minOccurs="0" maxOccurs="unbounded" />
513          <xs:element name="CustomIrisCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
514          <xs:element name="SetZoomLevel" type="cef:tSimpleCellLevelCommand" minOccurs="0" maxOccurs="unbounded" />
515          <xs:element name="SetZoomStrobe" type="cef:tSimpleCellStrobeCommand" minOccurs="0" maxOccurs="unbounded" />
516          <xs:element name="CustomZoomCommand" type="cef:tCustomCellCommand" minOccurs="0" maxOccurs="unbounded" />
517          <xs:element name="SetPrismScaleLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
518          <xs:element name="SetFocusLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
519          <xs:element name="SetFocusMode" type="cef:tSetFocusModeCommand" minOccurs="0" maxOccurs="unbounded" />
520          <xs:element name="CustomFocusCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
521          <!-- Wheels -->
522          <xs:element name="SetWheelMode" type="cef:tSetWheelModeCommand" minOccurs="0" maxOccurs="unbounded" />
523          <xs:element name="SetWheelSpinDirection" type="cef:tSetWheelSpinDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
524          <xs:element name="SetWheelPosition" type="cef:tSetWheelPositionCommand" minOccurs="0" maxOccurs="unbounded" />
525          <xs:element name="SetWheelRandomPositionSpeed" type="cef:tSetWheelRandomPositionSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
526          <xs:element name="SetWheelSpeed" type="cef:tSetWheelSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
527          <xs:element name="SetWheelShutterMode" type="cef:tSetWheelShutterModeCommand" minOccurs="0" maxOccurs="unbounded" />
528          <xs:element name="SetWheelDepthPosition" type="cef:tSetWheelDepthPositionCommand" minOccurs="0" maxOccurs="unbounded" />
529          <xs:element name="SetWheelDepthStrobe" type="cef:tSetWheelDepthStrobeCommand" minOccurs="0" maxOccurs="unbounded" />
530          <xs:element name="SetWheelDepthOrientation" type="cef:tSetWheelDepthOrientationCommand" minOccurs="0" maxOccurs="unbounded" />
531          <xs:element name="SetWheelFrameMode" type="cef:tSetWheelFrameModeCommand" minOccurs="0" maxOccurs="unbounded" />
532          <xs:element name="SetWheelFrameSpinDirection" type="cef:tSetWheelFrameSpinDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
533          <xs:element name="SetWheelFramePosition" type="cef:tSetWheelFramePositionCommand" minOccurs="0" maxOccurs="unbounded" />
534          <xs:element name="SetWheelFrameSpeed" type="cef:tSetWheelFrameSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
535          <xs:element name="CustomWheelCommand" type="cef:tCustomWheelCommand" minOccurs="0" maxOccurs="unbounded" />

```

```

d" minOccurs="0" maxOccurs="unbounded" />
        <!-- Framing shutters -->
        <xss:element name="SetFramingShutterDepth" type="cef:tSetFramingShu
534 tterDepthCommand" minOccurs="0" maxOccurs="unbounded" />
        <xss:element name="SetFramingShutterAngle" type="cef:tSetFramingShu
535 tterAngleCommand" minOccurs="0" maxOccurs="unbounded" />
        <xss:element name="SetFramingShutterADepth" type="cef:tSetFramingShu
536 tterDepthCommand" minOccurs="0" maxOccurs="unbounded" />
        <xss:element name="SetFramingShutterBDepth" type="cef:tSetFramingShu
537 tterDepthCommand" minOccurs="0" maxOccurs="unbounded" />
        <xss:element name="SetFramingShutterPackageAngle" type="cef:tSetFra
538 mShutterPackageAngleCommand" minOccurs="0" maxOccurs="unbounded" />

539             <xss:element name="SetFramingShutterPackageAngle" type="cef:tSetFra
540 mShutterPackageAngleCommand" minOccurs="0" maxOccurs="unbounded" />
541             <xss:element name="CustomFramingShuttersCommand" type="cef:tCustomC
542 ommand" minOccurs="0" maxOccurs="unbounded" />
543                 <!-- Motion -->
544                 <xss:element name="SetPanMode" type="cef:tSetMotionModeCommand" mi
545 nOccurs="0" maxOccurs="unbounded" />
546                     <xss:element name="SetTiltMode" type="cef:tSetMotionModeCommand" mi
547 nOccurs="0" maxOccurs="unbounded" />
548                         <xss:element name="Pan" type="cef:tMotionCommand" minOccurs="0" ma
549 xOccurs="unbounded" />
550                         <xss:element name="Tilt" type="cef:tMotionCommand" minOccurs="0" ma
551 xOccurs="unbounded" />
552                         <xss:element name="Pitch" type="cef:tMotionCommand" minOccurs="0" m
553 axOccurs="unbounded" />
554                         <xss:element name="SetPanDirection" type="cef:tSetMotionDirectionCo
555 mmand" minOccurs="0" maxOccurs="unbounded" />
556                         <xss:element name="SetTiltDirection" type="cef:tSetMotionDirectionC
557 ommmand" minOccurs="0" maxOccurs="unbounded" />
558                         <xss:element name="SetPanSpeed" type="cef:tMotionSpeedCommand" mi
559 nOccurs="0" maxOccurs="unbounded" />
560                         <xss:element name="SetTiltSpeed" type="cef:tMotionSpeedCommand" mi
561 nOccurs="0" maxOccurs="unbounded" />
562                         <xss:element name="SetVectorPosition" type="cef:tSetVectorPositionC
563 ommmand" minOccurs="0" maxOccurs="unbounded" />
564                         <xss:element name="SetMotionSpeed" type="cef:tMotionSpeedCommand" mi
565 nOccurs="0" maxOccurs="unbounded" />
566                         <xss:element name="SetMotionTime" type="cef:tMotionTimeCommand" mi
567 nOccurs="0" maxOccurs="unbounded" />
568                         <xss:element name="SetMotionShutterMode" type="cef:tShutterOnOffCom
569 and" minOccurs="0" maxOccurs="unbounded" />
570                         <xss:element name="CustomMotionCommand" type="cef:tCustomCommand" mi
571 nOccurs="0" maxOccurs="unbounded" />
572                         <!-- Effects -->
573                         <xss:element name="SelectMacroCatalog" type="cef:tSelectMacroCatalo
574 gCommand" minOccurs="0" maxOccurs="unbounded" />
575                         <xss:element name="SelectMacro" type="cef:tSelectMacroCommand" mi
576 nOccurs="0" maxOccurs="unbounded" />
577                         <xss:element name="MacroParameterCommand" type="cef:tMacroParameter
578 Command" minOccurs="0" maxOccurs="unbounded" />
579                         <xss:element name="SetMacroIntensityLevel" type="cef:tSimpleLevelCo
580 mmand" minOccurs="0" maxOccurs="unbounded" />
581                         <xss:element name="SetMacroColorRedLevel" type="cef:tSimpleLevelCom
582 and" minOccurs="0" maxOccurs="unbounded" />
583                         <xss:element name="SetMacroColorGreenLevel" type="cef:tSimpleLevelC
584 ommmand" minOccurs="0" maxOccurs="unbounded" />
585                         <xss:element name="SetMacroColorBlueLevel" type="cef:tSimpleLevelCo
586 mmand" minOccurs="0" maxOccurs="unbounded" />
587                         <xss:element name="SetMacroColorWhiteLevel" type="cef:tSimpleLevelC
588 ommmand" minOccurs="0" maxOccurs="unbounded" />

589             <xss:element name="cef:tCustomWheelCommand" minOccurs="0" maxOccurs="unbounded" />
590                 <!-- Framing shutters -->
591                 <xss:element name="SetFramingShutterDepth" type="cef:tSetFramingShutterDepthCommand" minOccurs="0" maxOccurs="unbounded" />
592                     <xss:element name="SetFramingShutterAngle" type="cef:tSetFramingShutterAngleCommand" minOccurs="0" maxOccurs="unbounded" />
593                         <xss:element name="SetFramingShutterADepth" type="cef:tSetFramingShutterDepthCommand" minOccurs="0" maxOccurs="unbounded" />
594                             <xss:element name="SetFramingShutterBDepth" type="cef:tSetFramingShutterDepthCommand" minOccurs="0" maxOccurs="unbounded" />
595                                 <xss:element name="SetFramingShutterPackageMode" type="cef:tSetFramingShutterPackageModeCommand" minOccurs="0" maxOccurs="unbounded" />
596             <xss:element name="SetFramingShutterPackageAngle" type="cef:tSetFramingShutterPackageAngleCommand" minOccurs="0" maxOccurs="unbounded" />
597             <xss:element name="SetFramingShutterPackageSpinDirection" type="cef:tSetFramingShutterPackageSpinDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
598             <xss:element name="SetFramingShutterPackageSpeed" type="cef:tSetFramingShutterPackageSpeedCommand" minOccurs="0" maxOccurs="unbounded" />

599             <xss:element name="CustomFramingShuttersCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
600                 <!-- Motion -->
601                 <xss:element name="SetPanMode" type="cef:tSetMotionModeCommand" minOccurs="0" maxOccurs="unbounded" />
602                     <xss:element name="SetTiltMode" type="cef:tSetMotionModeCommand" minOccurs="0" maxOccurs="unbounded" />
603                         <xss:element name="Pan" type="cef:tMotionCommand" minOccurs="0" maxOccurs="unbounded" />
604                         <xss:element name="Tilt" type="cef:tMotionCommand" minOccurs="0" maxOccurs="unbounded" />
605                         <xss:element name="Pitch" type="cef:tMotionCommand" minOccurs="0" maxOccurs="unbounded" />
606                         <xss:element name="SetPanDirection" type="cef:tSetMotionDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
607                         <xss:element name="SetTiltDirection" type="cef:tSetMotionDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
608                         <xss:element name="SetPanSpeed" type="cef:tMotionSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
609                         <xss:element name="SetTiltSpeed" type="cef:tMotionSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
610                         <xss:element name="SetVectorPosition" type="cef:tSetVectorPositionCommand" minOccurs="0" maxOccurs="unbounded" />
611                         <xss:element name="SetMotionSpeed" type="cef:tMotionSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
612                         <xss:element name="SetMotionTime" type="cef:tMotionTimeCommand" minOccurs="0" maxOccurs="unbounded" />
613                         <xss:element name="SetMotionShutterMode" type="cef:tShutterOnOffCommand" minOccurs="0" maxOccurs="unbounded" />
614                         <xss:element name="CustomMotionCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
615                         <!-- Effects -->
616                         <xss:element name="SelectMacroCatalog" type="cef:tSelectMacroCatalogCommand" minOccurs="0" maxOccurs="unbounded" />
617                         <xss:element name="SelectMacro" type="cef:tSelectMacroCommand" minOccurs="0" maxOccurs="unbounded" />
618                         <xss:element name="MacroParameterCommand" type="cef:tMacroParameterCommand" minOccurs="0" maxOccurs="unbounded" />
619                         <xss:element name="SetMacroIntensityLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
620                         <xss:element name="SetMacroColorRedLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
621                         <xss:element name="SetMacroColorGreenLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
622                         <xss:element name="SetMacroColorBlueLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
623                         <xss:element name="SetMacroColorWhiteLevel" type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />

```

```

    command" minOccurs="0" maxOccurs="unbounded" />
      <xs:element name="SetMacroShutterOpen" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
        <xs:element name="SetMacroShutterClosed" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
          <xs:element name="SetMacroShutterStrobe" type="cef:tSimpleStrobeCommand" minOccurs="0" maxOccurs="unbounded" />
            <xs:element name="SetMacroShutterSpeed" type="cef:tSimpleSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
              <xs:element name="SetMacroSpeed" type="cef:tSimpleSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
                <xs:element name="SetMacroDirection" type="cef:tSetMacroDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
                  <xs:element name="SetMacroRotationPosition" type="cef:tSetMacroRotationPositionCommand" minOccurs="0" maxOccurs="unbounded" />
                    <xs:element name="SetMacroRotationSpin" type="cef:tSetMacroRotationSpinCommand" minOccurs="0" maxOccurs="unbounded" />
                      <xs:element name="SetMacroRotationDirection" type="cef:tSetMacroRotationDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
                        <xs:element name="SetMacroFadeTime" type="cef:tSetMacroFadeTimeCommand" minOccurs="0" maxOccurs="unbounded" />
                          <xs:element name="CustomMacroCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
                            <!-- Specials -->
                            <xs:element name="SetLampOn" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
                            <xs:element name="SetLampOff" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
                            <xs:element name="SetLampMode" type="cef:tSetLampModeCommand" minOccurs="0" maxOccurs="unbounded" />
                              <xs:element name="CustomLampCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
                            <xs:element name="SetLaserOn" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
                            <xs:element name="SetLaserOff" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
                            <xs:element name="SetLaserStrobe" type="cef:tSetLaserStrobeCommand" minOccurs="0" maxOccurs="unbounded" />
                              <xs:element name="SetFanMode" type="cef:tSetFanModeCommand" minOccurs="0" maxOccurs="unbounded" />
                                <xs:element name="CustomFanCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
                                <xs:element name="Reset" type="cef:tResetCommand" minOccurs="0" maxOccurs="unbounded" />
                                <xs:element name="NoFunction" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
                                <xs:element name="Reserved" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
                                <xs:element name="CustomCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
                                  <xs:element name="SetPreset" type="cef:tPresetCommand" minOccurs="0" maxOccurs="unbounded" />
                                    <xs:element name="SetPresetScroll" type="cef:tPresetScrollCommand" minOccurs="0" maxOccurs="unbounded" />
                                      <xs:element name="SetPresetScrollSpeed" type="cef:tSimpleSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
                                        <xs:element name="Macro" type="cef:tTextCommand" minOccurs="0" maxOccurs="unbounded" />
                                          </xs:choice>
                                          <xs:attribute name="Type" use="required">
                                            <xs:simpleType>
                                              <xs:restriction base="xs:string">
                                                <xs:enumeration value="8Bit" />
                                                <xs:enumeration value="16BitMsb" />
                                                <xs:enumeration value="16BitLsb" />
                                              </xs:restriction>
                                            </xs:simpleType>
                                          </xs:attribute>
                                          <xs:attribute name="OsbChannelIndex" type="xs:unsignedInt" use="opti

```

```

570   type="cef:tSimpleLevelCommand" minOccurs="0" maxOccurs="unbounded" />
571     <xs:element name="SetMacroShutterOpen" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
572       <xs:element name="SetMacroShutterClosed" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
573         <xs:element name="SetMacroShutterStrobe" type="cef:tSimpleStrobeCommand" minOccurs="0" maxOccurs="unbounded" />
574           <xs:element name="SetMacroShutterSpeed" type="cef:tSimpleSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
575             <xs:element name="SetMacroSpeed" type="cef:tSimpleSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
576               <xs:element name="SetMacroDirection" type="cef:tSetMacroDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
577                 <xs:element name="SetMacroRotationPosition" type="cef:tSetMacroRotationPositionCommand" minOccurs="0" maxOccurs="unbounded" />
578                   <xs:element name="SetMacroRotationSpin" type="cef:tSetMacroRotationSpinCommand" minOccurs="0" maxOccurs="unbounded" />
579                     <xs:element name="SetMacroRotationDirection" type="cef:tSetMacroRotationDirectionCommand" minOccurs="0" maxOccurs="unbounded" />
580                       <xs:element name="SetMacroFadeTime" type="cef:tSetMacroFadeTimeCommand" minOccurs="0" maxOccurs="unbounded" />
581                         <xs:element name="CustomMacroCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
582                           <!-- Specials -->
583                             <xs:element name="SetLampOn" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
584                               <xs:element name="SetLampOff" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
585                                 <xs:element name="SetLampMode" type="cef:tSetLampModeCommand" minOccurs="0" maxOccurs="unbounded" />
586                                   <xs:element name="CustomLampCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
587                                     <xs:element name="SetLaserOn" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
588                                       <xs:element name="SetLaserOff" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
589                                         <xs:element name="SetLaserStrobe" type="cef:tSetLaserStrobeCommand" minOccurs="0" maxOccurs="unbounded" />
590                                           <xs:element name="SetFanMode" type="cef:tSetFanModeCommand" minOccurs="0" maxOccurs="unbounded" />
591                                             <xs:element name="CustomFanCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
592                                               <xs:element name="Reset" type="cef:tResetCommand" minOccurs="0" maxOccurs="unbounded" />
593                                                 <xs:element name="NoFunction" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
594                                                   <xs:element name="Reserved" type="cef:tSimpleCommand" minOccurs="0" maxOccurs="unbounded" />
595                                                     <xs:element name="CustomCommand" type="cef:tCustomCommand" minOccurs="0" maxOccurs="unbounded" />
596                                                       <xs:element name="SetPreset" type="cef:tPresetCommand" minOccurs="0" maxOccurs="unbounded" />
597                                                         <xs:element name="SetPresetScroll" type="cef:tPresetScrollCommand" minOccurs="0" maxOccurs="unbounded" />
598               <xs:element name="SetPresetScrollSpeed" type="cef:tSimpleSpeedCommand" minOccurs="0" maxOccurs="unbounded" />
599                 <xs:element name="Macro" type="cef:tTextCommand" minOccurs="0" maxOccurs="unbounded" />
600                   </xs:choice>
601                     <xs:attribute name="Type" use="required">
602                       <xs:simpleType>
603                         <xs:restriction base="xs:string">
604                           <xs:enumeration value="8Bit" />
605                           <xs:enumeration value="16BitMsb" />
606                           <xs:enumeration value="16BitLsb" />
607                         </xs:restriction>
608                       </xs:simpleType>
609                     </xs:attribute>
610                     <xs:attribute name="OsbChannelIndex" type="xs:unsignedInt" use="opti

```

```

    onal" />
605     <xs:attribute name="ExternalModeStart" type="xs:string" use="optional"
606     1" />
607     <xs:attribute name="GroupName" type="xs:string" use="optional"/>
608     <xs:attribute name="Name" type="xs:string" use="required"/>
609     <xs:attribute name="ShortName" type="xs:string" use="optional"/>
610     <xs:attribute name="Cells" use="optional">
611         <xs:simpleType>
612             <xs:restriction base="xs:string">
613                 <xs:pattern value="\d+(-\d+)?(,(\d+(-\d+)?)))*" />
614             </xs:restriction>
615         </xs:simpleType>
616     </xs:attribute>
617     <xs:attribute name="DefaultLevel" type="xs:unsignedInt" use="optional"
618     1"/>
619     <xs:attribute name="DefaultLevelType" use="optional">
620         <xs:simpleType>
621             <xs:restriction base="xs:string">
622                 <xs:enumeration value="Explicit" />
623                 <xs:enumeration value="Computed" />
624             </xs:restriction>
625         </xs:simpleType>
626     </xs:attribute>
627
628         <xs:attribute name="LocateLevel" type="xs:unsignedInt" use="optional"
629             </xs:complexType>
630         </xs:element>
631     </xs:sequence>
632     </xs:complexType>
633     </xs:element>
634     <xs:element name="Function" minOccurs="0" maxOccurs="unbounded">
635         <xs:complexType>
636             <xs:sequence minOccurs="1" maxOccurs="unbounded">
637                 <xs:element name="Step" minOccurs="1" maxOccurs="unbounded">
638                     <xs:complexType>
639                         <xs:attribute name="Parameter" minOccurs="0" maxOccurs="unbounded">
640                             <xs:complexType>
641                                 <xs:sequence minOccurs="1" maxOccurs="unbounded">
642                                     <xs:element name="ChannelIndex" type="xs:unsignedInt" use="r
643                                         equired" />
644                                         <xs:attribute name="DMX" type="xs:int" use="required" />
645                                         <xs:complexType>
646                                         <xs:element>
647                                         </xs:sequence>
648                                         <xs:attribute name="Time" type="xs:float" use="required" />
649                                         </xs:complexType>
650                                         </xs:element>
651                                         </xs:sequence>
652                                         <xs:attribute name="Type" use="required">
653                                         <xs:simpleType>
654                                         <xs:restriction base="xs:string">
655                                             <xs:enumeration value="Custom" />
656                                             <xs:enumeration value="Lock" />
657                                             <xs:enumeration value="Unlock" />
658                                             <xs:enumeration value="LampOn" />
659                                             <xs:enumeration value="LampOff" />
660                                             <xs:enumeration value="LampModeNormal" />

```

```

        <xs:restriction base="xs:string">
610             <xs:pattern value="\d+(-\d+)?(,(\d+(-\d+)?)))*" />
611         </xs:restriction>
612     </xs:simpleType>
613     </xs:attribute>
614     <xs:attribute name="DefaultLevel" type="xs:unsignedInt" use="optional"
615         </xs:simpleType>
616     </xs:attribute>
617     <xs:attribute name="ExplicitDefaultLevel" type="xs:unsignedInt" use="optional"/>
618         </xs:simpleType>
619     </xs:attribute>
620     <xs:attribute name="LocateLevel" type="xs:unsignedInt" use="optional"/>
621         </xs:simpleType>
622     </xs:attribute>
623     <xs:attribute name="Parameter" minOccurs="0" maxOccurs="unbounded">
624         </xs:complexType>
625     </xs:element>
626     </xs:sequence>
627     </xs:complexType>
628     </xs:element>
629     <xs:element name="Function" minOccurs="0" maxOccurs="unbounded">
630         <xs:complexType>
631             <xs:sequence minOccurs="1" maxOccurs="unbounded">
632                 <xs:element name="Step" minOccurs="1" maxOccurs="unbounded">
633                     <xs:complexType>
634                         <xs:sequence minOccurs="1" maxOccurs="unbounded">
635                             <xs:element name="Parameter" minOccurs="0" maxOccurs="unbounded">
636                                 <xs:complexType>
637                                     <xs:sequence minOccurs="1" maxOccurs="unbounded">
638                                         <xs:element name="ChannelIndex" type="xs:unsignedInt" use="r
639                                         equired" />
640                                         <xs:attribute name="DMX" type="xs:int" use="required" />
641                                         <xs:complexType>
642                                         <xs:element>
643                                         </xs:sequence>
644                                         <xs:attribute name="Time" type="xs:float" use="required" />
645                                         </xs:complexType>
646                                         </xs:element>
647                                         </xs:sequence>
648                                         <xs:attribute name="Type" use="required">
649                                         <xs:simpleType>
650                                         <xs:restriction base="xs:string">
651                                             <xs:enumeration value="Custom" />
652                                             <xs:enumeration value="Lock" />
653                                             <xs:enumeration value="Unlock" />
654                                             <xs:enumeration value="LampOn" />
655                                             <xs:enumeration value="LampOff" />
656                                             <xs:enumeration value="LampModeNormal" />

```

```

557 <xs:enumeration value="LampModeLowPower" />
558 <xs:enumeration value="ResetComplete" />
559 <xs:enumeration value="ResetPanTilt" />
560 <xs:enumeration value="ResetColour" />
561 <xs:enumeration value="ResetGobo" />
562 <xs:enumeration value="ResetStrobe" />
563 <xs:enumeration value="ResetFocus" />
564 <xs:enumeration value="ResetZoom" />
565 <xs:enumeration value="ResetFrost" />
566 <xs:enumeration value="ResetIris" />
567 <xs:enumeration value="ResetAllInternal" />
568 <xs:enumeration value="FanModeSlow" />
569 <xs:enumeration value="FanModeFast" />
570 </xs:restriction>
571 </xs:simpleType>
572 </xs:attribute>
573 <xs:attribute name="CustomGroupName" type="xs:string" use="optional" />
574 <xs:attribute name="CustomName" type="xs:string" use="optional" />
575 </xs:complexType>
576 </xs:element>
577 </xs:sequence>
578 <xs:attribute name="Identifier" type="xs:string" use="required"/>
579 <xs:attribute name="Name" type="xs:string" use="required"/>
580 <xs:attribute name="ControllerIndex" type="xs:unsignedInt" use="required"/>
581 <xs:attribute name="ControllerName" type="xs:string" use="optional"/>
582 <xs:attribute name="DmxChannels" type="xs:unsignedInt" use="required"/>
583 </xs:complexType>
584 </xs:element>
585 </xs:sequence>
586 <xs:attribute name="Identifier" type="xs:string" use="required"/>
587 <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
588 <xs:attribute name="VersionDate" type="xs:date" use="required"/>
589 <xs:attribute name="Brand" type="xs:string" use="required"/>
590 <xs:attribute name="Name" type="xs:string" use="required"/>
591 <xs:attribute name="Visibility" type="cef:tVisibility" use="required" />
592 <xs:attribute name="PartNo" type="xs:string" use="optional"/>
593 </xs:complexType>
594
595 <xs:complexType name="tFixtureColorFlag">
596 <xs:sequence>
597 <xs:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
598 <xs:element name="CCT" type="xs:int" minOccurs="0" maxOccurs="1" />
599 </xs:sequence>
600 </xs:complexType>
601
602 <xs:simpleType name="tFixtureAxisName">
603 <xs:restriction base="xs:string">
604 <xs:enumeration value="Pan" />
605 <xs:enumeration value="Tilt" />
606 <xs:enumeration value="Pitch" />
607 </xs:restriction>
608 </xs:simpleType>
609
610 <xs:complexType name="tFixtureLightSourceColour">
611 <xs:sequence>
612 <xs:element name="sRGB" minOccurs="1" maxOccurs="1">
613 <xs:complexType>
614 <xs:attribute name="Red" type="xs:unsignedByte" use="required" />
615 <xs:attribute name="Green" type="xs:unsignedByte" use="required" />
616 <xs:attribute name="Blue" type="xs:unsignedByte" use="required" />
617 </xs:complexType>
618 </xs:element>
619 <xs:element name="CIE1931" minOccurs="0" maxOccurs="1">
620 <xs:complexType>
621 <xs:attribute name="x" type="xs:float" use="required" />
622 <xs:attribute name="y" type="xs:float" use="required" />
623
624 <xs:enumeration value="LampModeLowPower" />
625 <xs:enumeration value="ResetComplete" />
626 <xs:enumeration value="ResetPanTilt" />
627 <xs:enumeration value="ResetColour" />
628 <xs:enumeration value="ResetGobo" />
629 <xs:enumeration value="ResetStrobe" />
630 <xs:enumeration value="ResetFocus" />
631 <xs:enumeration value="ResetZoom" />
632 <xs:enumeration value="ResetFrost" />
633 <xs:enumeration value="ResetIris" />
634 <xs:enumeration value="ResetAllInternal" />
635 <xs:enumeration value="FanModeSlow" />
636 <xs:enumeration value="FanModeFast" />
637 </xs:restriction>
638 </xs:simpleType>
639 </xs:attribute>
640 <xs:attribute name="CustomGroupName" type="xs:string" use="optional" />
641 <xs:attribute name="CustomName" type="xs:string" use="optional" />
642 </xs:complexType>
643 </xs:element>
644 </xs:sequence>
645 <xs:attribute name="Identifier" type="xs:string" use="required"/>
646 <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
647 <xs:attribute name="VersionDate" type="xs:date" use="required"/>
648 <xs:attribute name="Brand" type="xs:string" use="required"/>
649 <xs:attribute name="Name" type="xs:string" use="required"/>
650 <xs:attribute name="Visibility" type="cef:tVisibility" use="required" />
651 <xs:attribute name="PartNo" type="xs:string" use="optional"/>
652 </xs:complexType>
653
654 <xs:complexType name="tFixtureColorFlag">
655 <xs:sequence>
656 <xs:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
657 <xs:element name="CCT" type="xs:int" minOccurs="0" maxOccurs="1" />
658 </xs:sequence>
659 </xs:complexType>
660 </xs:element>
661 </xs:sequence>
662 <xs:attribute name="Identifier" type="xs:string" use="required"/>
663 <xs:attribute name="Name" type="xs:string" use="required"/>
664 <xs:attribute name="ControllerIndex" type="xs:unsignedInt" use="required" />
665 <xs:attribute name="ControllerName" type="xs:string" use="optional"/>
666 <xs:attribute name="DmxChannels" type="xs:unsignedInt" use="required"/>
667 </xs:complexType>
668 </xs:element>
669 </xs:sequence>
670 <xs:attribute name="Identifier" type="xs:string" use="required"/>
671 <xs:attribute name="Name" type="xs:string" use="required"/>
672 <xs:attribute name="ControllerIndex" type="xs:unsignedInt" use="required" />
673 <xs:attribute name="ControllerName" type="xs:string" use="optional"/>
674 <xs:attribute name="DmxChannels" type="xs:unsignedInt" use="required"/>
675 </xs:complexType>
676 </xs:element>
677 </xs:sequence>
678 <xs:attribute name="Identifier" type="xs:string" use="required"/>
679 <xs:attribute name="Name" type="xs:string" use="required"/>
680 <xs:attribute name="ControllerIndex" type="xs:unsignedInt" use="required" />
681 <xs:attribute name="ControllerName" type="xs:string" use="optional"/>
682 <xs:attribute name="DmxChannels" type="xs:unsignedInt" use="required"/>
683 </xs:complexType>
684 </xs:element>
685 </xs:sequence>
686 <xs:attribute name="Identifier" type="xs:string" use="required"/>
687 <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
688 <xs:attribute name="VersionDate" type="xs:date" use="required"/>
689 <xs:attribute name="Brand" type="xs:string" use="required"/>
690 <xs:attribute name="Name" type="xs:string" use="required"/>
691 <xs:attribute name="Visibility" type="cef:tVisibility" use="required" />
692 <xs:attribute name="PartNo" type="xs:string" use="optional"/>
693 </xs:complexType>
694
695 <xs:complexType name="tFixtureColorFlag">
696 <xs:sequence>
697 <xs:element name="Color" type="cef:tFilterColor" minOccurs="1" maxOccurs="1" />
698 <xs:element name="CCT" type="xs:int" minOccurs="0" maxOccurs="1" />
699 </xs:sequence>
700 </xs:complexType>
701
702 <xs:simpleType name="tFixtureAxisName">
703 <xs:restriction base="xs:string">
704 <xs:enumeration value="Pan" />
705 <xs:enumeration value="Tilt" />
706 <xs:enumeration value="Pitch" />
707 </xs:restriction>
708 </xs:simpleType>
709
710 <xs:complexType name="tFixtureLightSourceColour">
711 <xs:sequence>
712 <xs:element name="sRGB" minOccurs="1" maxOccurs="1">
713 <xs:complexType>
714 <xs:attribute name="Red" type="xs:unsignedByte" use="required" />
715 <xs:attribute name="Green" type="xs:unsignedByte" use="required" />
716 <xs:attribute name="Blue" type="xs:unsignedByte" use="required" />
717 </xs:complexType>
718 </xs:element>
719 <xs:element name="CIE1931" minOccurs="0" maxOccurs="1">
720 <xs:complexType>
721 <xs:attribute name="x" type="xs:float" use="required" />
722 <xs:attribute name="y" type="xs:float" use="required" />

```

```

723     <xs:attribute name="Y" type="xs:float" use="required" />
724   </xs:complexType>
725 </xs:element>
726 </xs:sequence>
727 <xs:attribute name="Name" type="xs:string" use="optional" />
728 </xs:complexType>
729
730 <xs:complexType name="tFixtureLightSourceOpticTraits">
731   <xs:sequence>
732     <xs:element name="HorizontalFieldAngle" type="xs:float" minOccurs="1" maxOccurs="1"
733   />
734     <xs:element name="VerticalFieldAngle" type="xs:float" minOccurs="1" maxOccurs="1" />
735
736     <xs:element name="Photometrics" minOccurs="0" maxOccurs="1">
737       <xs:complexType>
738         <xs:sequence>
739           <xs:element name="LuminousFlux" type="xs:float" minOccurs="1" maxOccurs="1" />
740
741         </xs:sequence>
742       </xs:complexType>
743     </xs:element>
744
745 <!-- Media server -->
746 <xs:complexType name="tMediaServer">
747   <xs:sequence>
748     <xs:element name="Layers" minOccurs="1" maxOccurs="1">
749       <xs:complexType>
750         <xs:sequence>
751           <xs:element name="Layer" type="cef:tMediaServerLayer" minOccurs="0" maxOccurs=
752             "unbounded" />
753           </xs:sequence>
754         </xs:complexType>
755       </xs:element>
756       <xs:element name="Lists" minOccurs="1" maxOccurs="1">
757         <xs:complexType>
758           <xs:sequence>
759             <xs:element name="List" type="cef:tMediaServerList" minOccurs="0" maxOccurs="u
760               nbounded" />
761             </xs:sequence>
762           <xs:attribute name="Identifier" type="xs:string" use="required"/>
763           <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
764           <xs:attribute name="VersionDate" type="xs:date" use="required"/>
765           <xs:attribute name="Brand" type="xs:string" use="required" />
766           <xs:attribute name="Name" type="xs:string" use="required" />
767         </xs:complexType>
768
769 <xs:complexType name="tMediaServerLayer">
770   <xs:sequence>
771     <xs:element name="Channels" minOccurs="1" maxOccurs="1">
772       <xs:complexType>
773         <xs:sequence>
774           <xs:element name="Channel" minOccurs="1" maxOccurs="512">
775             <xs:complexType>
776               <xs:choice minOccurs="0" maxOccurs="unbounded">
777                 <xs:element name="DimmerRange" type="cef:tMediaServerDimmerRange" />
778                 <xs:element name="Range" type="cef:tMediaServerRange" />
779                 <xs:element name="Snap" type="cef:tMediaServerSnap" />
780               </xs:choice>
781               <xs:attribute name="Name" type="xs:string" use="required" />
782               <xs:attribute name="Default" type="xs:unsignedInt" use="required" />
783               <xs:attribute name="Bits" use="optional" />
784                 <xs:simpleType>
785                   <xs:restriction base="xs:int">
786                     <xs:enumeration value="8" />

```

```

721     <xs:attribute name="Y" type="xs:float" use="required" />
722   </xs:complexType>
723 </xs:element>
724 </xs:sequence>
725 <xs:attribute name="Name" type="xs:string" use="optional" />
726 </xs:complexType>
727
728 <xs:complexType name="tFixtureLightSourceOpticTraits">
729   <xs:sequence>
730     <xs:element name="HorizontalFieldAngle" type="xs:float" minOccurs="1" maxOccurs=
731       "1" />
732     <xs:element name="VerticalFieldAngle" type="xs:float" minOccurs="1" maxOccurs=
733       "1" />
734
735     <xs:element name="Photometrics" minOccurs="0" maxOccurs="1">
736       <xs:complexType>
737         <xs:sequence>
738           <xs:element name="LuminousFlux" type="xs:float" minOccurs="1" maxOccurs="1" />
739         </xs:sequence>
740       </xs:complexType>
741     </xs:element>

```

```
787             <xss:enumeration value="16" />
788             <xss:enumeration value="24" />
789             <xss:enumeration value="32" />
790         </xss:restriction>
791     </xss:simpleType>
792 </xss:attribute>
793 <xss:attribute name="Table" type="xs:string" use="optional" />
794 <xss:attribute name="TableFunction" use="optional">
795     <xss:simpleType>
796         <xss:restriction base="xs:string">
797             <xss:enumeration value="Selector" />
798             <xss:enumeration value="Parameter" />
799         </xss:restriction>
800     </xss:simpleType>
801 </xss:attribute>
802 <xss:attribute name="TableParameterName" type="xs:string" use="optional" />
803 <xss:attribute name="CITPMediaType" use="optional">
804     <xss:simpleType>
805         <xss:restriction base="xs:string">
806             <xss:enumeration value="Media" />
807             <xss:enumeration value="Effects" />
808             <xss:enumeration value="Cues" />
809             <xss:enumeration value="Crossfades" />
810             <xss:enumeration value="Masks" />
811             <xss:enumeration value="Blend Presets" />
812             <xss:enumeration value="Effect Presets" />
813             <xss:enumeration value="Image Presets" />
814             <xss:enumeration value="3D Meshes" />
815         </xss:restriction>
816     </xss:simpleType>
817 </xss:attribute>
818 <xss:attribute name="CITPMediaLevel" use="optional">
819     <xss:simpleType>
820         <xss:restriction base="xs:int">
821             <xss:minInclusive value="1" />
822             <xss:maxInclusive value="4" />
823         </xss:restriction>
824     </xss:simpleType>
825 </xss:attribute>
826     <xss:attribute name="CITPParameterIndex" type="xs:byte" use="optional" />
827 </xss:complexType>
828     <xss:element>
829         </xss:sequence>
830     </xss:complexType>
831 </xss:element>
832 </xss:sequence>
833 <xss:attribute name="Identifier" type="xs:string" use="required"/>
834 <xss:attribute name="Name" type="xs:string" use="required" />
835 </xss:complexType>
836
837 <xss:complexType name="tMediaServerDimmerRange">
838     <xss:attribute name="Start" type="xs:unsignedInt" use="required" />
839     <xss:attribute name="End" type="xs:unsignedInt" use="required" />
840     <xss:attribute name="DimmerFrom" use="required">
841         <xss:simpleType>
842             <xss:restriction base="xs:float">
843                 <xss:minInclusive value="0" />
844                 <xss:maxInclusive value="1" />
845             </xss:restriction>
846         </xss:simpleType>
847     </xss:attribute>
848     <xss:attribute name="DimmerTo" use="required">
849         <xss:simpleType>
850             <xss:restriction base="xs:float">
851                 <xss:minInclusive value="0" />
852                 <xss:maxInclusive value="1" />
853             </xss:restriction>
854         </xss:simpleType>
855     </xss:attribute>
```

```

856 </xs:complexType>
857
858 <xs:complexType name="tMediaServerRange">
859   <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
860   <xs:attribute name="End" type="xs:unsignedInt" use="required" />
861   <!-- Substitute ### with the 8-bit DMX level -->
862   <!-- Substitute ###.## with the 16-bit DMX level divided by 100 -->
863   <xs:attribute name="Text" type="xs:string" use="required" />
864   <xs:attribute name="From" type="xs:string" use="required" />
865   <xs:attribute name="To" type="xs:string" use="required" />
866 </xs:complexType>
867
868 <xs:complexType name="tMediaServerSnap">
869   <xs:attribute name="Start" type="xs:unsignedInt" use="required" />
870   <xs:attribute name="End" type="xs:unsignedInt" use="required" />
871   <!-- Substitute ### with the 8-bit DMX level -->
872   <!-- Substitute ###.## with the 16-bit DMX level divided by 100 -->
873   <xs:attribute name="Text" type="xs:string" use="required" />
874   <xs:attribute name="To" type="xs:string" use="optional" />
875 </xs:complexType>
876
877 <xs:complexType name="tMediaServerList">
878   <xs:sequence>
879     <xs:element name="Entry" minOccurs="1" maxOccurs="255">
880       <xs:complexType>
881         <xs:sequence>
882           <xs:element name="Parameter" minOccurs="0" maxOccurs="unbounded">
883             <xs:complexType>
884               <xs:attribute name="Name" type="xs:string" use="required" />
885               <xs:attribute name="Function" type="xs:string" use="required" />
886             </xs:complexType>
887           </xs:element>
888         </xs:sequence>
889         <xs:attribute name="Start" type="xs:unsignedByte" use="required" />
890         <xs:attribute name="End" type="xs:unsignedByte" use="required" />
891         <xs:attribute name="Name" type="xs:string" use="required" />
892       </xs:complexType>
893     </xs:element>
894   </xs:sequence>
895   <xs:attribute name="Name" type="xs:string" use="required" />
896 </xs:complexType>
897
898 <!-- Symbol -->
899 <xs:complexType name="tSymbol">
900   <xs:sequence>
901     <xs:element name="Shape" minOccurs="0" maxOccurs="unbounded">
902       <xs:complexType>
903         <xs:sequence>
904           <xs:element name="Point" minOccurs="2" maxOccurs="unbounded">
905             <xs:complexType>
906               <xs:attribute name="X" type="xs:float" use="required" />
907               <xs:attribute name="Y" type="xs:float" use="required" />
908             </xs:complexType>
909           </xs:element>
910         </xs:sequence>
911         <xs:attribute name="Type" use="required">
912           <xs:simpleType>
913             <xs:restriction base="xs:string">
914               <xs:enumeration value="Fill" />
915               <xs:enumeration value="Line" />
916             </xs:restriction>
917           </xs:simpleType>
918         </xs:attribute>
919       </xs:complexType>
920     </xs:element>
921   </xs:sequence>
922   <xs:attribute name="Identifier" type="xs:string" use="required"/>
923   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
924   <xs:attribute name="VersionDate" type="xs:date" use="required"/>

```

```

742 <!-- Symbol -->
743 <xs:complexType name="tSymbol">
744   <xs:sequence>
745     <xs:element name="Shape" minOccurs="0" maxOccurs="unbounded">
746       <xs:complexType>
747         <xs:sequence>
748           <xs:element name="Point" minOccurs="2" maxOccurs="unbounded">
749             <xs:complexType>
750               <xs:attribute name="X" type="xs:float" use="required" />
751               <xs:attribute name="Y" type="xs:float" use="required" />
752             </xs:complexType>
753           </xs:element>
754         </xs:sequence>
755         <xs:attribute name="Type" use="required">
756           <xs:simpleType>
757             <xs:restriction base="xs:string">
758               <xs:enumeration value="Fill" />
759               <xs:enumeration value="Line" />
760             </xs:restriction>
761           </xs:simpleType>
762         </xs:attribute>
763       </xs:complexType>
764     </xs:element>
765   </xs:sequence>
766   <xs:attribute name="Identifier" type="xs:string" use="required"/>
767   <xs:attribute name="Version" type="xs:unsignedInt" use="required"/>
768   <xs:attribute name="VersionDate" type="xs:date" use="required"/>

```

```

925     <xs:attribute name="Brand" type="xs:string" use="required"/>
926     <xs:attribute name="Name" type="xs:string" use="optional"/>
927 </xs:complexType>
928
929 <!-- Generic DMX Mode command types -->
930 <xs:complexType name="tSimpleCommand">
931     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
932     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
933 </xs:complexType>
934
935 <xs:complexType name="tSimpleLevelCommand">
936     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
937     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
938     <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
939     <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
940 </xs:complexType>
941
942 <xs:complexType name="tSimpleCellLevelCommand">
943     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
944     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
945     <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
946     <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
947     <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
948     <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
949 </xs:complexType>
950
951 <xs:complexType name="tSimpleSpeedCommand">
952     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
953     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
954     <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
955     <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
956 </xs:complexType>
957
958 <xs:complexType name="tSimpleTimeCommand">
959     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
960     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
961     <xs:attribute name="ToStartTime" type="cef:tTimeRangeValue" use="required"/>
962     <xs:attribute name="ToEndTime" type="cef:tTimeRangeValue" use="required"/>
963 </xs:complexType>
964
965 <xs:complexType name="tSimpleStrobeCommand">
966     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
967     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
968     <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
969     <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
970     <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
971     <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
972 </xs:complexType>
973
974 <xs:complexType name="tSimpleCellStrobeCommand">
975     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
976     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
977     <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
978     <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
979     <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
980     <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
981     <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
982     <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
983 </xs:complexType>
984
985 <xs:complexType name="tShutterOnOffCommand">
986     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
987     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
988     <xs:attribute name="ToShutterMode" type="cef:tOnOff" use="required"/>
989 </xs:complexType>
990
991 <!-- Specific DMX Mode command types -->
992 <xs:complexType name="tSetCellLightEnabledCommand">
993     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
994
995
996
997
998
999
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837

```



```
1063     <xs:complexType>
1064         <xs:attribute name="x" type="xs:float" use="required" />
1065         <xs:attribute name="y" type="xs:float" use="required" />
1066         <xs:attribute name="Y" type="xs:float" use="required" />
1067         <xs:attribute name="K" type="xs:unsignedShort" use="required" />
1068     </xs:complexType>
1069 </xs:element>
1070 </xs:sequence>
1071 <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1072 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1073 <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1074 <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1075 <xs:attribute name="Mode" type="cef:tLightMode" use="required"/>
1076 <xs:attribute name="Index" type="xs:unsignedByte" use="optional"/>
1077 <xs:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1078 <xs:attribute name="Text" type="xs:string" use="required" />
1079 </xs:complexType>
1080
1081 <xs:complexType name="tSetColorRenderingIndexLevelCommand">
1082     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1083     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1084     <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1085     <xs:attribute name="ToStartLevel" type="cef:tColorRenderingIndexRangeValue" use="required"/>
1086     <xs:attribute name="ToEndLevel" type="cef:tColorRenderingIndexRangeValue" use="required"/>
1087 </xs:complexType>
1088
1089 <xs:complexType name="tSetColorTemperatureLevelCommand">
1090     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1091     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1092     <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1093     <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1094     <xs:attribute name="Mode" type="cef:tLightMode" use="required"/>
1095     <xs:attribute name="ToStartLevel" type="cef:tColorTemperatureRangeValue" use="required"/>
1096     <xs:attribute name="ToEndLevel" type="cef:tColorTemperatureRangeValue" use="required"/>
1097 </xs:complexType>
1098
1099 <xs:complexType name="tSetShutterCommand">
1100     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1101     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1102     <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1103     <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1104 </xs:complexType>
1105
1106 <xs:complexType name="tSetShutterStrobeCommand">
1107     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1108     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1109     <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1110     <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1111     <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1112     <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
```

```

007     <xss:complexType>
008         <xss:attribute name="x" type="xs:float" use="required" />
009         <xss:attribute name="y" type="xs:float" use="required" />
010         <xss:attribute name="Y" type="xs:float" use="required" />
011         <xss:attribute name="K" type="xs:unsignedShort" use="required" />
012     </xss:complexType>
013 </xss:element>
014 </xss:sequence>
015 <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
016 <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
017 <xss:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
018 <xss:attribute name="Cell" type="xs:unsignedInt" use="required"/>
019 <xss:attribute name="Mode" type="cef:tLightMode" use="required"/>
020 <xss:attribute name="Index" type="xs:unsignedByte" use="optional"/>
021 <xss:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
022 <xss:attribute name="Text" type="xs:string" use="required" />
023 </xss:complexType>
024
025 <xss:complexType name="tSetColorRenderingIndexLevelCommand">
026     <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
027     <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
028     <xss:attribute name="Cell" type="xs:unsignedInt" use="required"/>
029     <xss:attribute name="ToStartLevel" type="cef:tColorRenderingIndexRangeValue" use="r
equired"/>
030     <xss:attribute name="ToEndLevel" type="cef:tColorRenderingIndexRangeValue" use="req
uires"/>
031 </xss:complexType>
032
033 <xss:complexType name="tSetColorTemperatureLevelCommand">
034     <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
035     <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
036     <xss:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
037     <xss:attribute name="Cell" type="xs:unsignedInt" use="required"/>
038     <xss:attribute name="Mode" type="cef:tLightMode" use="required"/>
039     <xss:attribute name="ToStartLevel" type="cef:tColorTemperatureRangeValue" use="requ
ired"/>
040     <xss:attribute name="ToEndLevel" type="cef:tColorTemperatureRangeValue" use="requir
ed"/>
041 </xss:complexType>
042
043 <xss:complexType name="tSetLightPixelModeCommand">
044     <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
045     <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
046     <xss:attribute name="Cell" type="xs:unsignedInt" use="required"/>
047     <xss:attribute name="ToMode" type="cef:tLightPixelMode" use="required"/>
048 </xss:complexType>
049
050 <xss:complexType name="tSetLightPixelMixLevelCommand">
051     <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
052     <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
053     <xss:attribute name="Cell" type="xs:unsignedInt" use="required"/>
054     <xss:attribute name="ToStartLevel" type="cef:tWideRangeValue" use="required"/>
055     <xss:attribute name="ToEndLevel" type="cef:tWideRangeValue" use="required"/>
056 </xss:complexType>
057
058 <xss:complexType name="tSetShutterCommand">
059     <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
060     <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
061     <xss:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
062     <xss:attribute name="Cell" type="xs:unsignedInt" use="required"/>
063 </xss:complexType>
064
065 <xss:complexType name="tSetShutterStrobeCommand">
066     <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
067     <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
068     <xss:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
069     <xss:attribute name="Cell" type="xs:unsignedInt" use="required"/>
070     <xss:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
071     <xss:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>

```

```

1113 </xs:complexType>
1114
1115 <xs:complexType name="tSetShutterStrobeRateCommand">
1116   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1117   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1118   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1119   <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1120 </xs:complexType>
1121
1122 <xs:complexType name="tSetShutterStrobeVariableRateCommand">
1123   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1124   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1125   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1126   <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1127   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1128   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1129 </xs:complexType>
1130
1131 <xs:complexType name="tSetShutterStrobeDurationCommand">
1132   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1133   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1134   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1135   <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
1136   <xs:attribute name="ToTiming" use="required">
1137     <xs:simpleType>
1138       <xs:restriction base="xs:string">
1139         <xs:enumeration value="Absolute" />
1140         <xs:enumeration value="Relative" />
1141       </xs:restriction>
1142     </xs:simpleType>
1143   </xs:attribute>
1144   <xs:attribute name="ToStartLevelDuration" type="cef:tSimpleRangeValue" use="required"/>
1145   <xs:attribute name="ToEndLevelDuration" type="cef:tSimpleRangeValue" use="required"/>
1146 </xs:complexType>
1147
1148 <xs:complexType name="tSetFocusModeCommand">
1149   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1150   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1151   <xs:attribute name="ToMode" use="required">
1152     <xs:simpleType>
1153       <xs:restriction base="xs:string">
1154         <xs:enumeration value="Normal" />
1155         <xs:enumeration value="Auto" />
1156       </xs:restriction>
1157     </xs:simpleType>
1158   </xs:attribute>
1159 </xs:complexType>
1160
1161 <xs:complexType name="tSetFrostLevelCommand">
1162   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1163   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1164   <xs:attribute name="FrostIndex" type="cef:tFrostIndex" use="required"/>
1165   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
1166   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
1167 </xs:complexType>
1168
1169 <xs:complexType name="tSetFrostStrobeCommand">
1170   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1171   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1172   <xs:attribute name="FrostIndex" type="cef:tFrostIndex" use="required"/>
1173   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1174   <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
1175   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1176   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1177 </xs:complexType>
1178
1179 <xs:complexType name="tCustomFrostCommand">
972   </xs:complexType>
973
974 <xs:complexType name="tSetShutterStrobeRateCommand">
975   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
976   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
977   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
978   <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
979 </xs:complexType>
980
981 <xs:complexType name="tSetShutterStrobeVariableRateCommand">
982   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
983   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
984   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
985   <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
986   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
987   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
988 </xs:complexType>
989
990 <xs:complexType name="tSetShutterStrobeDurationCommand">
991   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
992   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
993   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
994   <xs:attribute name="Cell" type="xs:unsignedInt" use="required"/>
995   <xs:attribute name="ToTiming" use="required">
996     <xs:simpleType>
997       <xs:restriction base="xs:string">
998         <xs:enumeration value="Absolute" />
999         <xs:enumeration value="Relative" />
1000       </xs:restriction>
1001     </xs:simpleType>
1002   </xs:attribute>
1003   <xs:attribute name="ToStartLevelDuration" type="cef:tSimpleRangeValue" use="requir
ed"/>
1004   <xs:attribute name="ToEndLevelDuration" type="cef:tSimpleRangeValue" use="required
"/>
1005 </xs:complexType>
1006
1007 <xs:complexType name="tSetFocusModeCommand">
1008   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1009   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1010   <xs:attribute name="ToMode" use="required">
1011     <xs:simpleType>
1012       <xs:restriction base="xs:string">
1013         <xs:enumeration value="Normal" />
1014         <xs:enumeration value="Auto" />
1015       </xs:restriction>
1016     </xs:simpleType>
1017   </xs:attribute>
1018 </xs:complexType>
1019
1020 <xs:complexType name="tSetFrostLevelCommand">
1021   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1022   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1023   <xs:attribute name="FrostIndex" type="cef:tFrostIndex" use="required"/>
1024   <xs:attribute name="ToStartLevel" type="cef:tSimpleRangeValue" use="required"/>
1025   <xs:attribute name="ToEndLevel" type="cef:tSimpleRangeValue" use="required"/>
1026 </xs:complexType>
1027
1028 <xs:complexType name="tSetFrostStrobeCommand">
1029   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1030   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1031   <xs:attribute name="FrostIndex" type="cef:tFrostIndex" use="required"/>
1032   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1033   <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
1034   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1035   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1036 </xs:complexType>
1037
1038 <xs:complexType name="tCustomFrostCommand">

```



```

1249 <xs:attribute name="ToEndLevelPosition" type="xs:float" use="required"/>
1250 </xs:complexType>
1251
1252 <xs:complexType name="tSetWheelDepthStrobeCommand">
1253   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1254   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1255   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1256   <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
1257   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1258   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1259 </xs:complexType>
1260
1261 <xs:complexType name="tSetWheelDepthOrientationCommand">
1262   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1263   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1264   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1265   <xs:attribute name="ToStartLevelOrientation" type="xs:float" use="required"/>
1266   <xs:attribute name="ToEndLevelOrientation" type="xs:float" use="required"/>
1267 </xs:complexType>
1268
1269 <xs:complexType name="tSetWheelFrameModeCommand">
1270   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1271   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1272   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1273   <xs:attribute name="ToMode" type="cef:tWheelFrameMode" use="required"/>
1274 </xs:complexType>
1275
1276 <xs:complexType name="tSetWheelFrameSpinDirectionCommand">
1277   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1278   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1279   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1280   <xs:attribute name="ToDirection" type="cef:tWheelSpinDirection" use="required"/>
1281 </xs:complexType>
1282
1283 <xs:complexType name="tSetWheelFramePositionCommand">
1284   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1285   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1286   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1287   <xs:attribute name="Mode" type="cef:tWheelFrameMode" use="required"/>
1288   <xs:attribute name="ToStartLevelPosition" type="xs:float" use="required"/>
1289   <xs:attribute name="ToEndLevelPosition" type="xs:float" use="required"/>
1290 </xs:complexType>
1291
1292 <xs:complexType name="tSetWheelFrameSpeedCommand">
1293   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1294   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1295   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1296   <xs:attribute name="Mode" type="cef:tWheelFrameMode" use="required"/>
1297   <xs:attribute name="ToStartLevelSpeed" type="xs:float" use="required"/>
1298   <xs:attribute name="ToEndLevelSpeed" type="xs:float" use="required"/>
1299 </xs:complexType>
1300
1301 <xs:complexType name="tCustomWheelCommand">
1302   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1303   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1304   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="optional"/>
1305   <xs:attribute name="Usage" use="required">
1306     <xs:simpleType>
1307       <xs:restriction base="xs:string">
1308         <xs:enumeration value="Snap" />
1309         <xs:enumeration value="Range" />
1310       </xs:restriction>
1311     </xs:simpleType>
1312   </xs:attribute>
1313   <xs:attribute name="Description" type="xs:string" use="required"/>
1314   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1315   <xs:attribute name="From" type="xs:string" use="optional"/>
1316   <xs:attribute name="To" type="xs:string" use="optional"/>
1317 </xs:complexType>
1318
1319 <xs:complexType name="tSetWheelDepthStrobeCommand">
1320   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1321   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1322   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1323   <xs:attribute name="ToTransition" type="cef:tStrobeTransition" use="required"/>
1324   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1325   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1326 </xs:complexType>
1327
1328 <xs:complexType name="tSetWheelDepthOrientationCommand">
1329   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1330   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1331   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1332   <xs:attribute name="ToStartLevelOrientation" type="xs:float" use="required"/>
1333   <xs:attribute name="ToEndLevelOrientation" type="xs:float" use="required"/>
1334 </xs:complexType>
1335
1336 <xs:complexType name="tSetWheelFrameModeCommand">
1337   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1338   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1339   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1340   <xs:attribute name="ToMode" type="cef:tWheelFrameMode" use="required"/>
1341 </xs:complexType>
1342
1343 <xs:complexType name="tSetWheelFrameSpinDirectionCommand">
1344   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1345   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1346   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1347   <xs:attribute name="ToDirection" type="cef:tWheelSpinDirection" use="required"/>
1348 </xs:complexType>
1349
1350 <xs:complexType name="tSetWheelFramePositionCommand">
1351   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1352   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1353   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1354   <xs:attribute name="Mode" type="cef:tWheelFrameMode" use="required"/>
1355   <xs:attribute name="ToStartLevelPosition" type="xs:float" use="required"/>
1356   <xs:attribute name="ToEndLevelPosition" type="xs:float" use="required"/>
1357 </xs:complexType>
1358
1359 <xs:complexType name="tSetWheelFrameSpeedCommand">
1360   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1361   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1362   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="required"/>
1363   <xs:attribute name="Mode" type="cef:tWheelFrameMode" use="required"/>
1364   <xs:attribute name="ToStartLevelSpeed" type="xs:float" use="required"/>
1365   <xs:attribute name="ToEndLevelSpeed" type="xs:float" use="required"/>
1366 </xs:complexType>
1367
1368 <xs:complexType name="tCustomWheelCommand">
1369   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1370   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1371   <xs:attribute name="WheelIndex" type="cef:tWheelIndex" use="optional"/>
1372   <xs:attribute name="Usage" use="required">
1373     <xs:simpleType>
1374       <xs:restriction base="xs:string">
1375         <xs:enumeration value="Snap" />
1376         <xs:enumeration value="Range" />
1377       </xs:restriction>
1378     </xs:simpleType>
1379   </xs:attribute>
1380   <xs:attribute name="Description" type="xs:string" use="required"/>
1381   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1382   <xs:attribute name="From" type="xs:string" use="optional"/>
1383   <xs:attribute name="To" type="xs:string" use="optional"/>
1384 </xs:complexType>

```



```

1362 <xss:complexType name="tSetMotionDirectionCommand">
1363   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1364   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1365   <xss:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1366   <xss:attribute name="ToDirection" use="required">
1367     <xss:simpleType>
1368       <xss:restriction base="xs:string">
1369         <xss:enumeration value="Reverse" />
1370         <xss:enumeration value="Forward" />
1371       </xss:restriction>
1372     </xss:simpleType>
1373   </xss:attribute>
1374 </xss:complexType>
1375
1376 <xss:complexType name="tMotionSpeedCommand">
1377   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1378   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1379   <xss:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1380   <xss:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
1381   <xss:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
1382 </xss:complexType>
1383
1384 <xss:complexType name="tMotionTimeCommand">
1385   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1386   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1387   <xss:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1388   <xss:attribute name="ToStartTime" type="cef:tTimeRangeValue" use="required"/>
1389   <xss:attribute name="ToEndTime" type="cef:tTimeRangeValue" use="required"/>
1390 </xss:complexType>
1391
1392 <xss:complexType name="tSetVectorPositionCommand">
1393   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1394   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1395   <xss:attribute name="Index" type="xs:unsignedInt" use="required"/>
1396   <xss:attribute name="ToStartPosition" type="cef:tUnboundedRangeValue" use="required"/>
1397
1398   <xss:attribute name="ToEndPosition" type="cef:tUnboundedRangeValue" use="required"/>
1399 </xss:complexType>
1400
1401 <xss:complexType name="tSelectMacroCatalogCommand">
1402   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1403   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1404   <xss:attribute name="Catalog" type="xs:unsignedByte" use="required"/>
1405   <xss:attribute name="Text" type="xs:string" use="optional" />
1406 </xss:complexType>
1407
1408 <xss:complexType name="tSelectMacroCommand">
1409   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1410   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1411   <xss:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1412   <xss:attribute name="Index" type="xs:unsignedByte" use="required"/>
1413   <xss:attribute name="Text" type="xs:string" use="optional" />
1414 </xss:complexType>
1415
1416 <xss:complexType name="tMacroParameterCommand">
1417   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1418   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1419   <xss:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1420   <xss:attribute name="Index" type="xs:unsignedByte" use="required"/>
1421   <xss:attribute name="Usage" use="required">
1422     <xss:simpleType>
1423       <xss:restriction base="xs:string">
1424         <xss:enumeration value="Snap" />
1425         <xss:enumeration value="Range" />
1426       </xss:restriction>
1427     </xss:simpleType>
1428   </xss:attribute>
1429   <xss:attribute name="Description" type="xs:string" use="required"/>
1430
1431 <xss:complexType name="tSetMotionDirectionCommand">
1432   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1433   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1434   <xss:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1435   <xss:attribute name="ToDirection" use="required">
1436     <xss:simpleType>
1437       <xss:restriction base="xs:string">
1438         <xss:enumeration value="Reverse" />
1439         <xss:enumeration value="Forward" />
1440       </xss:restriction>
1441     </xss:simpleType>
1442   </xss:attribute>
1443 </xss:complexType>
1444
1445 <xss:complexType name="tMotionSpeedCommand">
1446   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1447   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1448   <xss:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1449   <xss:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
1450   <xss:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
1451 </xss:complexType>
1452
1453 <xss:complexType name="tMotionTimeCommand">
1454   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1455   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1456   <xss:attribute name="Index" type="cef:tAxisIndex" use="required"/>
1457   <xss:attribute name="ToStartTime" type="cef:tTimeRangeValue" use="required"/>
1458   <xss:attribute name="ToEndTime" type="cef:tTimeRangeValue" use="required"/>
1459 </xss:complexType>
1460
1461 <xss:complexType name="tSetVectorPositionCommand">
1462   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1463   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1464   <xss:attribute name="Index" type="xs:unsignedInt" use="required"/>
1465   <xss:attribute name="ToStartPosition" type="cef:tUnboundedRangeValue" use="required"/>
1466
1467   <xss:attribute name="ToEndPosition" type="cef:tUnboundedRangeValue" use="required"/>
1468 </xss:complexType>
1469
1470 <xss:complexType name="tSelectMacroCatalogCommand">
1471   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1472   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1473   <xss:attribute name="Catalog" type="xs:unsignedByte" use="required"/>
1474   <xss:attribute name="Text" type="xs:string" use="optional" />
1475 </xss:complexType>
1476
1477 <xss:complexType name="tSelectMacroCommand">
1478   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1479   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1480   <xss:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1481   <xss:attribute name="Index" type="xs:unsignedByte" use="required"/>
1482   <xss:attribute name="Text" type="xs:string" use="optional" />
1483 </xss:complexType>
1484
1485 <xss:complexType name="tMacroParameterCommand">
1486   <xss:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1487   <xss:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1488   <xss:attribute name="Catalog" type="xs:unsignedByte" use="optional"/>
1489   <xss:attribute name="Index" type="xs:unsignedByte" use="required"/>
1490   <xss:attribute name="Usage" use="required">
1491     <xss:simpleType>
1492       <xss:restriction base="xs:string">
1493         <xss:enumeration value="Snap" />
1494         <xss:enumeration value="Range" />
1495       </xss:restriction>
1496     </xss:simpleType>
1497   </xss:attribute>
1498   <xss:attribute name="Description" type="xs:string" use="required"/>
1499 </xss:complexType>
1500
1501

```

```

1430     <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1431     <xs:attribute name="From" type="xs:string" use="optional"/>
1432     <xs:attribute name="To" type="xs:string" use="optional"/>
1433 </xs:complexType>
1434
1435 <xs:complexType name="tSetMacroDirectionCommand">
1436     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1437     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1438     <xs:attribute name="ToDirection" use="required">
1439         <xs:simpleType>
1440             <xs:restriction base="xs:string">
1441                 <xs:enumeration value="Reverse" />
1442                 <xs:enumeration value="Forward" />
1443             </xs:restriction>
1444         </xs:simpleType>
1445     </xs:attribute>
1446 </xs:complexType>
1447
1448 <xs:complexType name="tSetMacroRotationPositionCommand">
1449     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1450     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1451     <xs:attribute name="ToStartLevelAngle" use="required">
1452         <xs:simpleType>
1453             <xs:restriction base="xs:float">
1454                 <xs:minInclusive value="0"/>
1455                 <xs:maxInclusive value="360"/>
1456             </xs:restriction>
1457         </xs:simpleType>
1458     </xs:attribute>
1459     <xs:attribute name="ToEndLevelAngle" use="required">
1460         <xs:simpleType>
1461             <xs:restriction base="xs:float">
1462                 <xs:minInclusive value="0"/>
1463                 <xs:maxInclusive value="360"/>
1464             </xs:restriction>
1465         </xs:simpleType>
1466     </xs:attribute>
1467 </xs:complexType>
1468
1469 <xs:complexType name="tSetMacroRotationSpinCommand">
1470     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1471     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1472     <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
1473     <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
1474 </xs:complexType>
1475
1476 <xs:complexType name="tSetMacroRotationDirectionCommand">
1477     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1478     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1479     <xs:attribute name="ToDirection" use="required">
1480         <xs:simpleType>
1481             <xs:restriction base="xs:string">
1482                 <xs:enumeration value="Reverse" />
1483                 <xs:enumeration value="Forward" />
1484             </xs:restriction>
1485         </xs:simpleType>
1486     </xs:attribute>
1487 </xs:complexType>
1488
1489 <xs:complexType name="tSetMacroFadeTimeCommand">
1490     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1491     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1492     <xs:attribute name="ToStartTime" type="cef:tWideRangeValue" use="required"/>
1493     <xs:attribute name="ToEndTime" type="cef:tWideRangeValue" use="required"/>
1494 </xs:complexType>
1495
1496 <xs:complexType name="tSetLampModeCommand">
1497     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1498     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>

```

```

1309     <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1310     <xs:attribute name="From" type="xs:string" use="optional"/>
1311     <xs:attribute name="To" type="xs:string" use="optional"/>
1312 </xs:complexType>
1313
1314 <xs:complexType name="tSetMacroDirectionCommand">
1315     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1316     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1317     <xs:attribute name="ToDirection" use="required">
1318         <xs:simpleType>
1319             <xs:restriction base="xs:string">
1320                 <xs:enumeration value="Reverse" />
1321                 <xs:enumeration value="Forward" />
1322             </xs:restriction>
1323         </xs:simpleType>
1324     </xs:attribute>
1325 </xs:complexType>
1326
1327 <xs:complexType name="tSetMacroRotationPositionCommand">
1328     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1329     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1330     <xs:attribute name="ToStartLevelAngle" use="required">
1331         <xs:simpleType>
1332             <xs:restriction base="xs:float">
1333                 <xs:minInclusive value="0"/>
1334                 <xs:maxInclusive value="360"/>
1335             </xs:restriction>
1336         </xs:simpleType>
1337     </xs:attribute>
1338     <xs:attribute name="ToEndLevelAngle" use="required">
1339         <xs:simpleType>
1340             <xs:restriction base="xs:float">
1341                 <xs:minInclusive value="0"/>
1342                 <xs:maxInclusive value="360"/>
1343             </xs:restriction>
1344         </xs:simpleType>
1345     </xs:attribute>
1346 </xs:complexType>
1347
1348 <xs:complexType name="tSetMacroRotationSpinCommand">
1349     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1350     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1351     <xs:attribute name="ToStartSpeed" type="cef:tWideRangeValue" use="required"/>
1352     <xs:attribute name="ToEndSpeed" type="cef:tWideRangeValue" use="required"/>
1353 </xs:complexType>
1354
1355 <xs:complexType name="tSetMacroRotationDirectionCommand">
1356     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1357     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1358     <xs:attribute name="ToDirection" use="required">
1359         <xs:simpleType>
1360             <xs:restriction base="xs:string">
1361                 <xs:enumeration value="Reverse" />
1362                 <xs:enumeration value="Forward" />
1363             </xs:restriction>
1364         </xs:simpleType>
1365     </xs:attribute>
1366 </xs:complexType>
1367
1368 <xs:complexType name="tSetMacroFadeTimeCommand">
1369     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1370     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1371     <xs:attribute name="ToStartTime" type="cef:tWideRangeValue" use="required"/>
1372     <xs:attribute name="ToEndTime" type="cef:tWideRangeValue" use="required"/>
1373 </xs:complexType>
1374
1375 <xs:complexType name="tSetLampModeCommand">
1376     <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1377     <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>

```

```

1499 <xs:attribute name="ToMode" use="required">
1500   <xs:simpleType>
1501     <xs:restriction base="xs:string">
1502       <xs:enumeration value="Normal" />
1503       <xs:enumeration value="LowPower" />
1504     </xs:restriction>
1505   </xs:simpleType>
1506 </xs:attribute>
1507 </xs:complexType>
1508
1509 <xs:complexType name="tSetLaserStrobeCommand">
1510   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1511   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1512   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1513   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1514   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1515 </xs:complexType>
1516
1517 <xs:complexType name="tSetFanModeCommand">
1518   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1519   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1520   <xs:attribute name="ToMode" use="required">
1521     <xs:simpleType>
1522       <xs:restriction base="xs:string">
1523         <xs:enumeration value="Fast" />
1524         <xs:enumeration value="Slow" />
1525       </xs:restriction>
1526     </xs:simpleType>
1527   </xs:attribute>
1528 </xs:complexType>
1529
1530 <xs:complexType name="tCustomCommand">
1531   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1532   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1533   <xs:attribute name="Usage" use="required">
1534     <xs:simpleType>
1535       <xs:restriction base="xs:string">
1536         <xs:enumeration value="Snap" />
1537         <xs:enumeration value="Range" />
1538       </xs:restriction>
1539     </xs:simpleType>
1540   </xs:attribute>
1541   <xs:attribute name="Description" type="xs:string" use="required"/>
1542   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1543   <xs:attribute name="From" type="xs:string" use="optional"/>
1544   <xs:attribute name="To" type="xs:string" use="optional"/>
1545 </xs:complexType>
1546
1547 <xs:complexType name="tCustomCellCommand">
1548   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1549   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1550   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1551   <xs:attribute name="Cell" type="xs:unsignedInt" use="optional"/>
1552   <xs:attribute name="Usage" use="required">
1553     <xs:simpleType>
1554       <xs:restriction base="xs:string">
1555         <xs:enumeration value="Snap" />
1556         <xs:enumeration value="Range" />
1557       </xs:restriction>
1558     </xs:simpleType>
1559   </xs:attribute>
1560   <xs:attribute name="Description" type="xs:string" use="required"/>
1561   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1562   <xs:attribute name="From" type="xs:string" use="optional"/>
1563   <xs:attribute name="To" type="xs:string" use="optional"/>
1564 </xs:complexType>
1565
1566 <xs:complexType name="tResetCommand">
1567   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1378 <xs:attribute name="ToMode" use="required">
1379   <xs:simpleType>
1380     <xs:restriction base="xs:string">
1381       <xs:enumeration value="Normal" />
1382       <xs:enumeration value="LowPower" />
1383     </xs:restriction>
1384   </xs:simpleType>
1385 </xs:attribute>
1386 </xs:complexType>
1387
1388 <xs:complexType name="tSetLaserStrobeCommand">
1389   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1390   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1391   <xs:attribute name="ToMode" type="cef:tStrobeMode" use="required"/>
1392   <xs:attribute name="ToStartLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1393   <xs:attribute name="ToEndLevelRate" type="cef:tSimpleRangeValue" use="required"/>
1394 </xs:complexType>
1395
1396 <xs:complexType name="tSetFanModeCommand">
1397   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1398   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1399   <xs:attribute name="ToMode" use="required">
1400     <xs:simpleType>
1401       <xs:restriction base="xs:string">
1402         <xs:enumeration value="Fast" />
1403         <xs:enumeration value="Slow" />
1404       </xs:restriction>
1405     </xs:simpleType>
1406   </xs:attribute>
1407 </xs:complexType>
1408
1409 <xs:complexType name="tCustomCommand">
1410   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1411   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1412   <xs:attribute name="Usage" use="required">
1413     <xs:simpleType>
1414       <xs:restriction base="xs:string">
1415         <xs:enumeration value="Snap" />
1416         <xs:enumeration value="Range" />
1417       </xs:restriction>
1418     </xs:simpleType>
1419   </xs:attribute>
1420   <xs:attribute name="Description" type="xs:string" use="required"/>
1421   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1422   <xs:attribute name="From" type="xs:string" use="optional"/>
1423   <xs:attribute name="To" type="xs:string" use="optional"/>
1424 </xs:complexType>
1425
1426 <xs:complexType name="tCustomCellCommand">
1427   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1428   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1429   <xs:attribute name="Layer" type="cef:tControlLayer" use="optional"/>
1430   <xs:attribute name="Cell" type="xs:unsignedInt" use="optional"/>
1431   <xs:attribute name="Usage" use="required">
1432     <xs:simpleType>
1433       <xs:restriction base="xs:string">
1434         <xs:enumeration value="Snap" />
1435         <xs:enumeration value="Range" />
1436       </xs:restriction>
1437     </xs:simpleType>
1438   </xs:attribute>
1439   <xs:attribute name="Description" type="xs:string" use="required"/>
1440   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1441   <xs:attribute name="From" type="xs:string" use="optional"/>
1442   <xs:attribute name="To" type="xs:string" use="optional"/>
1443 </xs:complexType>
1444
1445 <xs:complexType name="tResetCommand">
1446   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>

```

```

1568 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1569 <xs:attribute name="ToType" use="required">
1570   <xs:simpleType>
1571     <xs:restriction base="xs:string">
1572       <xs:enumeration value="Complete" />
1573       <xs:enumeration value="PanTilt" />
1574       <xs:enumeration value="Colour" />
1575       <xs:enumeration value="Gobo" />
1576       <xs:enumeration value="Strobe" />
1577       <xs:enumeration value="Focus" />
1578       <xs:enumeration value="Zoom" />
1579       <xs:enumeration value="Frost" />
1580       <xs:enumeration value="Iris" />
1581       <xs:enumeration value="AllInternal" />
1582     </xs:restriction>
1583   </xs:simpleType>
1584 </xs:attribute>
1585 </xs:complexType>
1586
1587 <xs:complexType name="tPresetCommand">
1588   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1589   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1590   <xs:attribute name="Cells" type="cef:tCellArray" use="optional" />
1591   <xs:attribute name="Usage" use="required">
1592     <xs:simpleType>
1593       <xs:restriction base="xs:string">
1594         <xs:enumeration value="Snap" />
1595         <xs:enumeration value="Range" />
1596       </xs:restriction>
1597     </xs:simpleType>
1598   </xs:attribute>
1599   <xs:attribute name="StartColor" type="xs:string" use="optional"/>
1600   <xs:attribute name="EndColor" type="xs:string" use="optional"/>
1601   <xs:attribute name="Description" type="xs:string" use="required"/>
1602   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1603 </xs:complexType>
1604
1605 <xs:complexType name="tPresetScrollCommand">
1606   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1607   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1608   <xs:attribute name="ToMode" use="required">
1609     <xs:simpleType>
1610       <xs:restriction base="xs:string">
1611         <xs:enumeration value="Forward" />
1612         <xs:enumeration value="Reverse" />
1613         <xs:enumeration value="Bounce" />
1614         <xs:enumeration value="Random" />
1615         <xs:enumeration value="Sound" />
1616         <xs:enumeration value="Stop" />
1617       </xs:restriction>
1618     </xs:simpleType>
1619   </xs:attribute>
1620 </xs:complexType>
1621
1622 <xs:complexType name="tTextCommand">
1623   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1624   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1625   <xs:attribute name="Description" type="xs:string" use="required"/>
1626   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1627 </xs:complexType>
1628
1629 <!-- Common simple types-->
1630 <xs:simpleType name="tVisibility">
1631   <xs:restriction base="xs:string">
1632     <xs:enumeration value="Public" />
1633     <xs:enumeration value="Private" />
1634   </xs:restriction>
1635 </xs:simpleType>
1636
1447 <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1448 <xs:attribute name="ToType" use="required">
1449   <xs:simpleType>
1450     <xs:restriction base="xs:string">
1451       <xs:enumeration value="Complete" />
1452       <xs:enumeration value="PanTilt" />
1453       <xs:enumeration value="Colour" />
1454       <xs:enumeration value="Gobo" />
1455       <xs:enumeration value="Strobe" />
1456       <xs:enumeration value="Focus" />
1457       <xs:enumeration value="Zoom" />
1458       <xs:enumeration value="Frost" />
1459       <xs:enumeration value="Iris" />
1460       <xs:enumeration value="AllInternal" />
1461     </xs:restriction>
1462   </xs:simpleType>
1463 </xs:attribute>
1464 </xs:complexType>
1465
1466 <xs:complexType name="tPresetCommand">
1467   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1468   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1469   <xs:attribute name="Cells" type="cef:tCellArray" use="optional" />
1470   <xs:attribute name="Usage" use="required">
1471     <xs:simpleType>
1472       <xs:restriction base="xs:string">
1473         <xs:enumeration value="Snap" />
1474         <xs:enumeration value="Range" />
1475       </xs:restriction>
1476     </xs:simpleType>
1477   </xs:attribute>
1478   <xs:attribute name="StartColor" type="xs:string" use="optional"/>
1479   <xs:attribute name="EndColor" type="xs:string" use="optional"/>
1480   <xs:attribute name="Description" type="xs:string" use="required"/>
1481   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1482 </xs:complexType>
1483
1484 <xs:complexType name="tPresetScrollCommand">
1485   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1486   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1487   <xs:attribute name="ToMode" use="required">
1488     <xs:simpleType>
1489       <xs:restriction base="xs:string">
1490         <xs:enumeration value="Forward" />
1491         <xs:enumeration value="Reverse" />
1492         <xs:enumeration value="Bounce" />
1493         <xs:enumeration value="Random" />
1494         <xs:enumeration value="Sound" />
1495         <xs:enumeration value="Stop" />
1496       </xs:restriction>
1497     </xs:simpleType>
1498   </xs:attribute>
1499 </xs:complexType>
1500
1501 <xs:complexType name="tTextCommand">
1502   <xs:attribute name="StartLevel" type="xs:unsignedInt" use="required"/>
1503   <xs:attribute name="EndLevel" type="xs:unsignedInt" use="required"/>
1504   <xs:attribute name="Description" type="xs:string" use="required"/>
1505   <xs:attribute name="ShortDescription" type="xs:string" use="optional"/>
1506 </xs:complexType>
1507
1508 <!-- Common simple types-->
1509 <xs:simpleType name="tVisibility">
1510   <xs:restriction base="xs:string">
1511     <xs:enumeration value="Public" />
1512     <xs:enumeration value="Private" />
1513   </xs:restriction>
1514 </xs:simpleType>
1515

```

```

1637 <xs:simpleType name="tGoboType">
1638   <xs:restriction base="xs:string">
1639     <xs:enumeration value="Pattern" />
1640     <xs:enumeration value="Animation Disc" />
1641     <xs:enumeration value="Linear 2-Facet Prism" />
1642     <xs:enumeration value="Circular 3-Facet Prism" />
1643     <xs:enumeration value="Circular 4-Facet Prism" />
1644     <xs:enumeration value="Linear 4-Facet Prism" />
1645     <xs:enumeration value="Circular 5-Facet Prism" />
1646     <xs:enumeration value="Linear 5-Facet Prism" />
1647     <xs:enumeration value="Round 5-Facet Prism" />
1648     <xs:enumeration value="Circular 6-Facet Prism" />
1649     <xs:enumeration value="Linear 6-Facet Prism" />
1650     <xs:enumeration value="Round 6-Facet Prism" />
1651     <xs:enumeration value="Round 7-Facet Prism" />
1652     <xs:enumeration value="Circular 8-Facet Prism" />
1653     <xs:enumeration value="Linear 8-Facet Prism" />
1654     <xs:enumeration value="Round 9-Facet Prism" />
1655     <xs:enumeration value="Linear 10-Facet Prism" />
1656     <xs:enumeration value="Circular 8-8-16-Facet Prism" />
1657     <xs:enumeration value="Circular 16-16-Facet Prism" />
1658     <xs:enumeration value="Bar Prism" />
1659     <xs:enumeration value="Comet Prism" />
1660   </xs:restriction>
1661 </xs:simpleType>
1662
1663 <xs:simpleType name="tChromaticityValue">
1664   <xs:restriction base="xs:float">
1665     <xs:minInclusive value="0"/>
1666     <xs:maxInclusive value="1"/>
1667   </xs:restriction>
1668 </xs:simpleType>
1669
1670 <xs:simpleType name="tDmxChannelOffset">
1671   <xs:restriction base="xs:unsignedInt">
1672     <xs:minInclusive value="0"/>
1673     <xs:maxInclusive value="511"/>
1674   </xs:restriction>
1675 </xs:simpleType>
1676
1677 <xs:simpleType name="tControlLayer">
1678   <xs:restriction base="xs:string">
1679     <xs:enumeration value="Individual" />
1680     <xs:enumeration value="Group" />
1681   </xs:restriction>
1682 </xs:simpleType>
1683
1684 <xs:simpleType name="tCellArray">
1685   <xs:restriction base="xs:string">
1686     <xs:pattern value="\d+,\d+*"/>
1687   </xs:restriction>
1688 </xs:simpleType>
1689
1690 <xs:simpleType name="tSimpleRangeValue">
1691   <xs:restriction base="xs:float">
1692     <xs:minInclusive value="0"/>
1693     <xs:maxInclusive value="1"/>
1694   </xs:restriction>
1695 </xs:simpleType>
1696
1697 <xs:simpleType name="tWideRangeValue">
1698   <xs:restriction base="xs:float">
1699     <xs:minInclusive value="-1"/>
1700     <xs:maxInclusive value="1"/>
1701   </xs:restriction>
1702 </xs:simpleType>
1703
1704 <xs:simpleType name="tUnboundedRangeValue">
1705   <xs:restriction base="xs:float"/>
1516 <xs:simpleType name="tGoboType">
1517   <xs:restriction base="xs:string">
1518     <xs:enumeration value="Pattern" />
1519     <xs:enumeration value="Animation Disc" />
1520     <xs:enumeration value="Linear 2-Facet Prism" />
1521     <xs:enumeration value="Circular 3-Facet Prism" />
1522     <xs:enumeration value="Circular 4-Facet Prism" />
1523     <xs:enumeration value="Linear 4-Facet Prism" />
1524     <xs:enumeration value="Circular 5-Facet Prism" />
1525     <xs:enumeration value="Linear 5-Facet Prism" />
1526     <xs:enumeration value="Round 5-Facet Prism" />
1527     <xs:enumeration value="Circular 6-Facet Prism" />
1528     <xs:enumeration value="Linear 6-Facet Prism" />
1529     <xs:enumeration value="Round 6-Facet Prism" />
1530     <xs:enumeration value="Round 7-Facet Prism" />
1531     <xs:enumeration value="Circular 8-Facet Prism" />
1532     <xs:enumeration value="Linear 8-Facet Prism" />
1533     <xs:enumeration value="Round 9-Facet Prism" />
1534     <xs:enumeration value="Linear 10-Facet Prism" />
1535     <xs:enumeration value="Circular 8-8-16-Facet Prism" />
1536     <xs:enumeration value="Circular 16-16-Facet Prism" />
1537     <xs:enumeration value="Bar Prism" />
1538     <xs:enumeration value="Comet Prism" />
1539   </xs:restriction>
1540 </xs:simpleType>
1541
1542 <xs:simpleType name="tChromaticityValue">
1543   <xs:restriction base="xs:float">
1544     <xs:minInclusive value="0"/>
1545     <xs:maxInclusive value="1"/>
1546   </xs:restriction>
1547 </xs:simpleType>
1548
1549 <xs:simpleType name="tDmxChannelOffset">
1550   <xs:restriction base="xs:unsignedInt">
1551     <xs:minInclusive value="0"/>
1552     <xs:maxInclusive value="511"/>
1553   </xs:restriction>
1554 </xs:simpleType>
1555
1556 <xs:simpleType name="tControlLayer">
1557   <xs:restriction base="xs:string">
1558     <xs:enumeration value="Individual" />
1559     <xs:enumeration value="Group" />
1560   </xs:restriction>
1561 </xs:simpleType>
1562
1563 <xs:simpleType name="tCellArray">
1564   <xs:restriction base="xs:string">
1565     <xs:pattern value="\d+,\d+*"/>
1566   </xs:restriction>
1567 </xs:simpleType>
1568
1569 <xs:simpleType name="tSimpleRangeValue">
1570   <xs:restriction base="xs:float">
1571     <xs:minInclusive value="0"/>
1572     <xs:maxInclusive value="1"/>
1573   </xs:restriction>
1574 </xs:simpleType>
1575
1576 <xs:simpleType name="tWideRangeValue">
1577   <xs:restriction base="xs:float">
1578     <xs:minInclusive value="-1"/>
1579     <xs:maxInclusive value="1"/>
1580   </xs:restriction>
1581 </xs:simpleType>
1582
1583 <xs:simpleType name="tUnboundedRangeValue">
1584   <xs:restriction base="xs:float"/>

```

```

1706 </xs:simpleType>
1707
1708 <xs:simpleType name="tTimeRangeValue">
1709   <xs:restriction base="xs:float">
1710     <xs:minInclusive value="0"/>
1711   </xs:restriction>
1712 </xs:simpleType>
1713
1714 <xs:simpleType name="tColorRenderingIndexRangeValue">
1715   <xs:restriction base="xs:float">
1716     <xs:minInclusive value="0"/>
1717     <xs:maxInclusive value="100"/>
1718   </xs:restriction>
1719 </xs:simpleType>
1720
1721 <xs:simpleType name="tColorTemperatureRangeValue">
1722   <xs:restriction base="xs:float">
1723     <xs:minInclusive value="0"/>
1724     <xs:maxInclusive value="30000"/>
1725   </xs:restriction>
1726 </xs:simpleType>
1727
1728 <xs:simpleType name="tFramingShutterDepthValue">
1729   <xs:restriction base="xs:float">
1730     <xs:minInclusive value="0"/>
1731     <xs:maxInclusive value="2"/>
1732   </xs:restriction>
1733 </xs:simpleType>
1734
1735 <xs:simpleType name="tFramingShutterAngleValue">
1736   <xs:restriction base="xs:float">
1737     <xs:minInclusive value="-360"/>
1738     <xs:maxInclusive value="360"/>
1739   </xs:restriction>
1740 </xs:simpleType>
1741
1742 <xs:simpleType name="tOnOff">
1743   <xs:restriction base="xs:string">
1744     <xs:enumeration value="On" />
1745     <xs:enumeration value="Off" />
1746   </xs:restriction>
1747 </xs:simpleType>
1748
1749 <xs:simpleType name="tStrobeMode">
1750   <xs:restriction base="xs:string">
1751     <xs:enumeration value="Linear" />
1752     <xs:enumeration value="Random" />
1753     <xs:enumeration value="ApertureRandom" />
1754     <xs:enumeration value="SynchronizedRandom" />
1755     <xs:enumeration value="Lightning" />
1756     <xs:enumeration value="Spikes" />
1757   </xs:restriction>
1758 </xs:simpleType>
1759
1760 <xs:simpleType name="tStrobeTransition">
1761   <xs:restriction base="xs:string">
1762     <xs:enumeration value="RampRamp" />
1763     <xs:enumeration value="RampSnap" />
1764     <xs:enumeration value="SnapRamp" />
1765     <xs:enumeration value="SnapSnap" />
1766   </xs:restriction>
1767 </xs:simpleType>
1768
1769 <xs:simpleType name="tFrostIndex">
1770   <xs:restriction base="xs:unsignedInt">
1771     <xs:minInclusive value="1"/>
1772     <xs:maxInclusive value="3"/>
1773   </xs:restriction>
1774 </xs:simpleType>
1585 </xs:simpleType>
1586
1587 <xs:simpleType name="tTimeRangeValue">
1588   <xs:restriction base="xs:float">
1589     <xs:minInclusive value="0"/>
1590   </xs:restriction>
1591 </xs:simpleType>
1592
1593 <xs:simpleType name="tColorRenderingIndexRangeValue">
1594   <xs:restriction base="xs:float">
1595     <xs:minInclusive value="0"/>
1596     <xs:maxInclusive value="100"/>
1597   </xs:restriction>
1598 </xs:simpleType>
1599
1600 <xs:simpleType name="tColorTemperatureRangeValue">
1601   <xs:restriction base="xs:float">
1602     <xs:minInclusive value="0"/>
1603     <xs:maxInclusive value="30000"/>
1604   </xs:restriction>
1605 </xs:simpleType>
1606
1607 <xs:simpleType name="tFramingShutterDepthValue">
1608   <xs:restriction base="xs:float">
1609     <xs:minInclusive value="0"/>
1610     <xs:maxInclusive value="2"/>
1611   </xs:restriction>
1612 </xs:simpleType>
1613
1614 <xs:simpleType name="tFramingShutterAngleValue">
1615   <xs:restriction base="xs:float">
1616     <xs:minInclusive value="-360"/>
1617     <xs:maxInclusive value="360"/>
1618   </xs:restriction>
1619 </xs:simpleType>
1620
1621 <xs:simpleType name="tOnOff">
1622   <xs:restriction base="xs:string">
1623     <xs:enumeration value="On" />
1624     <xs:enumeration value="Off" />
1625   </xs:restriction>
1626 </xs:simpleType>
1627
1628 <xs:simpleType name="tStrobeMode">
1629   <xs:restriction base="xs:string">
1630     <xs:enumeration value="Linear" />
1631     <xs:enumeration value="Random" />
1632     <xs:enumeration value="ApertureRandom" />
1633     <xs:enumeration value="SynchronizedRandom" />
1634     <xs:enumeration value="Lightning" />
1635     <xs:enumeration value="Spikes" />
1636   </xs:restriction>
1637 </xs:simpleType>
1638
1639 <xs:simpleType name="tStrobeTransition">
1640   <xs:restriction base="xs:string">
1641     <xs:enumeration value="RampRamp" />
1642     <xs:enumeration value="RampSnap" />
1643     <xs:enumeration value="SnapRamp" />
1644     <xs:enumeration value="SnapSnap" />
1645   </xs:restriction>
1646 </xs:simpleType>
1647
1648 <xs:simpleType name="tFrostIndex">
1649   <xs:restriction base="xs:unsignedInt">
1650     <xs:minInclusive value="1"/>
1651     <xs:maxInclusive value="3"/>
1652   </xs:restriction>
1653 </xs:simpleType>

```

```

1775
1776 <xs:simpleType name="tWheelIndex">
1777   <xs:restriction base="xs:unsignedInt">
1778     <xs:minInclusive value="1"/>
1779   </xs:restriction>
1780 </xs:simpleType>
1781
1782 <xs:simpleType name="tFramingShutterIndex">
1783   <xs:restriction base="xs:unsignedInt">
1784     <xs:minInclusive value="1"/>
1785     <xs:maxInclusive value="4"/>
1786   </xs:restriction>
1787 </xs:simpleType>
1788
1789 <xs:simpleType name="tAxisIndex">
1790   <xs:restriction base="xs:unsignedInt">
1791     <xs:minInclusive value="1"/>
1792   </xs:restriction>
1793 </xs:simpleType>
1794
1795 <xs:simpleType name="tLightMode">
1796   <xs:restriction base="xs:string">
1797     <xs:enumeration value="Direct" />
1798     <xs:enumeration value="ColorTemperature" />
1799     <xs:enumeration value="ColorTemperaturePlus" />
1800     <xs:enumeration value="RGB" />
1801     <xs:enumeration value="RGBPlus" />
1802     <xs:enumeration value="HSV" />
1803     <xs:enumeration value="HSVPlus" />
1804     <xs:enumeration value="CIE" />
1805     <xs:enumeration value="Filter" />
1806     <xs:enumeration value="AlternateFilter" />
1807   </xs:restriction>
1808 </xs:simpleType>
1809
1810 <xs:simpleType name="tWheelMode">
1811   <xs:restriction base="xs:string">
1812     <xs:enumeration value="Indexed" />
1813     <xs:enumeration value="Continuous" />
1814     <xs:enumeration value="Mixed" />
1815     <xs:enumeration value="Spinning" />
1816     <xs:enumeration value="Oscillating" />
1817     <xs:enumeration value="Random" />
1818   </xs:restriction>
1819 </xs:simpleType>
1820
1821 <xs:simpleType name="tNonRandomWheelMode">
1822   <xs:restriction base="xs:string">
1823     <xs:enumeration value="Indexed" />
1824     <xs:enumeration value="Continuous" />
1825     <xs:enumeration value="Mixed" />
1826     <xs:enumeration value="Spinning" />
1827     <xs:enumeration value="Oscillating" />
1828   </xs:restriction>
1829 </xs:simpleType>
1830
1831 <xs:simpleType name="tWheelFrameMode">
1832   <xs:restriction base="xs:string">
1833     <xs:enumeration value="Indexed" />
1834     <xs:enumeration value="Spinning" />
1835   </xs:restriction>
1836 </xs:simpleType>
1654
1655 <xs:simpleType name="tWheelIndex">
1656   <xs:restriction base="xs:unsignedInt">
1657     <xs:minInclusive value="1"/>
1658   </xs:restriction>
1659 </xs:simpleType>
1660
1661 <xs:simpleType name="tFramingShutterIndex">
1662   <xs:restriction base="xs:unsignedInt">
1663     <xs:minInclusive value="1"/>
1664     <xs:maxInclusive value="4"/>
1665   </xs:restriction>
1666 </xs:simpleType>
1667
1668 <xs:simpleType name="tAxisIndex">
1669   <xs:restriction base="xs:unsignedInt">
1670     <xs:minInclusive value="1"/>
1671   </xs:restriction>
1672 </xs:simpleType>
1673
1674 <xs:simpleType name="tLightMode">
1675   <xs:restriction base="xs:string">
1676     <xs:enumeration value="Direct" />
1677     <xs:enumeration value="ColorTemperature" />
1678     <xs:enumeration value="ColorTemperaturePlus" />
1679     <xs:enumeration value="RGB" />
1680     <xs:enumeration value="RGBPlus" />
1681     <xs:enumeration value="HSV" />
1682     <xs:enumeration value="HSVPlus" />
1683     <xs:enumeration value="CIE" />
1684     <xs:enumeration value="Filter" />
1685     <xs:enumeration value="AlternateFilter" />
1686   </xs:restriction>
1687 </xs:simpleType>
1688
1689 <xs:simpleType name="tLightPixelMode">
1690   <xs:restriction base="xs:string">
1691     <xs:enumeration value="Mix" />
1692     <xs:enumeration value="Multiply" />
1693   </xs:restriction>
1694 </xs:simpleType>
1695
1696 <xs:simpleType name="tWheelMode">
1697   <xs:restriction base="xs:string">
1698     <xs:enumeration value="Indexed" />
1699     <xs:enumeration value="Continuous" />
1700     <xs:enumeration value="Mixed" />
1701     <xs:enumeration value="Spinning" />
1702     <xs:enumeration value="Oscillating" />
1703     <xs:enumeration value="Random" />
1704   </xs:restriction>
1705 </xs:simpleType>
1706
1707 <xs:simpleType name="tNonRandomWheelMode">
1708   <xs:restriction base="xs:string">
1709     <xs:enumeration value="Indexed" />
1710     <xs:enumeration value="Continuous" />
1711     <xs:enumeration value="Mixed" />
1712     <xs:enumeration value="Spinning" />
1713     <xs:enumeration value="Oscillating" />
1714   </xs:restriction>
1715 </xs:simpleType>
1716
1717 <xs:simpleType name="tWheelFrameMode">
1718   <xs:restriction base="xs:string">
1719     <xs:enumeration value="Indexed" />
1720     <xs:enumeration value="Spinning" />
1721   </xs:restriction>
1722 </xs:simpleType>

```

```
1837
1838 <xs:simpleType name="tWheelSpinDirection">
1839   <xs:restriction base="xs:string">
1840     <xs:enumeration value="Forward" />
1841     <xs:enumeration value="Reverse" />
1842   </xs:restriction>
1843 </xs:simpleType>
1844
1845 <xs:simpleType name="tBoolean">
1846   <xs:restriction base="xs:string">
1847     <xs:enumeration value="True" />
1848     <xs:enumeration value="False" />
1849   </xs:restriction>
1850 </xs:simpleType>
1851
1852 <xs:simpleType name="tPositiveFloat">
1853   <xs:restriction base="xs:float">
1854     <xs:minInclusive value="0" />
1855   </xs:restriction>
1856 </xs:simpleType>
1857
1858 </xs:schema>
```

```
1723
1724 <xs:simpleType name="tWheelSpinDirection">
1725   <xs:restriction base="xs:string">
1726     <xs:enumeration value="Forward" />
1727     <xs:enumeration value="Reverse" />
1728   </xs:restriction>
1729 </xs:simpleType>
1730
1731 <xs:simpleType name="tFramingShutterPackageMode">
1732   <xs:restriction base="xs:string">
1733     <xs:enumeration value="Indexed" />
1734     <xs:enumeration value="Spinning" />
1735   </xs:restriction>
1736 </xs:simpleType>
1737
1738 <xs:simpleType name="tFramingShutterPackageSpinDirection">
1739   <xs:restriction base="xs:string">
1740     <xs:enumeration value="Forward" />
1741     <xs:enumeration value="Reverse" />
1742   </xs:restriction>
1743 </xs:simpleType>
1744
1745 <xs:simpleType name="tBoolean">
1746   <xs:restriction base="xs:string">
1747     <xs:enumeration value="True" />
1748     <xs:enumeration value="False" />
1749   </xs:restriction>
1750 </xs:simpleType>
1751
1752 <xs:simpleType name="tPositiveFloat">
1753   <xs:restriction base="xs:float">
1754     <xs:minInclusive value="0" />
1755   </xs:restriction>
1756 </xs:simpleType>
1757
1758 </xs:schema>
```